

**Methods of test for paint, varnishes and related materials
– Part B7 : Density**

AMENDMENT NO. 1

August 2018

1. Page 14, Table A.1

Replace Table A.1 with the following:

Table 1 — Density of pure, air-free water

Temperature t_T °C	Density ρ_W g/cm ³	Temperature t_T °C	Density ρ_W g/cm ³	Temperature t_T °C	Density ρ_W g/cm ³
10	0.9997	22	0.9978	25	0.9970
11	0.9996				
12	0.9995	22.1	0.9978	25.1	0.9970
13	0.9994	22.2	0.9977	25.2	0.9970
14	0.9992	22.3	0.9977	25.3	0.9970
15	0.9991	22.4	0.9977	25.4	0.9969
16	0.9989	22.5	0.9977	25.5	0.9969
17	0.9988	22.6	0.9976	25.6	0.9969
18	0.9986	22.7	0.9976	25.7	0.9969
19	0.9984	22.8	0.9976	25.8	0.9968
		22.9	0.9976	25.9	0.9968
20	0.9982	23	0.9975	26	0.9968
20.1	0.9982	23.1	0.9975	26.1	0.9968
20.2	0.9982	23.2	0.9975	26.2	0.9967
20.3	0.9981	23.3	0.9975	26.3	0.9967
20.4	0.9981	23.4	0.9974	26.4	0.9967
20.5	0.9981	23.5	0.9974	26.5	0.9966
20.6	0.9981	23.6	0.9974	26.6	0.9966
20.7	0.9981	23.7	0.9974	26.7	0.9966
20.8	0.9980	23.8	0.9973	26.8	0.9966
20.9	0.9980	23.9	0.9973	26.9	0.9965

Singapore Standard SS 5 : Part B7 : 2013 (2018)
Amendment No. 1

Temperature t_T °C	Density ρ_W g/cm ³	Temperature t_T °C	Density ρ_W g/cm ³	Temperature t_T °C	Density ρ_W g/cm ³
21	0.9980	24	0.9973	27	0.9965
21.1	0.9980	24.1	0.9973	27.1	0.9965
21.2	0.9980	24.2	0.9972	27.2	0.9965
21.3	0.9979	24.3	0.9972	27.3	0.9964
21.4	0.9979	24.4	0.9972	27.4	0.9964
21.5	0.9979	24.5	0.9972	27.5	0.9964
21.6	0.9979	24.6	0.9971	27.6	0.9963
21.7	0.9978	24.7	0.9971	27.7	0.9963
21.8	0.9978	24.8	0.9971	27.8	0.9963
21.9	0.9978	24.9	0.9971	27.9	0.9963
28	0.9962	29	0.9959	30	0.9957
				31	0.9953
28.1	0.9962	29.1	0.9959	32	0.9950
28.2	0.9962	29.2	0.9959	33	0.9947
28.3	0.9961	29.3	0.9959	34	0.9944
28.4	0.9961	29.4	0.9958	35	0.9940
28.5	0.9961	29.5	0.9958	36	0.9937
28.6	0.9961	29.6	0.9958	37	0.9933
28.7	0.9960	29.7	0.9957	38	0.9930
28.8	0.9960	29.8	0.9957	39	0.9926
28.9	0.9960	29.9	0.9957	40	0.9922