

SINGAPORE STANDARD

SS 536 : 2008

(ICS 53.020.20)

CODE OF PRACTICE FOR

**The safe use of mobile
cranes**

(Formerly CP 37 : 2000)

Published by
SPRING Singapore
2 Bukit Merah Central
Singapore 159835
SPRING Singapore Website: www.spring.gov.sg
Standards Website: www.standards.org.sg

SINGAPORE STANDARD
SS 536 : 2008
(ICS 53.020.20)

CODE OF PRACTICE FOR
The safe use of mobile
cranes

(Formerly CP 37 : 2000)

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from SPRING Singapore at the address below:

Head
Standardisation Department
SPRING Singapore
2 Bukit Merah Central
Singapore 159835
Telephone: 62786666 Telefax: 62786667
Email: stn@spring.gov.sg

ISBN 981-4154-63-6

Contents

	Page
Foreword _____	7

CLAUSES

1	Scope and normative references _____	8
2	Definitions _____	9
3	Structural _____	13
4	Mechanical _____	16
5	Electrical equipment _____	25
6	Hydraulic equipment _____	26
7	Pneumatic equipment _____	27
8	Load capacity, strength and stability _____	28
9	Safety in mobile crane operation _____	32
10	Stability of mobile cranes at site _____	41
11	Inspection _____	47
12	Maintenance and repair _____	54
13	Crane logs _____	57

ANNEXES

A	Types of mobile cranes _____	58
B	Tipping line of mobile cranes _____	59
C	Commissioning and acceptance testing of mobile cranes _____	61
D	Recommended crane signals _____	68
E	Example of certificate of test / Thorough visual examination of lifting equipment (LE) ____	69
F	Factor of safety for foundation areas _____	70
G	Example of standard daily checklist _____	72
H	Discard criteria for wire ropes _____	74
I	Example of a standard checklist for inspection and testing of mobile cranes _____	78

TABLES

1	Safety factor for general purpose wire ropes _____	16
2	Minimum ratio of the pitch diameter to the nominal diameter of the rope (drum) _____	17
3	Minimum groove radii for rope drums and pulleys _____	17
4	Minimum rope clearances for drum grooves _____	18
5	Minimum ratio of the pitch diameter to the nominal diameter of the rope (sheave) ____	19
6	Permissible exposure limits for noise _____	24
7	Stability criteria I _____	30

	Page
8	Stability criteria II _____ 30
9	SPT for granular soils (sands and gravels) _____ 42
10	SPT for cohesive soils (clays and silts) _____ 42
11	Minimum number of wire rope clips to be used _____ 56
12	Test configurations for telescopic jib arrangements _____ 62
13	Test configurations for strut jib arrangements _____ 62
14	Test configurations for mast/tower and jib arrangements _____ 63

FIGURES

1	Basic terminology and functions of typical mobile cranes _____ 14
2	Crawler-mounted cranes _____ 15
3	Wheel-mounted cranes _____ 32
4	Safe distance D from a slope with depth H _____ 45
5	Safe distance D from a retaining wall with height of soil retained H _____ 46
6	Safe distance D from a nearby building with basement with height of soil retained H _____ 46
7	Cranes on wheels (tyres) _____ 59
8	Crane on wheels (tyres) without suspension or with the suspension locked _____ 59
9	Crane on wheels with the suspension unlocked _____ 60
10	Cranes on riggers _____ 60
11	Cranes on crawlers _____ 60
12	Elevation of typical jib configuration _____ 64
13	Outrigger foundation areas on granular soils _____ 70
14	Outrigger foundation areas on cohesive soils _____ 70
15	Severe crushing – the individual wires are distorted and displaced from their normal position. Usually this is caused by rope scrubbing on itself _____ 75
16	Flattened portion due to local crushing, creating imbalance in the strands and associated with broken wires _____ 75
17	Flattened portion of multi-strand rope caused by miscoiling on a drum _____ 75
18	A bird cage _____ 76
19	A kinked rope _____ 76
20	Local increase in diameter of a Langs lay wire rope caused by distortion of the steel core resulting from shock loading _____ 77
21	Local increase in rope diameter, due to the protrusion of the fibre core, in a degraded condition between the outer strands _____ 77
22	Excessive clearance between strands _____ 77

Foreword

This Code of Practice was revised by the Technical Committee on Safety of Machinery under the purview of the General Engineering and Safety Standards Committee. It is a revision of CP 37 : 2000 which has been re-numbered as SS 536.

In the first revision, a section on stability of crane was introduced and it includes a test method on soil condition prior to operating a crane over a particular ground area. This was prompted by the many incidents on overloading of the crane, poor soil conditions at construction work sites and faulty machine. A more comprehensive coverage was done for the topics on safe operation, testing and maintenance of mobile cranes.

In this revision, the focus was on the inspection, testing and examination of mobile cranes. It aims to provide recommendations for the pre-use checks, in-service inspections, thorough examination and testing of cranes, including associated equipment and the means by which tests are to be carried out.

This Code would be referred to by workplace safety and health officers, safety consultants, project / site managers, crane contractors and crane suppliers as well as the relevant authorities.

In revising this Code, reference was made to the following publications:

1. ISO 4305 : 1991 Mobile cranes – Determination of stability
2. ISO 4309 : 2004 Cranes – Wire ropes – Care, maintenance, installation, examination and discard
3. Construction Industry Research and Information Association (CIRIA) Special Publication SP 131 – Crane Stability on Site (CIRIA, London, 1996)

Clause 10 of this standard is based on materials from SP131 – Crane Stability on Site (CIRIA, London, 1996) and C654 – Tower Crane Stability and permission has been granted by the Construction Industry Research and Information Association (CIRIA) to use the information. For information on CIRIA, please refer to www.ciriabooks.com and www.ciria.org.uk.

Acknowledgement is made for the use of information from the above references.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. SPRING Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

1. *Singapore Standards are subject to periodic review to keep abreast of technological changes and new technical developments. The revisions of Singapore Standards are announced through the issue of either amendment slips or revised editions.*
2. *Compliance with a Singapore Standard does not exempt users from legal obligations.*

Code of practice for the safe use of mobile cranes

1 Scope and normative references

1.1 Scope

This Code provides information about the construction, application, operation, maintenance and testing of mobile cranes for their safe use.

The types of land-based mobile cranes covered by this Code include crawler cranes, wheel-mounted cranes and truck-mounted cranes, but exclude lorry loaders.

Both rope suspended boom types and hydraulic boom types (see Annex A) are included.

This Code does not include equipment used for specialised operations or those operations which are not basically considered as lifting, e.g.:

- a) Demolition with the use of a demolition ball;
- b) Piling;
- c) Grabbing.

1.2 Normative references

The following referenced documents are mentioned for use with this Singapore Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3046 :	Reciprocating internal combustion engines – Performance
	Part 1 : 1995 Standard reference conditions, declarations of power, fuel and lubricating oil consumptions, and test methods
	Part 3 : 1989 Test measurements
	Part 4 : 1997 Speed governing
	Part 5 : 1978 Torsional vibrations
	Part 6 : 1990 Overspeed protection
	Part 7 : 1995 Codes for engine power
ISO 4302 : 1981	Cranes – Wind load assessment
ISO 4306 :	Cranes – Vocabulary
	Part 1 : 1990 General
ISO 4310 : 1981	Cranes – Test code and procedures
IEC 60204 :	Safety of machinery
	Part 32 : 1998 Hoisting machines
SS CP 33 : 1996	Lightning protection
SS CP 63 : 1996	The lifting of persons in work platforms suspended from cranes