

TECHNICAL REFERENCE
TR 26 : 2010
(ICS 93.020)

TECHNICAL REFERENCE FOR
Deep excavation

Published by
SPRING Singapore
2 Bukit Merah Central
Singapore 159835
SPRING Singapore Website: www.spring.gov.sg
Standards Website: www.standards.org.sg

SPRING
singapore
Enabling Enterprise

TECHNICAL REFERENCE
TR 26 : 2010
(ICS 93.020)

TECHNICAL REFERENCE FOR
Deep excavation

All rights reserved. Unless otherwise specified, no part of the Technical Reference may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from SPRING Singapore at the address below:

Head
Standardisation Department
SPRING Singapore
2 Bukit Merah Central
Singapore 159835
Telephone: 62786666 Telefax: 62786667
Email: stn@spring.gov.sg

ISBN 978-981-4278-44-7

First published, 2010

NOTE

1. *Users of this Technical Reference should refer to the relevant professional or experts for any technical advice on the subject matter. SPRING Singapore shall not be liable for any damages whether directly or indirectly suffered by anyone as a result of reliance on this Technical Reference.*
2. *Compliance with this Technical Reference does not exempt users from legal obligations.*

Contents

	Page
Foreword _____	7
 CLAUSES	
<hr/> <hr/>	
Section One – General	
1.1 Scope _____	8
1.2 Normative references _____	8
1.3 Terms and definitions _____	9
 Section Two – Site Investigations	
2.1 General _____	9
2.2 Extent of investigation _____	10
2.3 Determination of wall toe-in _____	11
2.4 Presence of boulders _____	11
2.5 Investigation for tie-back design _____	12
2.6 Sampling and in-situ tests _____	12
2.7 Existing building conditions _____	13
2.8 Geotechnical model _____	13
 Section Three – Design requirements	
3.1 General _____	13
3.2 Water pressures _____	13
3.3 Basis for design _____	14
3.4 Design considerations _____	14
3.5 Ultimate limit state _____	16
3.6 Unplanned excavation _____	17
3.7 Design checks _____	17
3.8 Serviceability limit states _____	19
3.9 Computer software using numerical methods _____	19
3.10 Structural design _____	20
3.11 Material traceability and reusability of strutting materials _____	25
 Section Four – Ground treatment	
4.1 General _____	25
4.2 Methods of ground treatment _____	26
4.3 Ground treatment for specific requirements _____	26

	Page
Section Five – Ground anchors	
5.1 General _____	29
5.2 Terms and definitions _____	29
5.3 Factor of safety _____	30
5.4 Design situations and actions _____	31
5.5 Design of the anchorage _____	32
5.6 Checking of earth retaining wall movement _____	33
5.7 Investigative tests _____	33
5.8 Suitability tests _____	33
5.9 Acceptance tests _____	34
5.10 Tests on anchors _____	34
5.11 Pre-loading _____	34
5.12 Supervision and monitoring _____	34
5.13 Corrosion protection of steel components of anchorage _____	34
5.14 Maintenance of anchorages during service life _____	34
Section Six – Impact assessment	
6.1 General _____	35
6.2 Prediction of ground deformation _____	35
6.3 Damage assessment _____	35
6.4 Masonry structures _____	37
6.5 Reinforced/pre-stressed concrete structures _____	37
6.6 High-rise buildings _____	38
6.7 Piled foundations _____	38
6.8 Utilities _____	38
6.9 Protective measures _____	38
6.10 Limiting values of structural deformation and foundation movement _____	38
Section Seven – Instrumentation and monitoring	
7.1 General _____	39
7.2 Considerations for instrumentation _____	39
7.3 Instrumentation and monitoring of structures _____	40
7.4 Monitoring the performance of excavations _____	41
7.5 Reading frequency of monitoring instruments _____	42
7.6 Review levels and interpretation of monitoring results _____	42
7.7 Multi-tier level monitoring and reviews _____	43
7.8 Full design reviews _____	43

Section Eight – Safety of construction

8.1	Risk assessment _____	44
8.2	Risk registry _____	44
8.3	Permit-to-excavate _____	44
8.4	Site inspection _____	45
8.5	Verification of site findings with designer _____	45
8.6	Training and supervision _____	46

ANNEXES

A	Guidance on descriptions and weathering classifications _____	47
B	Classification of brickwork or masonry building damage _____	53
C	Informative references _____	54

TABLES

1	Sampling and in-situ tests _____	12
2	BS 8002 mobilisation factors for soil parameters (γ_m) _____	16
3	Load combination factors for limit states design of structures _____	20
4	Minimum safety factors recommended for design of individual anchorages _____	30
5	Recommended number of field tests _____	34
6	Damage category for masonry buildings _____	37
7	General guidelines for instrumentation and monitoring _____	41
A.1	Description of soil and rock types _____	48
A.2	Rock weathering classification _____	49
A.3	Bukit Timah granite and Gombak norite _____	50
A.4	Jurong formation _____	51
A.5	Old alluvium _____	52
B.1	Classification of visible damage to walls with particular reference to ease of repair of plaster and brickwork or masonry _____	53

FIGURES

1(a)	Walls not penetrating into competent soil _____	18
1(b)	Walls penetrating into competent soil _____	18
2	Stability against hydraulic uplift _____	18
3 (a)	DPL diagrams for sand _____	21
3 (b)	DPL diagrams for stiff clay _____	21
3 (c)	DPL diagrams for soft clay _____	22
4 (a)	Example of excavation with stable base _____	22
4 (b)	Example of excavation with “unstable” base _____	22
5	Considering the forces due to eccentricity in the design of strut and waler _____	24
6	Length of stiff bearing for strut-to-waler connection _____	25
7 (a)	Treatment for utility gap _____	28
7 (b)	Treatment for TBM entry _____	28
8	Monitoring zone (minimum 2H) for buildings, structures, roads or utilities _____	40

Foreword

This Technical Reference was prepared by the Working Group on Deep Excavation appointed by the Technical Committee on Civil and Geotechnical Works under the direction of the Building and Construction Standards Committee (BCSC). The BCSC endorsed the Technical Reference on 3 February 2010.

Deep excavations are complex due to the following:

- a) There is always an element of uncertainty concerning in-situ conditions because the ground is a product of nature;
- b) Limitations in sampling and testing;
- c) The intrinsic soil and rock behaviour is complex;
- d) Limitations in modelling, e.g. on interfaces;
- e) Methods of construction can be varied and difficult to anticipate;
- f) Predicting building response is complex;
- g) Nature and condition of existing foundations and structures;
- h) Complex soil-structure interaction problems.

All deep excavations should be structurally safe and robust. The planning, design and construction processes in deep excavation projects are often not straightforward, involving many project parties and specialists. It is associated with higher risks, especially when implemented in urban built-up areas and in difficult ground conditions.

While this Technical Reference is not meant to be a design guide or manual on deep excavation, it aims to draw attention and provide references to the key aspects of design, construction and practices.

This Technical Reference is not to be regarded as a Singapore Standard; it is made available for provisional application over a period of two years but does not have the status of a Singapore Standard. The aim is to use the experience gained to modify the Technical Reference so that it can be adopted as a Singapore Standard. Users of the Technical Reference are invited to comment on its technical content, ease of use and any ambiguities or anomalies. These comments can be submitted using the feedback form provided at the end of the Technical Reference and will be taken into account in the review of the publication. At the end of two years, the Technical Reference will be reviewed by the WG to discuss the comments received and to determine its suitability as a Singapore Standard. Submission for approval by the Standards Council as a Singapore Standard will be carried out only upon agreement after review.

Acknowledgement is made to CIRIA for permission to reproduce in this TR, Figure 7.12 of CIRIA 517 – Temporary propping of deep excavations – Guidance on design (London, 1999), www.ciria.org.

At the time of publication, this Technical Reference is expected to be used by parties involved in deep excavation works, including designer, developer, owner and builder.

Attention is drawn to the possibility that some of the elements of this Technical Reference may be the subject of patent rights. SPRING Singapore shall not be held responsible for identifying any or all of such patent rights.

Technical Reference for deep excavation

Section One – General

1.1 Scope

The Technical Reference is specific to the design and construction of deep excavations.

Deep excavation refers to any excavates which has a retained height or excavation depth of 6 m or more. This includes shafts, trenches, cofferdams, marine or land retaining structures with walls, both temporary and permanent, ranging from free-standing gravity walls to multi-braced or anchored embedded walls. For a sloping ground behind the retaining wall, the height is taken to be from the excavated level to the top of slope. The excavation depth includes smaller but separate excavations or holes which extend beyond the main excavation level for construction of pile caps, pump sumps, lift pits etc.

This Technical Reference is also applicable to situations where the excavation depth or retained height is less than 6 m if any of the following conditions is met:

- a) There are adjacent structures within a horizontal distance of less than the excavation depth from the excavation face that are vulnerable to or likely to be adversely affected by the excavation works;
- b) Ground conditions are poor; or
- c) Lowering of groundwater table will likely lead to significant consolidation settlements in surrounding ground.

1.2 Normative references

The following referenced documents are indispensable for the application of this Technical Reference. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

1.2.1 Code of practice for site investigations

BS 5930 : 1999 Code of practice for site investigations

1.2.2 Laboratory and field tests

BS 1377 : 1990 Methods of test for soils for civil engineering purposes

BS 4019 : 1993 Rotary core drilling equipment

BS ISO 14686 : 2003 Hydrometric determinations – Pumping tests for water wells –
Considerations and guidelines for design, performance and use

1.2.3 Geotechnical structures or elements or processes

1.2.3.1 Codes of practice

BS 5950-1 : 2000 Structural use of steelwork in building

Part 1: Code of practice for design – Rolled and welded sections

BS 8002 : 1994 Code of practice for earth retaining structures

BS 8081 : 1989 Code of practice for ground anchorages