

EUROCODE – BASIS OF STRUCTURAL DESIGN

ERRATUM NO. 1

April 2009

1. Page v, National Foreword

Replace the 3rd paragraph with the following text:

Annex A2 ‘Application for bridges’ (normative) which is issued through CEN Amendment 1 (EN 1990:2002/A1, December 2005) and EN 1990:2002/A1:2005/AC, December 2008 have been incorporated after the main EN 1990 text. An editorial amendment has been made to EN 1990 : 2002/A1:2005/AC, Modification 1 – “page 22” has been replaced by “page 21”.

2. Insert the attached EN 1990:2002/A1:2005/AC after CEN Amendment 1 (EN 1990:2002/A1, December 2005).

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1990:2002/A1:2005/AC

December 2008
Décembre 2008
Dezember 2008

ICS 91.010.30

English version
Version Française
Deutsche Fassung

Eurocode - Basis of structural design

Eurocode - Bases de calcul des structures

Eurocode - Grundlagen der
Tragwerksplanung

This corrigendum becomes effective on 3 December 2008 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 3 décembre 2008 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 3. Dezember 2008 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2008 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

Ref. No.:EN 1990:2002/A1:2005/AC:2008 D/E/F

1 Adding of further modifications

Add the following text at the very beginning of EN 1990:2002/A1:2005:

"

1 Modification to Subclause 1.6, Symbols

'Latin upper case letters', page 21, replace:

" $Q_{k,i}$ Characteristic value of the accompanying variable action i "

with:

" $Q_{k,i}$ Characteristic value of the accompanying variable action i "

2 Modification to Subclause 2.1, Basic requirements

Paragraph (1)P, 2nd dash, page 23, replace:

- "remain fit for the use for which it is required."

with the following bullet point including a new 'NOTE':

- "meet the specified serviceability requirements for a structure or a structural element.

NOTE See also 1.3, 2.1(7) and 2.4(1) P."

"

2 Modifications to Subclause A2.2.5, Combinations of actions for accidental (non seismic) design situations

Paragraph (2), page 11 of EN 1990:2002/A1:2005, replace 'NOTE 1' with :

"NOTE 1 For actions due to impact from traffic, see EN 1991-1-7."

Paragraph (3), page 12 of EN 1990:2002/A1:2005, replace 'NOTE 1' with :

"NOTE 1 For actions due to impact from traffic, see EN 1991-1-7."

3 Modification to Annex A2.2.6, Values of Ψ factors

Table A2.1, 4th column (' Ψ 1'), 7th row ('Traffic loads'/gr3 (Pedestrian loads')), page 13 of EN 1990:2002/A1:2005, replace:

"0"

with:

"0,40".