

### SS 146 : Part 1 : 2004 IEC 60335-1 : 2001

(ICS 13.120; 97.030)

#### SINGAPORE STANDARD

# Specification for safety of household and similar electrical appliances

- Part 1 : General requirements

Amendment No. 1 (issued separately)





**SS 146 : Part 1 : 2004** IEC 60335-1 : 2001 (ICS 13.120; 97.030)

#### SINGAPORE STANDARD

# Specification for safety of household and similar electrical appliances

- Part 1 : General requirements

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from SPRING Singapore at the address below:

Standards SPRING Singapore 1 Fusionopolis Walk, #01-02 South Tower, Solaris Singapore 138628 Email : standards@spring.gov.sg

ISBN 9971-67-981-7

This Singapore Standard was approved by the Electrical and Electronic Standards Committee on behalf of the Standards Council of Singapore on 23 June 2004.

First published, 1976 First revision, 1982 Second revision, 1992 Third revision, 1994 Fourth revision, 2004

The Electrical and Electronic Standards Committee appointed by the Standards Council consists of the following members:

		Name	Capacity
Chairman	:	Mr Renny Yeo Ah Kiang	Member, Standards Council
Deputy Chairman	:	Mr Lim Say Leong	Member, Standards Council
Secretaries	:	Mrs Leong Suet Mui Mr Ong Chih Hsing	SPRING Singapore SPRING Singapore
Members	:	Assoc Prof Chan Tat Wai Mr Chong Weng Hoe Mr Chua Kok Yong Er. Adeline Koh Assoc Prof Koh Liang Mong Mr Peter Leong Prof Liew Ah Choy Mr Kenneth Liu Mr Ng Kim Leong Mr Ng Kin Ming	Nanyang Technological University PSB Corporation Pte Ltd SP PowerGrid Ltd Association of Consulting Engineers Singapore Nanyang Technological University Singapore International Chamber of Commerce National University of Singapore Association of Consulting Engineers Singapore Institution of Engineers Singapore Singapore Electrical Contractors and Licensed Electrical Workers Association
		Mr Michael Ong Mr K Seshadri Mr Sim Wee Meng Mr Tan Boon Chong Mr Tan Hak Khoon Mr Jimi Wong Yick Chee Prof Yeo Tat Soon	SPRING Singapore Singapore Manufacturers' Federation Land Transport Authority Singapore Manufacturers' Federation Energy Market Authority Singapore Electrical Trades Association National University of Singapore

The Technical Committee on Safety of Household and Similar Electrical Appliances and Electronic Equipment appointed by the Electrical and Electronic Standards Committee and responsible for the preparation of this standard consists of representatives from the following organisations:

		Name	Capacity
Chairman	:	Mr Michael Ong	Member, Electrical and Electronic Standards Committee
Deputy Chairman	:	Mr Tan Boon Chong	Singapore Electrical Trades Association
Secretary	:	Mr Ong Chih Hsing	SPRING Singapore
Members	:	Mr Chia Eng Giap Mr Foo Chee Yan	PSB Corporation Pte Ltd Infocomm Development Authority of Singapore

Members	:	Assoc Prof Lee Tat Man	Nanyang Technological University
		Er. Lim Beng Hwee	Institution of Engineers, Singapore
		Mr Lawrence Low Keng Chiew	Singapore Manufacturers' Federation
		Mr Joseph Michael	Energy Market Authority
		Er. Ng Kim Leang	Housing & Development Board
		Ms Michelle Ng Yan Mun	PSB Corporation Pte Ltd

The Working Group appointed by the Technical Committee to assist in the preparation of this standard comprises the following experts who contribute in their *individual capacity*:

#### Name

Convenor	:	Mr Joseph Michael
Members	:	Ms Bernice Lau Wee Nee
		Mr Lawrence Low Keng Chiew
		Mr Daniel Ng
		Er. Ng Kim Leang
		Mr Tan Boon Chong
		Mr Wong Chee Kian
		Mr Rudy Wong Chee Leng

The experts of the Working Group are nominated/recommended by the following organisations:

Clipsal Industries International Pte Ltd Energy Market Authority Faco Electric Co. Pte Ltd General Electric Pacific Pte Ltd Housing & Development Board PSB Corporation Pte Ltd Singapore Electrical Testing Services SPRING Singapore

(blank page)

Page

#### Contents

lational Foreword		
Foreword	10	
Introduction	14	

#### CLAUSES

1	Scope	15
2	Normative references	15
3	Definitions	18
4	General requirement	25
5	General conditions for the tests	26
6	Classification	29
7	Marking and instructions	29
8	Protection against access to live parts	34
9	Starting of motor-operated appliances	36
10	Power input and current	36
11	Heating	38
12	Void	42
13	Leakage current and electric strength at operating temperature	42
14	Transient overvoltages	45
15	Moisture resistance	46
16	Leakage current and electric strength	48
17	Overload protection of transformers and associated circuits	50
18	Endurance	50
19	Abnormal operation	50
20	Stability and mechanical hazards	56
21	Mechanical strength	57
22	Construction	58
23	Internal wiring	67
24	Components	69
25	Supply connection and external flexible cords	72
26	Terminals for external conductors	79
27	Provision for earthing	82
28	Screws and connections	
29	Clearances, creepage distances and solid insulation	86
30	Resistance to heat and fire	93
31	Resistance to rusting	96
32	Radiation, toxicity and similar hazards	96

#### Pages

#### ANNEXES

А	(informative) Routine tests	108
В	(normative) Appliances powered by rechargeable batteries	110
С	(normative) Ageing test on motors	113
D	(normative) Alternative requirements for protected motors	115
Е	(normative) Needle flame test	116
F	(normative) Capacitors	117
G	(normative) Safety isolating transformers	119
Н	(normative) Switches	120
I	(normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	122
J	(normative) Coated printed circuit boards	124
K	(normative) Overvoltage categories	125
L	(informative) Guidance for the measurement of clearances and creepage distances	126
М	(normative) Pollution degree	128
Ν	(normative) Proof tracking test	129
0	(informative) Selection and sequence of the tests of clause 30	130

#### TABLES

1	Power input deviation	
2	Current deviation	
3	Maximum normal temperature rises	
4	Voltage for electric strength test	
5	Characteristics of high-voltage sources	
6	Impulse test voltage	
7	Test voltages	
8	Maximum winding temperature	
9	Maximum abnormal temperature rise	
10	Diameter of cables and conduits	
11	Minimum cross-sectional area of conductors	
12	Pull force and torque	
13	Nominal cross-sectional area of conductors	
14	Torque for testing screws and nuts	
15	Rated impulse voltage	
16	Minimum clearances	

#### Page

17	Minimum creepage distances for basic insulation	91
18	Minimum creepage distances for functional insulation	92
A.1	Test voltages	109
C.1	Test conditions	113

#### FIGURES

1	Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances	97
2	Circuit diagram for leakage current measurement at operating temperature for single-phase connection of appliances, other than those of class II	98
3	Circuit diagram for leakage current measurement at operating temperature for three-phase connection of class II appliances	99
4	Circuit diagram for leakage current measurement at operating temperature for three-phase connection of appliances other than those of class II	100
5	Circuit diagram for electric strength test at operating temperature	101
6	Example of an electronic circuit with low-power points	102
7	Test finger nail	103
8	Flexing test apparatus	104
9	Constructions of cord anchorages	105
10	An example of parts of an earthing terminal	106
11	Examples of clearances	107
I.1	Simulation of faults	123
L.1	Sequence for the determination of clearances	126
L.2	Sequence for the determination of creepage distances	127
0.1	Tests for resistance to heat	130
0.2	Tests for resistance to fire	131
Bibliogr	aphy	132

#### **National Foreword**

This Singapore Standard was prepared by the Technical Committee on Safety of Household and Similar Electrical Appliances and Electronic Equipment, under the purview of the Electrical and Electronics Standards Committee. It is a revision of SS 146 Part 1 : 1994.

This standard is an identical adoption of the Fourth Edition of International Standard IEC 60335-1 2001-05 – "Household and similar electrical appliances – Safety, Part 1 : General requirements", including Corrigendum 1 : 2002-1.

Attention is drawn to the following:

- 1. Where the words 'International Standard' appear, they should be interpreted as 'Singapore Standard'.
- 2. The comma has been used throughout as a decimal marker in IEC 60335-1, whereas in Singapore Standards it is a practice to use a full-point on the baseline as the decimal marker.
- 3. Where the reference 'IEC 60335-1' or '60335-1 IEC' appears, it should be interpreted as 'SS 146 : Part 1'.
- 4. Where 'TC 61' appears, it should be interpreted as 'the national Technical Committee on Safety of Household and Similar Electrical Appliances and Electronic Equipment'.
- 5. The reference to IEC standards shall be replaced by the following Singapore Standards:

International Standard	Corresponding Singapore Standard	
IEC 60227 (Parts 1, 2, 3 & 5)	SS 358 (Parts 1, 2, 3 & 5) Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V	
IEC 60529	SS IEC 529 : 1989 Degrees of protection provided by enclosures (IP Code)	
IEC 60598-1 : 1999	SS 263 : Part 1 : 2000 Luminaires - Part 1 : General requirements and tests	
IEC 61032: 1997	SS 101 : 1999 Protection of persons and equipment by enclosures – Probes for verification	

This Part 1 is to be used in conjunction with the appropriate part 2 of SS 146. The part 2 contains clauses to supplement or modify the corresponding clauses in Part 1, to provide the relevant requirements for each type of appliance.

Annexes B, C, D, E, F, G, H, 1, J, K, M and N form an integral part of this standard.

Annexes A, L and O are for information only.

In this standard, the following print types are used:

- requirements : in roman type;
- test specifications : in italic type;
- notes : in small roman type;

Words in bold in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. SPRING Singapore shall not be held responsible for identifying any or all of such patent rights.

#### NOTE

1. Singapore Standards are subject to periodic review to keep abreast of technological changes and new technical developments. The changes in Singapore Standards are documented through the issue of either amendments or revisions.

<sup>2.</sup> Compliance with a Singapore Standard does not exempt users from legal obligations.

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 1: General requirements

#### FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of international standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 1991 and its amendments 1 (1994) and 2 (1999). It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents:

FDIS	Report on voting
61/1965/FDIS	61/1998/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part is to be used in conjunction with the appropriate part 2 of IEC 60335. The parts 2 contain clauses to supplement or modify the corresponding clauses in this part to provide the relevant requirements for each type of appliance.

Annexes B, C, D, E, F, G, H, I, J, K, M and N form an integral part of this standard.

Annexes A, L and O are for information only.

NOTE 1 The following annexes contain provisions suitably modified from other IEC standards:

-	Annex E	Needle flame test	IEC 60695-2-2
-	Annex F	Capacitors	IEC 60384-14
-	Annex G	Safety isolating transformers	IEC 61558-1 and IEC 61558-2-6
-	Annex H	Switches	IEC 61058-1
-	Annex J	Coated printed circuit boards	IEC 60664-3
-	Annex N	Proof tracking tests	IEC 60112

NOTE 2 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

#### The following differences exist in the countries indicated below.

- Clause 3: Steady conditions are defined (Poland).
- 3.4.2: Safety extra-low voltage shall not exceed 30 V (42,4 V peak) (USA).
- 5.7: The ambient temperature is 25 °C ± 10 °C (China, Japan and USA).
- 5.14: Accessible metal parts that are not liable to become energized (such as metal nameplates or decorative
  parts on a plastic enclosure) do not need to be earthed. Accessible non-metallic parts need only provide basic
  insulation (USA).
- 6.1: Class 0 appliances and class 0 appliances are not allowed (Australia, Austria, Belgium, Czech Republic, Finland, France, Germany, Greece, Hungary, India, Israel, Ireland, Italy, Netherlands, New Zealand, Norway, Poland, Singapore, Slovakia, Sweden, Switzerland, United Kingdom, Yugoslavia).
- 6.2: Protection against harmful ingress of water is determined by methods other than those given in IEC 60529 (USA).
- 7.1: The IP number is not required to be marked (USA).
- 7.6: Some of these symbols are not used (USA).
- 7.8: Additional methods are permitted for identifying earthing terminals and terminals for neutral conductors (USA).
- 7.12.2: The requirements for full disconnection do not apply (Japan, USA).
- 7.14: Different tests are used (USA).
- 8.1.1: The test is not necessarily repeated with the 20 N force (USA).
- 8.1.1: Protection against contact with live parts of the lamp cap is not required (USA).
- 8.1.2 and 8.1.3: The test probe 13 and test probe 41 are not used (USA).
- 8.1.5: Built-in appliances, fixed appliances and appliances delivered in separate units are not required to be protected by at least basic insulation before installation (USA).
- Clause 9: The ability of a motor to start without blowing a quick-acting fuse is required (USA).
- 10.1 and 10.2: Positive limits of 5 % for heating appliances and 10 % for motor-operated appliances are required and in general there are no negative deviations (USA).
- 11.4, 11.5 and 11.6: Heating appliances and heater circuits of combined appliances are operated at rated power input or rated voltage, whichever is the more severe; all other appliances and circuits are operated at rated voltage (USA).
- 11.8, table 3: Temperature rise limits for certain materials are different (USA).
- 13.2: The test circuit and some leakage current limits are different (India, USA).
- 13.3: The values of certain test voltages are different depending on the rated voltage (USA).
- 13.3: A 500 VA test transformer is used (USA).
- 15.1.1 and 15.1.2: The IP system is not used and the tests are different (USA).
- 15.3: The test is conducted with a relative humidity of (88  $\pm$  2) % at a temperature of 32 °C  $\pm$  2 °C (USA).

- 16.2: The test is conducted at nominal supply voltage, and some of the leakage current values are different (USA).
- 16.3: Some test voltages and methods are different (USA).
- 19.1: The circuit protection device is permitted to provide necessary protection (USA).
- 19.2 to 19.4: Generally the tests are conducted at nominal supply voltage or rated power input (USA).
- 19.13: The temperature rise limits of table 9 are not applicable (USA).
- 20.1: A stability test at 15° is not conducted, and an appliance tested in an overturned position is judged under abnormal test criteria (USA).
- Clause 21: The impact force is applied by a falling steel ball instead of the spring hammer (USA).
- Clause 22: The d.c. component in the appliance neutral is limited (Australia).
- 22.1: The IP system is not used and the tests are different (USA).
- 22.2: The second paragraph of this subclause dealing with single-phase class I appliances with heating elements cannot be complied with because of the supply system (France and Norway).
- 22.2: Double-pole switches or protective devices are required (Norway).
- 22.2: Disconnection of the neutral is not necessary for all stationary appliances (USA).
- 22.2: The supply cord is not required to be fitted with a plug (Ireland).
- 22.3: The test is different (USA).
- 22.6: This test is not conducted (USA).
- 22.11: Different criteria for snap-on constructions are required (USA).
- 22.12: Positive forms of securement are required (USA).
- 22.14: Sharp edges are evaluated by means of a sharp edge testing device (USA).
- 22.35 and 22.36: Metal parts are generally not required to be separated by double or reinforced insulation (USA).
- 22.44: Appliances may be acceptable based on additional evaluation (USA).
- 23.5: Requirements for insulated internal wiring are different (USA).
- 23.7: The requirement only applies to wiring that is accessible when making supply connections (USA).
- 24.1.3: The number of cycles is different and the note does not apply (USA).
- 24.1.4: The number of cycles is different and note 1 does not apply (USA).
- 24.3: The requirement for full disconnection does not apply (USA).
- 25.1: The supply cord is not required to be fitted with a plug (Ireland).
- 25.3: A set of supply leads is not permitted (Norway, Sweden, Denmark, Finland, Netherlands).
- 25.3: The use of a set of terminals for connection of a flexible cord is not generally permitted (USA).
- 25.8: Conductor cross-sectional areas are different (Australia, New Zealand and USA).
- 25.8: 0,5 mm<sup>2</sup> supply cords are not allowed for class I appliances (Australia and New Zealand).
- 25.10: Green insulation is also permitted (USA).
- 25.13: Only one separate insulation is required (USA).
- 25.16: A pull of 35 lbs is applied except for small appliances. Generally the torque test is not applied (USA).
- 26.3: The tests only apply to terminals for connection to fixed wiring (USA).
- 26.6: Cross-sectional areas are specified according to American Wire Gauge (AWG) (USA).
- 27.6: The requirement does not apply (USA).
- 28.1: Generally, tests of this type are not required (USA).
- Clause 29: The requirements for clearances and creepage distances are different (USA).
- 29.1 Different rated impulse voltages are used between 50 V and 150 V (Japan).
- 30.1: The minimum value for the ball-pressure test for parts retaining live parts is 95 °C or 40 K higher than the clause 11 temperature rise. For enclosures, the minimum value is 75 °C or a mould-stress test is conducted at 10 K above the clause 11 temperature (USA).

- 30.2.1: An ignition test cannot be used to assure a slow burning rate (USA).
- Annex B, 7.12: Appliances having non-replaceable batteries shall be marked with an appropriate symbol when the batteries have a content of mercury or cadmium exceeding 0,025 % by weight (Sweden and Switzerland).
- Annex B, 21.101: The requirement is different (USA).
- Annex I: The annex applies to motors having a working voltage not exceeding 30 V (USA).

The contents of the corrigendum of January 2002 have been included in this copy.

#### INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If the functions of an appliance are covered by different parts 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

NOTE 1 Throughout this publication, when "Part 2" is mentioned, it refers to the relevant part of IEC 60335.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

Individual countries may wish to consider the application of the standard, as far as is reasonable, to appliances not mentioned in a part 2, and to appliances designed on new principles.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 2 Standards dealing with non-safety aspects of household appliances are

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1, IEC 61000-3-2 and IEC 61000-3-3 concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 1: General requirements

#### 1 Scope

This International Standard deals with the safety of electrical appliances for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

NOTE 1 Examples of such appliances are catering equipment, cleaning appliances for industrial and commercial use, and appliances for hairdressers.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision,
- playing with the appliance by young children.

NOTE 2 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- for appliances intended to be used in tropical countries, special requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 3 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- audio, video and similar electronic apparatus (IEC 60065);
- appliances for medical purposes (IEC 60601);
- hand-held motor-operated electric tools (IEC 60745);
- personal computers and similar equipment (IEC 60950);
- transportable motor-operated electric tools (IEC 61029).

#### 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.