

# SS EN 1501-2 : 2016 EN 1501-2:2005+A1:2009, IDT

(ICS 43.160)

## SINGAPORE STANDARD

# **Refuse collection vehicles – General** requirements and safety requirements - Part 2 : Side loaded refuse collection vehicles

(This national standard is the identical implementation of EN 1501-2:2005+A1:2009 and is adopted with permission of CEN, Avenue Marnix 17, B-1000 Brussels)





EN 1501-2:2005+A1:2009, IDT (ICS 43.160)

#### SINGAPORE STANDARD

# Refuse collection vehicles – General requirements and safety requirements

- Part 2 : Side loaded refuse collection vehicles

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from SPRING Singapore at the address below:

SPRING Singapore 1 Fusionopolis Walk #01-02 South Tower, Solaris Singapore 138628 Email : standards@spring.gov.sg

ISBN 978-981-4726-56-6

This Singapore Standard was approved by the General Engineering and Safety Standards Committee on behalf of the Singapore Standards Council on 31 August 2016.

First published, 2016

The General Engineering and Safety Standards Committee, appointed by the Standards Council, consists of the following members:

|                    |   | Name                      | Capacity   |
|--------------------|---|---------------------------|--|
| Chairman           | : | Mr Chan Yew Kwong         | Member, Standards Council  |
| Deputy<br>Chairman | : | Mr Seet Choh San          | Singapore Institution of Safety Officers                                   |
| Secretary          | : | Ms Kong Wai Yee           | Singapore Manufacturing Federation – Standards<br>Development Organisation |
| Members            | : | Ms Barbara Bok            | SPRING Singapore   |
|                    |   | Er. Goh Keng Cheong       | Housing & Development Board  |
|                    |   | Er. Hashim Bin Mansoor    | Building and Construction Authority  |
|                    |   | Assoc Prof Hoon Kay Hiang | Nanyang Technological University   |
|                    |   | Mr Koh Yeong Kheng        | Association of Small and Medium Enterprises                                |
|                    |   | Mr Liu Png Hock           | Land Transport Authority   |
|                    |   | Mr Ng Yek Meng            | Singapore Contractors Association Limited                                  |
|                    |   | Mr Derek Sim              | Association of Singapore Marine Industries                                 |
|                    |   | Ms Annabelle Tan          | Packaging Council of Singapore   |
|                    |   | Mr Tan Kai Hong           | Institution of Engineers, Singapore  |
|                    |   | Mr Tan Kee Pin            | National Environment Agency  |
|                    |   | Mr Tay Cheng Pheng        | Society of Loss Prevention in the Process<br>Industries                    |
|                    |   | Mr Jonathan Wan           | Access and Scaffold Industry Association                                   |
|                    |   | Mr Wong Choon Kin         | Singapore Manufacturing Federation   |
|                    |   | Mr Wong Siu Tee           | JTC Corporation  |
|                    |   | Mr Winston Yew            | Ministry of Manpower   |
|                    |   | Dr Zhou Wei               | Singapore Welding Society  |
|                    |   |                           | Singapore weiding Society  |

The Technical Committee on Safety and Health Involving the Use of Equipment, appointed by the General Engineering and Safety Standards Committee and responsible for the preparation of this standard, consists of representatives from the following organisations:

|                    |   | Name   | Capacity  |
|--------------------|---|--|---|
| Chairman           | : | Assoc Prof Hoon Kay Hiang  | Member, General Engineering and Safety<br>Standards Committee   |
| Deputy<br>Chairman | : | Mr Jonathan Wan  | Access and Scaffold Industry Association  |
| Secretary          | : | Ms Julia Yeo   | Singapore Manufacturing Federation – Standards<br>Development Organisation  |
| Members            | : | Mr Ang Chin Chuan<br>Er. Ang Choon Huat<br>Mr Idilfitri Bin Mohammed Yatim | Association of Singapore Marine Industries<br>Building and Construction Authority<br>Singapore Manufacturing Federation |

|         |   | Name              | Capacity                                  |
|---------|---|-------------------|---|
| Members | : | Mr Lau Huat Poh   | Singapore Contractors Association Limited |
|         |   | Er. Liew Wan Sein | Ministry of Manpower                      |
|         |   | Mr Frederick Neo  | Singapore Polytechnic                     |
|         |   | Mr Patrick Phoa   | Land Transport Authority                  |
|         |   | Mr Seah Chong An  | TÜV SÜD PSB Pte Ltd                       |
|         |   | Mr Tan Kay Chen   | Institution of Engineers, Singapore       |
|         |   | Mr Tan Oon        | Singapore Institution of Safety Officers  |

The Working Group on Refuse Collection Vehicles, appointed by the Technical Committee to assist in the preparation of this standard, comprises the following experts who contribute in their *individual capacity*:

|          |   | Name                    |
|----------|---|-------------------------|
| Convenor | : | Mr Kenneth Lim          |
| Members  | : | Mr Sean Ang             |
|          |   | Mr Vincent Chan*        |
|          |   | Mr Jonah Joshua Simon   |
|          |   | Mr Albert Lee           |
|          |   | Mr Lawrence Liau*       |
|          |   | Mr Kelvin Liew          |
|          |   | Er. Liew Wan Sein       |
|          |   | Mr Henry Neo            |
|          |   | Ms Michelle Ng          |
|          |   | Mr Ong Beng Yang        |
|          |   | Mr Dennis Poon          |
|          |   | Mr Matt Stanelos        |
|          |   | Mr Desmond Tan**        |
|          |   | Ms Melissa Tan*         |
|          |   | Mr Jason Tan            |
|          |   | Mr Tay Wah Seng         |
|          |   | Mr Yusoof Aynuddin      |
| Resource |   | Mr. Joromo Ang          |
| Members  | : | Mr Jerome Ang           |
|          |   | Mr Chow Mun Wai         |
|          |   | Mr Alexander L'Allemand |

\*w.e.f. 16 May 2016 \*\* from 4 Feb 2015 to 15 May 2016

Mr Paul Tan

The organisations in which the experts of the Working Group are involved are:

800 Super Holdings Limited Colex Holdings Limited Hock Chuan Hong Waste Management Pte Ltd HYVA Asia Holdings Pte Ltd Land Transport Authority Ministry of Manpower National Environment Agency Ng Wah Hong Enterprises Pte Ltd SembWaste Pte Ltd SETSCO Services Pte Ltd Singapore Accreditation Council TÜV SÜD PSB Pte Ltd Veolia ES Singapore Pte Ltd Waste Management and Recycling Association of Singapore Wong Fong Engineering Works (1988) Pte Ltd Zenith Engineering Pte Ltd

#### National Foreword

This Singapore Standard was prepared by the Working Group on Refuse Collection Vehicles appointed by the Technical Committee on Safety and Health Involving the Use of Equipment under the direction of the General Engineering and Safety Standards Committee.

SS EN 1501 consists of the following five parts, under the general title 'Refuse collection vehicles – General requirements and safety requirements':

- Part 1: Rear loaded refuse collection vehicles (Identical adoption of EN 1501-1:2011+A1:2015)
- Part 2: Side loaded refuse collection vehicles (Identical adoption of EN 1501-2:2005+A1:2009)
- Part 3: Front loaded refuse collection vehicles (Identical adoption of EN 1501-3:2008)
- Part 4: Noise test code for refuse collection vehicles (Identical adoption of EN 1501-4:2007)
- Part 5: Lifting devices for refuse collection vehicles (Identical adoption of EN 1501-5:2011)

This part of SS EN 1501 is the identical implementation of EN 1501-2:2005+A1:2009 – 'Refuse collection vehicles – General requirements and safety requirements – Part 2 : Side loaded refuse collection vehicles', and is adopted with permission of CEN, Avenue Marnix 17, B-1000 Brussels.

Attention is drawn to the following:

1. Where appropriate, the words 'this European Standard' shall be read as 'this part of SS EN 1501'. The reference to European Standards shall be replaced by the following Singapore Standards:

|           | Corresponding Singapore Standard |
|-----------|----------------------------------|
| EN 1501-1 | SS EN 1501-1                     |
| EN 1501-4 | SS EN 1501-4                     |

2. The comma has been used throughout as a decimal marker in EN 1501-2, whereas in Singapore Standards it is a practice to use a full-point on the baseline as the decimal marker.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. SPRING Singapore shall not be held responsible for identifying any or all of such patent rights.

#### NOTE

- 1. Singapore Standards are subject to periodic review to keep abreast of technological changes and new technical developments. The changes in Singapore Standards are documented through the issue of either amendments or revisions.
- 2. Compliance with a Singapore Standard does not exempt users from legal obligations.

(blank page)

Vİ COPYRIGHT

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 1501-2:2005+A1

November 2009

ICS 43.160

Supersedes EN 1501-2:2005

**English Version** 

### Refuse collection vehicles and associated lifting devices -General requirements and safety requirements - Part 2: Side loaded refuse collection vehicles

Bennes de collecte des déchets et leurs lève-conteneurs associés - Exigences générales et exigences de sécurité -Partie 2: Bennes à chargement latéral Abfallsammelfahrzeuge und die dazugehörigen Schüttungen - Allgemeine Anforderungen und Sicherheitsanforderungen - Teil 2: Seitenlader

This European Standard was approved by CEN on 25 March 2005 and includes Amendment 1 approved by CEN on 10 October 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

| Forewo  | ord   | 4   |
|---|---|---|
| Introdu   | iction  | 5   |
| 1   | Scope   | 5   |
| 2   | Normative references  |   |
| 3   | Terms and definitions   |   |
| 4   | Modes and controls of side loaded RCVs  |   |
| 5   | List of significant hazards   |   |
| 6   | Safety requirements   |   |
| 7   | Information for use   |   |
| 8   | Verification  |   |
|   | A (normative) Working stations, functional and visible areas/spaces   |   |
|   | B (informative) Types and examples of data sheet  | 46  |
| Annex   | ZA (informative) Relationship between this Standard and the Essential Requirements of EU Directive 98/37/EC   | 55  |
| Annex   | ZB (informative) \Lambda Relationship between this Standard and the Essential Requirements of EU Directive 2006/42/EC 🔄   | 56  |
| Bibliog   | jraphy  | 57  |
|   |   |   |
| Figure  | S   |   |
| •   | s<br>A.1b — Functional, visible and working areas for lifting — Front view  | 43  |
| Figure  |   |   |
| Figure<br>Figure  | A.1b — Functional, visible and working areas for lifting — Front view   | 44  |
| Figure<br>Figure<br>Figure  | A.1b — Functional, visible and working areas for lifting — Front view<br>A.1c — Outside working stations  | 44<br>45  |
| Figure<br>Figure<br>Figure  | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> </ul>   | 44<br>45  |
| Figure<br>Figure<br>Figure<br>Figure<br>Tables                                    | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> </ul>   | 44<br>45<br>45  |
| Figure<br>Figure<br>Figure<br>Figure<br>Tables<br>Table 1                         | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> </ul>   | <b>44</b><br><b>45</b><br><b>45</b><br>14                         |
| Figure<br>Figure<br>Figure<br>Figure<br>Tables<br>Table 1<br>Table 2              | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> <li>— List of significant hazards</li> </ul>  | <b>44</b><br><b>45</b><br><b>45</b><br>14<br>23                   |
| Figure<br>Figure<br>Figure<br>Figure<br>Tables<br>Table 1<br>Table 2<br>Table 3   | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> <li>— List of significant hazards</li> <li>? — Graphical symbols</li> </ul>   | <b>44</b><br><b>45</b><br><b>45</b><br>14<br>23<br>38             |
| Figure<br>Figure<br>Figure<br>Tables<br>Table 1<br>Table 2<br>Table 3<br>Figure   | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> <li>— List of significant hazards</li> <li>2 — Graphical symbols</li> <li>3 — Verification</li> </ul>   | <b>44</b><br><b>45</b><br><b>45</b><br>14<br>23<br>38<br>42       |
| Figure<br>Figure<br>Figure<br>Tables<br>Table 1<br>Table 2<br>Table 3<br>Figure 1 | <ul> <li>A.1b — Functional, visible and working areas for lifting — Front view</li> <li>A.1c — Outside working stations</li> <li>A.2 — Open and closed systems</li> <li>A.3 — Warning sign : extending arm</li> <li>A.3 — Warning sign : extending arm</li> <li>C. List of significant hazards</li> <li>C. Graphical symbols</li> <li>G. Verification</li> <li>A.1a — Functional, visible and working areas for lifting — Top view</li> </ul> | <b>44</b><br><b>45</b><br><b>45</b><br>14<br>23<br>38<br>42<br>46 |

| Table B.4 — Axle load calculation (Example of a data sheet)  | .51 |
|--|-----|
| Table B.5a — Calculation of side stability on fully tipped body/bodywork   | .52 |
| Table B.5b — Calculation of stability on RCV with extending arm  | .53 |
| Table B.5c — Calculation of stability on RCV without extending arm with lifting device for designated wa containers larger than 1,1 m³ |     |

#### Foreword

This document (EN 1501-2:2005+A1:2009) has been prepared by Technical Committee CEN/TC 183 "Waste management", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2010, and conflicting national standards shall be withdrawn at the latest by May 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1, approved by CEN on 2009-10-10.

This document supersedes EN 1501-2:2005.

The start and finish of text introduced or altered by amendment is indicated in the text by tags  $\mathbb{A}$   $\mathbb{A}$ .

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

A) For relationship with EU Directive(s), see informative Annexes ZA and ZB, which are integral parts of this document. (A)

The minimum essential criteria are considered to be of primary importance in providing safe, serviceable, economical, and practical side loaded refuse collection vehicles.

This European Standard is the second one of the series of co-ordinated standards of EN 1501 about "Refuse collection vehicles and their associated lifting devices" comprising the following parts:

- Part 1: Rear-end loaded refuse collection vehicles
- Part 2: Side loaded refuse collection vehicles
- Part 3: Front loaded refuse collection vehicles
- Part 4: Noise measurement protocol for refuse collection vehicles
- Part 5: Lifting devices for refuse collection vehicles (in preparation)
- Part 6: Electromagnetic compatibility (EMC) (in preparation)
- Amendment EN 1501-1/A1: Footboards

This European Standard is the second one of a series of standards dealing with specification, design, safety and testing of side loaded refuse collection vehicles (side loaded RCVs) and associated lifting devices.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

#### Introduction

This European Standard is a type C standard as stated in EN ISO 12100-1.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this European Standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

The series of standards should be read in conjunction with the documents developed by CEN/TC 183/WG 1 for mobile waste containers (series of standards EN 840), for stationary waste containers (series of standards EN 12574) and for selective collection containers emptied by the top (Type B of EN 13071) that are compatible with the lifting devices specified in these standards.

While producing this European Standard it was assumed that:

- only persons who have been appropriately trained will operate the side loaded RCV;
- components without specific requirements are designed in accordance with the usual engineering practice and calculation codes, including all failure modes, of sound mechanical and electrical construction and made of materials with adequate strength and of suitable quality;
- harmful materials, such as asbestos, are not used as part of the machine;
- components are kept in good repair and working order, so that the required characteristics remain despite wear within the specified limits as stated in the maintenance manual;
- by design of the load bearing elements, a safe operation of the machine is assured for loading ranging from zero to 100 % of the rated capacities and during the tests;
- the equipment shall be designed for operation with an ambient temperature between -10 °C and +40 °C;
- negotiation occurs between the manufacturer and the user concerning the specific uses and places of use of the machinery;
- the locations for use of the side loaded RCV are safe (e.g. tarmac road).

The standard is designed for careful consideration by designers, manufacturers, suppliers and users of side loaded RCVs.

#### 1 Scope

This European Standard specifies the technical requirements to minimise the hazards listed in Clause 5 which can arise during the operation and the maintenance of side loaded refuse collection vehicles (side loaded RCVs) used for the collection, transportation and unloading of solid wastes and as intended by the manufacturer or his authorised representative.

This European Standard deals with:

— side loaded refuse collection vehicles as defined in Clauses 3 and 4;

— lifting devices for side loaded refuse collection vehicles.

Examples for basic types of side loaded refuse collection vehicles are given in Annex B.

This European Standard does not establish the additional requirements for:

- design and equipment of the chassis, considered as meeting all road traffic requirements;
- operation in severe conditions (e.g. extreme environmental conditions such as: temperatures below 10 °C and above +40 °C, corrosive environment, tropical environment);
- operation subject to special rules (e.g. potentially explosive atmospheres, contaminating environments);
- static electricity problems;
- transportation of passengers, lifting of persons;
- loading by crane;
- loading by a satellite vehicle;
- containers other than those manufactured according to EN 840, EN 12574 and EN 13071;
- handling of loads the nature of which could lead to dangerous situations (e.g. hot wastes, acids and bases, radioactive materials, especially fragile loads, explosives);
- hazards occurring during construction, transportation, commissioning, decommissioning;
- hazards occurring in relation to traffic on public roads;
- wind velocity in excess of 75 km/h;
- direct contact with foodstuffs;
- hazards due to the noise of the side loaded RCV.

#### 2 Normative references

The following referenced documents are indispensable for the application of this European Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 294:1992, Safety of machinery — Safety distances to prevent danger zones being reached by the upper limbs

EN 349:1993, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body

EN 418:1992, Safety of machinery — Emergency stop equipment, functional aspects — Principles for design

EN 457:1992, Safety of machinery — Auditory danger signals — General requirements, design and testing (ISO 7731:1986, modified)

EN 563:1994, Safety of machinery — Temperatures of touchable surfaces — Ergonomics data to establish temperature limit value for hot surfaces

EN 574:1996, Safety of machinery — Two-hand control devices — Functional aspects — Principles for design

EN 894-1:1997, Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 1: General principles for human interactions with displays and control actuators

EN 894-2:1997, Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 2: Displays

EN 894-3:2000, Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 3: Control actuators

EN 953:1997, Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards

EN 954-1:1996, Safety of machinery — Safety related parts of control systems — Part 1: General principles for design

EN 982:1996, Safety of machinery — Safety requirements for fluid power systems and their components — Hydraulics

EN 1037:1995, Safety of machinery — Prevention of unexpected start-up

EN 1050:1996, Safety of machinery — Principles for risk assessment

EN 1088:1995, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection

A) EN 1501-4:2007, Refuse collection vehicles and their associated lifting devices – General requirements and safety requirements — Part 4: Noise test code for refuse collection vehicles (A)

EN 60204-1:1997, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (ISO 60204-1:1997)

EN 60529:1991, Degrees of protection provided by enclosures (IP code) (IEC 60529:1989)

EN ISO 12100-1:2003, Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology (ISO 12100-1:2003)

EN ISO 12100-2:2003, Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles (ISO 12100-2:2003)

ISO 7000:2004, Graphical symbols for use on equipment — Index and synopsis

IEC 60417-DB:2002, Graphical symbols for use and equipment — Index, survey and compilation of single sheets