

SINGAPORE STANDARD

Eurocode : Basis of structural design

(This national standard is the identical implementation of EN 1990 : 2002 and is adopted with permission of CEN, Avenue Marnix 17, 1000 Brussels)

Incorporating Erratum No. 1 and Corrigendum No. 1

Confirmed 2015



Published by

Enterprise
Singapore

SS EN 1990 : 2008 (2015)

EN 1990 : 2002, IDT
(ICS 91.010.30)

SINGAPORE STANDARD

Eurocode : Basis of structural design

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

ISBN 981-4154-68-7

This Singapore Standard was approved by the Building and Construction Standards Committee on behalf of the Standards Council of Singapore on 15 June 2008.

First published, 2008

The Building and Construction Standards Committee appointed by the Standards Council consists of the following members:

	Name	Capacity
Chairman	: Mr Goh Peng Thong	<i>Standards Council</i>
1st Dy Chairman	: Mr Lee Chuan Seng	<i>Standards Council</i>
2nd Dy Chairman	: Mr Tan Tian Chong	<i>Standards Council</i>
Secretary	: Mr James Choo	<i>SPRING Singapore</i>
Members	: Mr Boo Geok Kwang	<i>Singapore Civil Defence Force</i>
	Er. Chan Ewe Jin	<i>Institution of Engineers, Singapore</i>
	Mr Paul Fok	<i>Land Transport Authority</i>
	Mr Goh Ngan Hong	<i>Singapore Institute of Surveyors and Valuers</i>
	Mr Anselm Gonsalves	<i>National Environment Agency</i>
	Mr Desmond Hill	<i>Singapore Contractors Association Limited</i>
	Mr Joseph Lai Kuong Kiu	<i>JTC Corporation</i>
	Mr Benedict Lee Khee Chong	<i>Singapore Institute of Architects</i>
	Ms Andris Leong	<i>Building and Construction Authority</i>
	Assoc Prof Leong Eng Choon	<i>Nanyang Technological University</i>
	Dr Lim Lan-Yuan	<i>The Association of Property and Facility Managers</i>
	Mr McDonald Low	<i>Real Estate Developers' Association of Singapore</i>
	Mr Larry Ng Lye Hock	<i>Urban Redevelopment Authority</i>
	Assoc Prof Gary Ong Khim Chye	<i>National University of Singapore</i>
	Mr Davis Ong Wee Choon	<i>Singapore Manufacturers' Federation</i>
	Er. Shum Chee Hoong	<i>Housing & Development Board</i>
	Dr Tan Guan	<i>Association of Consulting Engineers, Singapore</i>
Co-opted Member	: Dr Tam Chat Tim	<i>Individual Capacity</i>

The Technical Committee on Building Structure and Sub-structure appointed by the Building and Construction Standards Committee consists of representatives from the following organisations:

	Name	Capacity
Chairman	: Dr Tan Guan	<i>Member, Building and Construction Standards Committee</i>
Co-Chairman	: Er. Chew Keat Chuan	<i>Building and Construction Authority</i>
Secretary	: Ms Lee Hiok Hoong	<i>SPRING Singapore</i>
Members	: Er. Chan Ewe Jin	<i>Institution of Engineers, Singapore</i>
	Dr Chen Enyi	<i>Cement and Concrete Association of Singapore</i>
	Dr Sujit Ghosh	<i>Ready Mix Concrete Association of Singapore</i>
	Dr Ho Nyok Yong	<i>Singapore Contractors Association Ltd</i>
	Mr Ho Wan Boon	<i>Singapore Structural Steel Society</i>
	Mr Joseph Lai Kuong Kiu	<i>JTC Corporation</i>
	Assoc Prof Gary Ong Khim Chye	<i>Singapore Concrete Institute</i>
	Mr Song Siak Keong	<i>Land Transport Authority</i>
	Mr Sze Thiam Siong	<i>Setsco Services Pte Ltd</i>
	Ms Angeline Tan Bee Hoon	<i>Housing & Development Board</i>
	Mr Tan Jui Teck	<i>CPG Corporation Pte Ltd</i>
	Assoc Prof Tan Kiang Hwee	<i>National University of Singapore</i>
	Assoc Prof Tan Teng Hooi	<i>Nanyang Technological University</i>
	LTC Philip Tham	<i>Singapore Civil Defence Force</i>
Co-opted Member	: Dr Tam Chat Tim	<i>Individual Capacity</i>

The following Technical Experts contributed in their *individual capacity* to the preparation of the Singapore National Annex to enable local adoption of the EN 1990:

Dr Tan Teng Hooi (WG Convenor)
Er. Tay Ah Ching (WG Secretary)
Mr Adrian Billingham
Er. Chan Yek Seng
Er. Paul Fok
Mr Ho Wan Boon
Dr Leong Eng Choon
Er. Lim Peng Hong
Er. Low Kam Fook
Dr Gary Ong Khim Chye
Ms Angeline Tan Bee Hoon
Er. Tan See Chee
Er. Tay Yak Hong

The organisations in which the experts are involved are:

Beca Carter Hollings Ferner (SEA) Pte Ltd
Building and Construction Authority
CPG Consultants Pte Ltd
Housing & Development Board
Jurong Consultants Pte Ltd
Land Transport Authority
Nanyang Technological University
Singapore Concrete Institute
TYH Consulting Engineers
Worley Parsons Pte Ltd
Yongnam Engineering & Construction Pte Ltd

National Foreword

This Singapore Standard was prepared by the Technical Committee on Building Structure and Sub-structure under the direction of the Building and Construction Standards Committee.

This SS EN is the identical implementation of EN 1990 : 2002 'Eurocode – Basis of structural design' (incorporating the CEN Corrigendum dated April 2010, denoted in the text by AC> <AC) and is adopted with permission of CEN, Avenue Marnix 17, 1000 Brussels. *As amended May 2011*

Attention is drawn to the following:

- The comma has been used throughout as a decimal marker whereas in Singapore Standards, it is a practice to use a full point on the baseline as the decimal marker.
- The Singapore Standards which implement international or European publications referred to in this document may be found in the SS Electronic Catalogue at: <http://www.singaporestandardseshop.sg>

The EN gives values with notes indicating where national choices may be made. Where a normative part of the EN allows for national choice to be made, the range and possible choice will be given in the normative text, and a note will qualify it as a Nationally Determined Parameter (NDP). NDPs can be a specific value for a factor, a specific level or class, a particular method or a particular application rule if several are proposed in the EN.

The requirements of this SS EN 1990 : 2008 are to be read in conjunction with the Singapore National Annex (NA) to SS EN 1990 : 2008 which contains information on the Singapore Nationally Determined Parameters and is published separately.

National choice is allowed in EN 1990 through the following clauses:

- A1.1(1)
- A1.2.1(1)
- A1.2.2(Table A1.1)
- A1.3.1(1) (Tables A1.2(A) to (C))
- A1.3.1(5)
- A1.3.2 (Table A1.3)
- A1.4.2(2)

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

At the time of publication, this standard is expected to be used as a reference in the Building and Construction Authority's 'Approved Document – Acceptable Solutions'.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

1. *Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions.*
2. *An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR.*
3. *Compliance with a SS or TR does not exempt users from any legal obligations.*

(blank page)

English version

Eurocode - Basis of structural design

Eurocodes structureaux - Eurocodes: Bases de calcul des structures

Eurocode: Grundlagen der Tragwerksplanung

This European Standard was approved by CEN on 29 November 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents	Page
FOREWORD.....	5
BACKGROUND OF THE EUROCODE PROGRAMME	6
STATUS AND FIELD OF APPLICATION OF EUROCODES.....	7
NATIONAL STANDARDS IMPLEMENTING EUROCODES	7
LINKS BETWEEN EUROCODES AND HARMONISED TECHNICAL SPECIFICATIONS (ENs AND ETAs) FOR PRODUCTS	8
ADDITIONAL INFORMATION SPECIFIC TO EN 1990	8
NATIONAL ANNEX FOR EN 1990	12
SECTION 1 GENERAL	12
1.1 SCOPE.....	12
1.2 NORMATIVE REFERENCES.....	12
1.3 ASSUMPTIONS	13
1.4 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	13
1.5 TERMS AND DEFINITIONS	14
1.5.1 Common terms used in EN 1990 to EN 1999.....	14
1.5.2 Special terms relating to design in general.....	15
1.5.3 Terms relating to actions.....	18
1.5.4 Terms relating to material and product properties	21
1.5.5 Terms relating to geometrical data	21
1.5.6 Terms relating to structural analysis	22
1.6 SYMBOLS.....	23
SECTION 2 REQUIREMENTS	26
2.1 BASIC REQUIREMENTS	26
2.2 RELIABILITY MANAGEMENT	27
2.3 DESIGN WORKING LIFE	28
2.4 DURABILITY	28
2.5 QUALITY MANAGEMENT.....	29
SECTION 3 PRINCIPLES OF LIMIT STATES DESIGN.....	30
3.1 GENERAL.....	30
3.2 DESIGN SITUATIONS	30
3.3 ULTIMATE LIMIT STATES	31
3.4 SERVICEABILITY LIMIT STATES	31
3.5 LIMIT STATE DESIGN.....	32
SECTION 4 BASIC VARIABLES	33
4.1 ACTIONS AND ENVIRONMENTAL INFLUENCES.....	33
4.1.1 Classification of actions	33
4.1.2 Characteristic values of actions	33
4.1.3 Other representative values of variable actions.....	35
4.1.4 Representation of fatigue actions.....	35
4.1.5 Representation of dynamic actions.....	35
4.1.6 Geotechnical actions	36
4.1.7 Environmental influences	36
4.2 MATERIAL AND PRODUCT PROPERTIES	36
4.3 GEOMETRICAL DATA	37
SECTION 5 STRUCTURAL ANALYSIS AND DESIGN ASSISTED BY TESTING.....	38
5.1 STRUCTURAL ANALYSIS	38
5.1.1 Structural modelling.....	38
5.1.2 Static actions	38
5.1.3 Dynamic actions.....	38

5.1.4 Fire design.....	39
5.2 DESIGN ASSISTED BY TESTING	40
SECTION 6 VERIFICATION BY THE PARTIAL FACTOR METHOD	41
6.1 GENERAL.....	41
6.2 LIMITATIONS	41
6.3 DESIGN VALUES.....	41
6.3.1 Design values of actions.....	41
6.3.2 Design values of the effects of actions.....	42
6.3.3 Design values of material or product properties	43
6.3.4 Design values of geometrical data	43
6.3.5 Design resistance	44
6.4 ULTIMATE LIMIT STATES	45
6.4.1 General.....	45
6.4.2 Verifications of static equilibrium and resistance.....	46
6.4.3 Combination of actions (fatigue verifications excluded).....	46
6.4.3.1 General.....	46
6.4.3.2 Combinations of actions for persistent or transient design situations (fundamental combinations).....	47
6.4.3.3 Combinations of actions for accidental design situations	48
6.4.3.4 Combinations of actions for seismic design situations.....	48
6.4.4 Partial factors for actions and combinations of actions	48
6.4.5 Partial factors for materials and products.....	49
6.5 SERVICEABILITY LIMIT STATES	49
6.5.1 Verifications	49
6.5.2 Serviceability criteria	49
6.5.3 Combination of actions	49
6.5.4 Partial factors for materials.....	50
ANNEX A1 (NORMATIVE) APPLICATION FOR BUILDINGS.....	51
A1.1 FIELD OF APPLICATION	51
A1.2 COMBINATIONS OF ACTIONS	51
A1.2.1 General	51
A1.2.2 Values of ψ factors.....	51
A1.3 ULTIMATE LIMIT STATES	52
A1.3.1 Design values of actions in persistent and transient design situations.....	52
A1.3.2 Design values of actions in the accidental and seismic design situations	56
A1.4 SERVICEABILITY LIMIT STATES	57
A1.4.1 Partial factors for actions.....	57
A1.4.2 Serviceability criteria.....	57
A1.4.3 Deformations and horizontal displacements.....	57
A1.4.4 Vibrations.....	59
ANNEX A2 (NORMATIVE) APPLICATION FOR BRIDGES.....	60
National Annex for EN 1990 Annex A2	60
A2.1 FIELD OF APPLICATION	62
A2.2 COMBINATIONS OF ACTIONS	63
A2.2.1 General	63
A2.2.2 Combination rules for road bridges	65
A2.2.3 Combination rules for footbridges	66
A2.2.4 Combination rules for railway bridges	66
A2.2.5 Combinations of actions for accidental (non seismic) design situations	67
A2.2.6 Values of ψ factors	67
A2.3 ULTIMATE LIMIT STATES	70
A2.3.1 Design values of actions in persistent and transient design situations	70
A2.3.2 Design values of actions in the accidental and seismic design situations	75
A2.4 SERVICEABILITY AND OTHER SPECIFIC LIMIT STATES	76
A2.4.1 General	76
A2.4.2 Serviceability criteria regarding deformation and vibration for road bridges	77

EN 1990:2002+A1:2005 (E)

<i>A2.4.3 Verifications concerning vibration for footbridges due to pedestrian traffic</i>	77
<i>A2.4.4 Verifications regarding deformations and vibrations for railway bridges</i>	79
ANNEX B (INFORMATIVE) MANAGEMENT OF STRUCTURAL RELIABILITY FOR CONSTRUCTION WORKS	86
B1 SCOPE AND FIELD OF APPLICATION	86
B2 SYMBOLS	86
B3 RELIABILITY DIFFERENTIATION	87
<i>B3.1 Consequences classes</i>	87
<i>B3.2 Differentiation by β values</i>	87
<i>B3.3 Differentiation by measures relating to the partial factors</i>	88
B4 DESIGN SUPERVISION DIFFERENTIATION	88
B5 INSPECTION DURING EXECUTION	89
B6 PARTIAL FACTORS FOR RESISTANCE PROPERTIES	90
ANNEX C (INFORMATIVE) BASIS FOR PARTIAL FACTOR DESIGN AND RELIABILITY ANALYSIS	91
C1 SCOPE AND FIELD OF APPLICATIONS	91
C2 SYMBOLS	91
C3 INTRODUCTION	92
C4 OVERVIEW OF RELIABILITY METHODS	92
C5 RELIABILITY INDEX β	93
C6 TARGET VALUES OF RELIABILITY INDEX β	94
C7 APPROACH FOR CALIBRATION OF DESIGN VALUES	95
C8 RELIABILITY VERIFICATION FORMATS IN EUROCODES	97
C9 PARTIAL FACTORS IN EN 1990	98
C10 ψ_0 FACTORS	99
ANNEX D (INFORMATIVE) DESIGN ASSISTED BY TESTING	101
D1 SCOPE AND FIELD OF APPLICATION	101
D2 SYMBOLS	101
D3 TYPES OF TESTS	102
D4 PLANNING OF TESTS	103
D5 DERIVATION OF DESIGN VALUES	105
D6 GENERAL PRINCIPLES FOR STATISTICAL EVALUATIONS	106
D7 STATISTICAL DETERMINATION OF A SINGLE PROPERTY	106
<i>D7.1 General</i>	106
<i>D7.2 Assessment via the characteristic value</i>	107
<i>D7.3 Direct assessment of the design value for ULS verifications</i>	108
D8 STATISTICAL DETERMINATION OF RESISTANCE MODELS	109
<i>D8.1 General</i>	109
<i>D8.2 Standard evaluation procedure (Method (a))</i>	109
D8.2.1 General	109
D8.2.2 Standard procedure	110
<i>D8.3 Standard evaluation procedure (Method (b))</i>	114
<i>D8.4 Use of additional prior knowledge</i>	114
BIBLIOGRAPHY	116

Foreword

This document (EN 1990:2002) has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2002, and conflicting national standards shall be withdrawn at the latest by March 2010.

This document supersedes ENV 1991-1:1994.

CEN/TC 250 is responsible for all Structural Eurocodes.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Foreword to amendment A1

This European Standard (EN 1990:2002/A1:2005) has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI.

This Amendment to the EN 1990:2002 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2006, and conflicting national standards shall be withdrawn at the latest by June 2006.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the $\langle AC_2 \rangle$ national provisions $\langle AC_2 \rangle$ in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and $\langle AC_2 \rangle$ Council Directives 2004/17/EC and 2004/18/EC $\langle AC_2 \rangle$ on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990	Eurocode :	Basis of Structural Design
EN 1991	Eurocode 1:	Actions on structures
EN 1992	Eurocode 2:	Design of concrete structures
EN 1993	Eurocode 3:	Design of steel structures
EN 1994	Eurocode 4:	Design of composite steel and concrete structures
EN 1995	Eurocode 5:	Design of timber structures
EN 1996	Eurocode 6:	Design of masonry structures
EN 1997	Eurocode 7:	Geotechnical design
EN 1998	Eurocode 8:	Design of structures for earthquake resistance
EN 1999	Eurocode 9:	Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes :

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 – Mechanical resistance and stability – and Essential Requirement N°2 – Safety in case of fire ;
- as a basis for specifying contracts for construction works and related engineering services ;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards [AC2] and ETAGs [AC2] with a view to achieving a full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and [AC2] parts of works and structural construction [AC2] products of both a traditional and an in-novative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex.

The National annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e. :

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall :

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary ;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc. ;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

EN 1990:2002+A1:2005 (E)

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc.), *e.g.* snow map,
- the procedure to be used where alternative procedures are given in the Eurocode.

It may also contain

- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products

There is a need for consistency between the harmonised technical specifications for construction products and the $\overline{AC_2}$ technical provisions $\overline{AC_2}$ for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which $\overline{AC_2}$ use the $\overline{AC_2}$ Euro-codes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1990

EN 1990 describes the Principles and requirements for safety, serviceability and durability of structures. It is based on the limit state concept used in conjunction with a partial factor method.

For the design of new structures, EN 1990 is intended to be used, for direct application, together with Eurocodes EN 1991 to 1999.

EN 1990 also gives guidelines for the aspects of structural reliability relating to safety, serviceability and durability :

- for design cases not covered by EN 1991 to EN 1999 (other actions, structures not treated, other materials) ;
- to serve as a reference document for other CEN TCs concerning structural matters.

EN 1990 is intended for use by :

- committees drafting standards for structural design and related product, testing and execution standards ;
- clients (*e.g.* for the formulation of their specific requirements on reliability levels and durability) ;
- designers and constructors ;
- relevant authorities.

EN 1990 may be used, when relevant, as a guidance document for the design of structures outside the scope of the Eurocodes EN 1991 to EN 1999, for :

- assessing other actions and their combinations ;
- modelling material and structural behaviour ;
- assessing numerical values of the reliability format.

⁴ see Art.3.3 and Art.12 of the CPD, as well as 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

Numerical values for partial factors and other reliability parameters are recommended as basic values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and of quality management applies. When EN 1990 is used as a base document by other CEN/TCs the same values need to be taken.

National annex for EN 1990

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1990 should have a National annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

AC2 National choice is allowed in EN 1990 Annex A1 through; **AC2**

- A1.1(1)
- A1.2.1(1)
- A1.2.2 (Table A1.1)
- A1.3.1(1) (Tables A1.2(A) to (C))
- A1.3.1(5)
- A1.3.2 (Table A1.3)
- A1.4.2(2)

AC2 National choice is allowed in EN 1990 Annex A2 through:

General clauses

Clause	Item
A2.1 (1) NOTE 3	Use of Table 2.1 : Design working life
A2.2.1(2) NOTE 1	Combinations involving actions which are outside the scope of EN 1991
A2.2.6(1) NOTE 1	Values of ψ factors
A2.3.1(1)	Alteration of design values of actions for ultimate limit states
A2.3.1(5)	Choice of Approach 1, 2 or 3
A2.3.1(7)	Definition of forces due to ice pressure
A2.3.1(8)	Values of γ factors for prestressing actions where not specified in the relevant design Eurocodes
A2.3.1 Table A2.4(A) NOTES 1 and 2	Values of γ factors
A2.3.1 Table A2.4(B)	- NOTE 1 : choice between 6.10 and 6.10a/b - NOTE 2 : Values of γ and ξ factors - NOTE 4 : Values of γ_{sd}

AC2

AC2

A2.3.1 Table A2.4(C)	Values of γ factors
A2.3.2(1)	Design values in Table A2.5 for accidental designs situations, design values of accompanying variable actions and seismic design situations
A2.3.2 Table A2.5 NOTE	Design values of actions
A2.4.1(1) NOTE 1 (Table A2.6) NOTE 2	Alternative γ values for traffic actions for the serviceability limit state Infrequent combination of actions
A2.4.1(2)	Serviceability requirements and criteria for the calculation of deformations

Clauses specific for road bridges

Clause	Item
A2.2.2 (1)	Reference to the infrequent combination of actions
A2.2.2(3)	Combination rules for special vehicles
A2.2.2(4)	Combination rules for snow loads and traffic loads
A2.2.2(6)	Combination rules for wind and thermal actions
A2.2.6(1) NOTE 2	Values of $\psi_{1,infq}$ factors
A2.2.6(1) NOTE 3	Values of water forces

Clauses specific for footbridges

Clause	Item
A2.2.3(2)	Combination rules for wind and thermal actions
A2.2.3(3)	Combination rules for snow loads and traffic loads
A2.2.3(4)	Combination rules for footbridges protected from bad weather
A2.4.3.2(1)	Comfort criteria for footbridges

Clauses specific for railway bridges

Clause	Item
A2.2.4(1)	Combination rules for snow loading on railway bridges
A2.2.4(4)	Maximum wind speed compatible with rail traffic
A2.4.4.1(1) NOTE 3	Deformation and vibration requirements for temporary railway bridges
A2.4.4.2.1(4)P	Peak values of deck acceleration for railway bridges and associated frequency range
A2.4.4.2.2 – Table A2.7 NOTE	Limiting values of deck twist for railway bridges

AC2

AC2	A2.4.4.2.2(3)P	Limiting values of the total deck twist for railway bridges
	A2.4.4.2.3(1)	Vertical deformation of ballasted and non ballasted railway bridges
	A2.4.4.2.3(2)	Limitations on the rotations of non-ballasted bridge deck ends for railway bridges
	A2.4.4.2.3(3)	Additional limits of angular rotations at the end of decks
	A2.4.4.2.4(2) – Table A2.8 NOTE 3	Values of α_i and r_i factors
	A2.4.4.2.4(3)	Minimum lateral frequency for railway bridges
	A2.4.4.3.2(6)	Requirements for passenger comfort for temporary bridges

AC2

Section 1 General

1.1 Scope

(1) EN 1990 establishes Principles and requirements for the safety, serviceability and durability of structures, describes the basis for their design and verification and gives guidelines for related aspects of structural reliability.

(2) EN 1990 is intended to be used in conjunction with EN 1991 to EN 1999 for the structural design of buildings and civil engineering works, including geotechnical aspects, structural fire design, situations involving earthquakes, execution and temporary structures.

NOTE For the design of special construction works (*e.g.* nuclear installations, dams, etc.), other provisions than those in EN 1990 to EN 1999 might be necessary.

(3) EN 1990 is applicable for the design of structures where other materials or other actions outside the scope of EN 1991 to EN 1999 are involved.

(4) EN 1990 is applicable for the structural appraisal of existing construction, in developing the design of repairs and alterations or in assessing changes of use.

NOTE Additional or amended provisions might be necessary where appropriate.

1.2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE The Eurocodes were published as European Prestandards. The following European Standards which are published or in preparation are cited in normative clauses :

EN 1991 Eurocode 1 : Actions on structures

EN 1992 Eurocode 2 : Design of concrete structures

EN 1993 Eurocode 3 : Design of steel structures

EN 1994 Eurocode 4 : Design of composite steel and concrete structures

EN 1995 Eurocode 5 : Design of timber structures

EN 1996 Eurocode 6 : Design of masonry structures

EN 1997 Eurocode 7 : Geotechnical design

EN 1998 Eurocode 8 : Design of structures for earthquake resistance

EN 1999 Eurocode 9 : Design of aluminium structures