



(ICS 29.140.40)

SINGAPORE STANDARD

Luminaires

– Part 1 : General requirements and tests

[Identical adoption of IEC 60598-1: 2014]



Published by



(ICS 29.140.40)

SINGAPORE STANDARD

Luminaires

- Part 1 : General requirements and tests

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

© IEC [2014] - All rights reserved

© Enterprise Singapore [2016]

This Singapore Standard was approved by the Electrical and Electronic Standards Committee on behalf of the Singapore Standards Council on 4 December 2016.

First published, 2017

The Electrical and Electronic Standards Committee, appointed by the Standards Council, consists of the following members:

		Name	Capacity
Chairman	:	Er. Peter Leong Weng Kwai	Member, Standards Council
Deputy Chairmen	:	Mr Cheong Tak Leong Er. Tan Hak Khoon	SPRING Singapore Energy Market Authority
Advisor	:	Mr Renny Yeo Ah Kiang	Individual Capacity
Secretary	:	Mr Jason Low	SPRING Singapore
Members	:	Dr Chua Sze Wey	Agency for Science, Technology and Research
		Assoc Prof Gooi Hoay Beng	Nanyang Technological University
		Er. Hashim Bin Mansoor	Building and Construction Authority
		Assoc Prof Ko Chi Chung	National University of Singapore
		Mr Koh Liang Hock	SP PowerGrid Ltd
		Er. Lim Ah Hee	Housing & Development Board
		Er. Lim Say Leong	Singapore Business Federation
		Er. Ling Shiang Yun / Er. Kenneth Liu	Association of Consulting Engineers Singapore
		Mr Ng Kin Ming	Singapore Electrical Contractors and Licensed Electrical Workers Association
		Er. Ong Ser Huan	Institution of Engineers, Singapore
		Dr Thomas Reindl	Solar Energy Research Institute of Singapore
		Mr Sim Geok Seng	SPRING Singapore
		Mr Sim Wee Meng	Land Transport Authority
		Mr Tan Boon Chong	Singapore Manufacturing Federation
		SAC Christopher Tan Eng Kiong	Singapore Civil Defence Force
		Mr Alfred Tan Lai Seng	Singapore Electrical Trades Association
		Mr Justin Wu Chu You	National Environment Agency
Co-opted Member	:	Mr Chong Weng Hoe	Individual Capacity

The Technical Committee on Buildings Facilities and Services, appointed by the Electrical and Electronic Standards Committee and responsible for the preparation of this standard, consists of representatives from the following organisations:

		Name	Capacity
Chairman	:	Er. Kenneth Liu	Member, Electrical and Electronic Standards Committee
Deputy Chairman	:	Er. Hashim Bin Mansoor	Building & Construction Authority

Secretary Mr Allan Koh SPRING Singapore

Members Mr Cai Lin Fan Land Transport Authority

> Dr Pritam Das National University of Singapore Mr David Goh King Siang Singapore Manufacturing Federation Mr Ken G Jung Singapore Electrical Contractors and

Licensed Electrical Workers Association

Er. Adeline Koh Association of Consulting Engineers

Singapore

Mr Benedict Koh Yong Pheng Fire Safety Managers' Association

(Singapore)

Mr Lim Kian Chye Energy Market Authority

Mr Ng Eng Sin JTC Corporation

Mr Pang Tong Teck Singapore Civil Defence Force

Mr K Seshadri Individual Capacity

Mr Sim Kooi Chuan / Mr Koh Singapore Institute of Architects

Tien Beng

Assoc Prof So Ping Lam Nanyang Technological University Er. Tan Kok Koon Housing & Development Board

Mr Jack Tay / Mr Foo Ming Yann Singapore Electrical Trades Association

Dr Zhou Yi Institute of Engineers Singapore

The Working Group, appointed by the Technical Committee to assist in the preparation of this standard, comprises the following experts who contribute in their individual capacity:

Name

Convenor :

Mr K Seshadri

Deputy Convenor

Mr Tan Heng Khoon Members Mr Cheong Weng Yip

Assoc Prof Choo Fook Hoong

Mr Jimmy Kang Er. Loh Wah Kay Er. Ong Ser Huan Maj Tan Chung Yee Mr Tay Hooi Seng Dr Ronnie Teo Mr James Wong Mr Yeo Kok Beng

The organisations in which the experts of the Working Group are involved are:

Agency for Science, Technology and Research
Citrine Wireless Pte Ltd
Enkon International Consulting Engineers Pte Ltd
Gritti Consulting Pte Ltd
Housing & Development Board
Land Transport Authority
M & P Consulting Engineers
Maxspid Enterprise Pte Ltd
Nanyang Technological University
Singapore Civil Defence Force
TLS Design Pte Ltd
TUV SUD PSB Pte Ltd

CONTENTS

National F	oreword	12
FOREWOR	RD	13
SECTION	0: GENERAL INTRODUCTION	15
0.1	Scope	15
0.2	Normative references	
0.3	General requirements	
0.4	General test requirements and verification	
0.5	Components of luminaires	
0.6	List of parts of IEC 60598-2	21
SECTION	1: TERMS AND DEFINITIONS	
1.1	General	21
1.2	Terms and definitions	21
SECTION	2: CLASSIFICATION OF LUMINAIRES	34
2.1	General	34
2.2	Classification according to type of protection against electric shock	
2.3	Classification according to degree of protection against ingress of dust, solid objects and moisture	
2.4	Classification according to material of supporting surface for which the luminaire is designed	35
2.5	Classification according to the circumstances of use	35
SECTION	3: MARKING	35
3.1	General	35
3.2	Marking on luminaires	35
3.3	Additional information	40
3.4	Test of marking	42
SECTION	4: CONSTRUCTION	43
4.1	General	43
4.2	Replaceable components	43
4.3	Wireways	43
4.4	Lampholders	43
4.5	Starterholders	45
4.6	Terminal blocks	45
4.7	Terminals and supply connections	45
4.8	Switches	
4.9	Insulating linings and sleeves	
4.10	Double and reinforced insulation	
4.11	Electrical connections and current-carrying parts	
4.12	Screws and connections (mechanical) and glands	
4.13	Mechanical strength	
4.14	Suspensions, fixings and means of adjustment	
4.15	Flammable materials	
4.16	Luminaires for mounting on normally flammable surfaces	
4.17	Drain holes	
4.18	Resistance to corrosion	62

4.19	Ignitors	63
4.20	Rough service luminaires – Vibration requirements	63
4.21	Protective shield	63
4.22	Attachments to lamps	64
4.23	Semi-luminaires	65
4.24	Photobiological hazards	65
4.25	Mechanical hazard	66
4.26	Short-circuit protection	66
4.27	Terminal blocks with integrated screwless earthing contacts	66
4.28	Fixing of thermal sensing controls	66
4.29	Luminaire with non replaceable light source.	67
4.30	Luminaires with non-user replaceable light sources	67
4.31	Insulation between circuits	67
4.32	Overvoltage protective devices	69
SECTION 5:	EXTERNAL AND INTERNAL WIRING	70
5.1	General	70
5.2	Supply connection and other external wiring	70
5.3	Internal wiring	75
SECTION 6:	Not used	78
SECTION 7:	PROVISION FOR EARTHING	78
7.1	General	
7.2	Provision for earthing	
· ·-	PROTECTION AGAINST ELECTRIC SHOCK	
8.1	General	
8.2	Protection against electric shock	
	RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE	
	General	
9.1		
9.2	Tests for ingress of dust, solid objects and moisture Humidity test	
9.3	: INSULATION RESISTANCE AND ELECTRIC STRENGTH, TOUCH	00
	ND PROTECTIVE CONDUCTOR CURRENT	88
10.1	General	
10.1	Insulation resistance and electric strength	
10.2	Touch current, protective conductor current and electric burn	
	: CREEPAGE DISTANCES AND CLEARANCES	
	General	
11.1 11.2	Creepage distances and clearances	
	• •	
	: ENDURANCE TEST AND THERMAL TEST	
12.1	General	
12.2	Selection of lamps and ballasts	
12.3	Endurance test	
12.4	Thermal test (normal operation)	
12.5	Thermal test (abnormal operation)	
12.6	Thermal test (failed windings in lamp control gear)	107

12.7	Thermal test in regard to fault conditions in lamp control gear or electronic devices incorporated in thermoplastic luminaires	109
SECTION '	13: RESISTANCE TO HEAT, FIRE AND TRACKING	
13.1	General	
13.2	Resistance to heat	
13.3	Resistance to flame and ignition	
13.4	Resistance to tracking	
	14: SCREW TERMINALS	
14.1	General	113
14.2	Terms and definitions	113
14.3	General requirements and basic principles	114
14.4	Mechanical tests	116
SECTION '	15: SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS	120
15.1	General	120
15.2	Terms and definitions	120
15.3	General requirements	120
15.4	General instructions on tests	122
15.5	Terminal and connections for internal wiring	122
15.6	Terminals and connections for external wiring	124
	ormative) Test to establish whether a conductive part may cause an	151
Annex B (n	ormative) Test lamps	152
B.1	General	152
B.2	Filament lamps within the scope of IEC 60432-1 and IEC 60432-2	
	B.2.1 Principal modes of heat transfer and lamps used for testing	
	B.2.2 Filament test lamps	152
B.3	Halogen lamps within the scope of IEC 60432-3	154
B.4	Tubular fluorescent and other discharge lamps	154
B.5	LED modules within the scope of IEC 62031	154
Annex C (n	ormative) Abnormal circuit conditions	155
Annex D (n	ormative) Draught-proof enclosure	158
Annex E (n	ormative) Determination of winding temperature rises by the increase-in-	
resistance	method	161
	ormative) Test for resistance to stress corrosion of copper and copper	162
F.1	Test cabinet	162
F.2	Test solution	162
F.3	Test piece	162
F.4	Test procedure	163
Annex G (r	ormative) Measurement of touch current and protective conductor current).	164
Annex H (\	/oid)	168
•	/ Did)	
-	formative) Explanation of IP numbers for degrees of protection	
•	nformative) Temperature measurement	
K.1	, · · · ·	
r\. I		1/2

K.2	Temperature measurement of the insulation parts of lampholders	173
Annex L (ir	informative) Guide to good practice in luminaire design	175
L.1	General	175
L.2	Plastics in luminaires	175
L.3	Rust resistance	176
L.4	Corrosion resistance	176
L.5	Chemically corrosive atmospheres	177
L.6	Reflector design	177
L.7	Components in different kinds of luminaires	178
L.8	Recommendations for electromagnetic ballast protection for end phenomenon of HID lamps	
L.9	Resistance against the effects of vibration	179
L.10	Flammability of components	179
Annex M (r	(normative) Determination of creepage distances and clearances	180
	informative) Explanation of marking for luminaires that are not suita on normally flammable surfaces and covering with insulation materia	
N.0	General	
_		
N.1	Protection against flame	
N.2	Protection against heat	
	N.2.1 Spacing	
	N.2.2 Temperature measurements of mounting surface und abnormal or failed ballast conditions	
N.3	Thermal protectors	
N.4	Deletion of the F mark requirements	
	Void)	
•	normative) Absorption requirements for the protective shield to be fi	
luminaires	s designed for metal halide lamps which emit a high level of UV radia	ition 185
P.1	General	
P.2	Procedure A	
P.3	Procedure B	
Annex Q (i	informative) Conformity testing during manufacture	187
Q.1	General	187
Q.2	Testing	187
	normative) Schedule of amended subclauses containing more itical requirements which require products to be retested	189
	normative) Requirements for the identification of a family or range of type testing	
S.1	General	190
S.2	Range or family of luminaires	
	informative) Reference to Class 0	
T.1	General	
T.2	Definition	
T.3	Requirements and tests	
	informative) Creepage and clearances distances for luminaires whe	
	gree of availability (impulse withstand category III) may be requested	
U.1	General	

U.2	Requirements for impulse withstand category III	192
	mative) Additional test requirements for terminal blocks with integrated	
	rthing contact for direct connection to the luminaire housing or to parts of	10/
	Additional requirements to 7.2.1	
	Additional requirements to 7.2.1	
	rmative) Alternative thermal test for thermoplastic luminaires	
•	Thermal test in regard to fault conditions in lamp controlgear or	
	electronic devices without temperature sensing controls in thermoplastic	
A	luminaires for fluorescent lamps ≤ 70 W	
•	mative)	
Bibliography .		200
Figure 1 – Sy	mbols (1 of 2)	128
	rminal block arrangement for installation test for luminaires with	400
_	ads (tails)	
· ·	is figure has been withdrawn from the present edition.	
	ustration of the requirements of 4.15	
_	is figure has been withdrawn from the present edition	
	paratus for proving protection against dust	
	paratus for testing protection against rain and splashing	
Figure 8 – No	ozzle for spray test	133
•	elation between winding temperature and mounting surface temperature	
Figure 10 – B	all-pressure apparatus	135
-	rrangement and dimensions of the electrodes for the tracking test	
· ·	'illar terminals	
Figure 13 – S	crew terminals and stud terminals (1 of 2)	137
Figure 14 – S	addle terminals	139
Figure 15 – L	ug terminals	140
Figure 16 – M	fantle terminals	141
Figure 17 – C	construction of electrical connections	142
Figure 18 – E	xamples of spring-type screwless terminals	142
Figure 19 – F	urther examples of screwless terminals	143
Figure 20 – II	lustration of the terms "lopping-in" and "through wiring"	144
Figure 21 – A	pparatus for ball impact tests	145
	xamples of self-tapping, thread-cutting and thread-forming screws (from	145
Figure 23 – T	his figure has been withdrawn from the present edition	145
_	lustration of creepage and clearance measurements at a supply terminal	
•	umbling barrel	
•	est circuit for safety during insertion	
_	gnition temperatures of wood as a function of time	
	example of permitted degree of soldering	

Figure 29 – Test chain	148
Figure 30 – Example of a thread forming screw used in a groove of a metallic material	149
Figure 31 – Electro-mechanical contact system with plug/socket connection	150
Figure 32 – Test circuit for luminaires incorporating fluorescent lamp \leq 70 W	150
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only)	156
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps)	156
Figure C.3 – Circuit for testing rectifying effect of some high pressure sodium and some metal halide lamps	157
Figure D.1 – Example of test recess where a luminaire comprises separate parts	159
Figure D.2 – Correct test box size (insulating ceilings) for settable and adjustable luminaires	160
Figure G.1 – Test configuration: single-phase equipment on star TN or TT system	166
Figure G.2 – Measuring network, touch current weighted for perception or reaction	166
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires)	166
Figure G.4 – Measuring network, weighted for high frequency protective conductor currents	167
Figure K.1 – Placing of thermocouples on a typical lampholder	174
Figure V.1 – Arrangement for voltage drop test	195
Figure X.1 – Declaration of $LV_{\sf Supply}$ and $U_{\sf Out}$ and the insulation barriers between the light source and accessible parts	198
Table 3.1 – Marking	36
Table 4.1 – Torque tests on screws	52
Table 4.2 – Torque tests on glands	53
Table 4.3 – Impact energy and spring compression	54
Table 4.4 – Test on semi-luminaires	58
Table 4.5 – Test on adjusting devices	59
Table 5.1 – Supply cord	71
Table 5.2 – Tests for cord anchorage	74
Table 9.1 – Solid-object-proof luminaire test	86
Table 10.1 – Minimum insulation resistance	90
Table 10.2 – Electric strength	92
Table 10.3 – Limits of touch current or protective conductor current and electric burn	93
Table 11.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages (to be used in conjunction with Annex M)	95
Table 11.2 – Minimum distances for sinusoidal or non-sinusoidal pulse voltages	96
Table 12.1 – Maximum temperatures under the test conditions of 12.4.2, for principal parts <i>(1 of 2)</i>	101
Table 12.2 – Maximum temperatures under the test conditions of 12.4.2, for common materials used in luminaires <i>(1 of 2)</i>	102
Table 12.3 – Maximum temperatures under the test conditions of 12.5.1	105

Table 12.4 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear	. 106
Table 12.5 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear marked "D6"	. 106
Table 12.6 – Temperature overshoot time limitation	. 108
Table 14.1 – Nominal cross-sectional areas of conductors according to terminal sizes	. 115
Table 14.2 – Nominal cross-sectional areas of conductors according to maximum current	. 116
Table 14.3 – Composition of conductors	. 117
Table 14.4 – Torque to be applied to screws and nuts	. 118
Table 14.5 – Pull to be applied to conductor	. 119
Table 15.1 – Conductor rating	. 124
Table 15.2 – Conductor pull force	. 125
Table F.1 – pH value of the test solution	. 162
Table G.1 – Position of switch e, n and p for the measurements of the different classes of luminaires	. 165
Table J.1 – Degrees of protection indicated by the first characteristic numeral	. 170
Table J.2 – Degrees of protection indicated by the second characteristic numeral	. 171
Table L.1 – Damaging influences	. 175
Table M.1 – Determination of creepage distances and clearances (see Table 11.1)	. 180
Table N.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire	. 181
Table N.2 – Thermal protection operation	. 183
Table Q.1 – Minimum values for electrical tests	. 188
Table U.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages impulse withstand category III	. 193
Table X.1 – Insulation requirements between active parts and accessible conductive	
parts	. 199

National Foreword

This Singapore Standard was prepared by the Working Group appointed by the Technical Committee on Building Facilities and Services under the direction of the Electrical and Electronic Standards Committee. This standard is an identical adoption of IEC 60598-1: 2014, 'Luminaires – Part 1: General requirements and tests' published by the International Electrotechnical Commission (IEC).

Attention is drawn to the following:

- 1. Where appropriate, the words 'International Standard' shall be read as 'Singapore Standard'. The reference to 'IEC 60227 (all parts)' shall be replaced by 'SS 358 (all parts)'.
- 2. The comma has been used throughout as a decimal marker whereas in Singapore Standards it is a practice to use a full point on the baseline as the decimal marker.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

- 1. Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR.
- Compliance with a SS or TR does not exempt users from any legal obligations.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LUMINAIRES -

Part 1: General requirements and tests

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60598-1 has been prepared by subcommittee 34D: Luminaires, of IEC technical committee 34: Lamps and related equipment.

This eighth edition cancels and replaces the seventh edition published in 2008. This edition constitutes a technical revision and includes the following significant technical changes with respect to the previous edition:

- a) requirements to support the construction methods for new LED luminaires entering the market;
- b) photobiological requirements extended;
- c) more precise requirements for insulation between different types of electrical circuit;
- d) other general updates and improvements.

The major changes which may affect certification are given in Annex R.

Annex R shows where a new text has been included which contains more serious/critical requirements requiring products to be re-tested.

The text of this standard is based on the following documents:

FDIS	Report on voting
34D/1110/FDIS	34D/1121/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

NOTE In this standard, the following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

A list of all parts of the IEC 60598 series, under the general title: *Luminaires*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn.
- · replaced by a revised edition, or
- · amended.

The contents of the corrigenda 1 (October 2015) and 2 (December 2015), and the interpretation sheet 1 (May 2016) have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LUMINAIRES -

Part 1: General requirements and tests

SECTION 0: GENERAL INTRODUCTION

0.1 Scope

This Part 1 of IEC 60598 specifies general requirements for luminaires, incorporating electric light sources for operation from supply voltages up to 1 000 V. The requirements and related tests of this standard cover: classification, marking, mechanical construction, electrical construction and photobiological safety.

Each section of this Part 1 is read in conjunction with this Section 0 and with other relevant sections to which reference is made.

Each part of IEC 60598-2 details requirements for a particular type of luminaire or group of luminaires on supply voltages not exceeding 1 000 V. These parts are published separately for ease of revision and additional sections will be added as and when a need for them is recognized.

The presentation of photometric data for luminaires is under consideration by the International Commission on Illumination (CIE) and is not, therefore, included in this Part 1.

Requirements are included in this Part 1 for luminaires incorporating ignitors with nominal peak values of the voltage pulse not exceeding those of Table 11.2. The requirements apply to luminaires with ignitors built into ballasts and to luminaires with ignitors separate from ballasts. For luminaires with ignitors built into lamps, the requirements are under consideration.

Requirements for semi-luminaires are included in this Part 1.

In general, this Part 1 covers safety requirements for luminaires. The object of this Part 1 is to provide a set of requirements and tests which are considered to be generally applicable to most types of luminaires and which can be called up as required by the detail specifications of IEC 60598-2. This Part 1 is thus not regarded as a specification in itself for any type of luminaire, and its provisions apply only to particular types of luminaires to the extent determined by the appropriate part of IEC 60598-2.

The parts of IEC 60598-2, in making reference to any of the sections of Part 1, specify the extent to which that section is applicable and the order in which the tests are to be performed; they also include additional requirements as necessary.

The order in which the sections of Part 1 are numbered has no particular significance as the order in which their provisions apply is determined for each type of luminaire or group of luminaires by the appropriate part of IEC 60598-2. All parts of IEC 60598-2 are self-contained and therefore do not contain references to other parts of IEC 60598-2.

Where the requirements of any of the sections of Part 1 are referred to in the parts of IEC 60598-2 by the phrase "The requirements of section... of IEC 60598-1 apply", this phrase is to be interpreted as meaning that all the requirements of that section of Part 1 apply except those which are clearly inapplicable to the particular type of luminaire covered by that part of IEC 60598-2.

For explosion proof luminaires, as covered by IEC 60079, the requirements of IEC 60598 (selecting the appropriate parts 2) are applied in addition to the requirements of IEC 60079. In the event of any conflict between IEC 60598 and IEC 60079, the requirements of IEC 60079 take priority.

Attention is drawn to lamp performance standards which contain "information for luminaire design"; this should be followed for proper lamp operation; however, this standard does not require the testing of lamp performance as part of the type test approval for luminaires.

Improvements in safety to take into account the state of the art technology are incorporated in the standards with revisions and amendments on an ongoing basis. Regional standardisation bodies may include statements in their derived standards to cover products which have complied with the previous document as shown by the manufacturer or standardization body. The statements may require that for such products, the previous standard may continue to apply to production until a defined date after which the new standard shall apply.

0.2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061, Lamp caps and holders together with gauges for the control of interchangeability and safety

IEC 60061-2, Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders

IEC 60061-3, Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges

IEC 60065:2001, Audio, video and similar electronic apparatus – Safety requirements Amendment 1:2005

IEC 60068-2-6:2007, Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-14:2009, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-2-75, Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests

IEC/TR 60083, Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC

IEC 60085, Electrical insulation – Thermal evaluation and designation

IEC 60112:2003, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60155, Glow-starters for fluorescent lamps

- IEC 60227(all parts), Polyvinyl chloride insulated cables of rated voltages up to and including $450/750\ V$
- IEC 60238, Edison screw lampholders
- IEC 60245 (all parts), Rubber insulated cables Rated voltages up to and including $450/750 \ V$
- IEC 60320 (all parts), Appliance couplers for household and similar general purposes
- IEC 60357, Tungsten halogen lamps (non-vehicle) Performance specifications
- IEC 60360, Standard method of measurement of lamp cap temperature rise
- IEC 60384-14, Fixed capacitors for use in electronic equipment Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains
- IEC 60400, Lampholders for tubular fluorescent lamps and starterholders
- IEC 60417, *Graphical symbols for use on equipment* Available at: http://www.graphical-symbols.info/equipment
- IEC 60432-1, Incandescent lamps Safety specifications Part 1: Tungsten filament lamps for domestic and similar general lighting purposes
- IEC 60432-2, Incandescent lamps Safety specifications Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes
- IEC 60432-3, Incandescent lamps Safety specifications Part 3: Tungsten-halogen lamps (non-vehicle)
- IEC 60449:1973, Voltage bands for electrical installations of buildings Amendment 1:1979
- IEC 60529, Degrees of protection provided by enclosures (IP Code)
- IEC 60570:2003, Electrical supply track systems for luminaires
- IEC 60598-2 (all parts), Luminaires Part 2: Particular requirements
- IEC 60598-2-4, Luminaires Part 2: Particular requirements Section 4: Portable general purpose luminaires
- IEC 60662, High-pressure sodium vapour lamps Performance specifications
- IEC 60682, Standard method of measuring the pinch temperature of quartz-tungsten-halogen lamps
- IEC 60684 (all parts), Flexible insulating sleeving
- IEC 60695-2-11, Fire hazard testing Part 2-11: Glowing/hot-wire based test methods Glow-wire flammability test method for end-products
- IEC 60695-11-5, Fire hazard testing Part 11-5: Test flames Needle-flame test method Apparatus, confirmatory test arrangement and guidance
- IEC 60838 (all parts), Miscellaneous lampholders
- IEC 60989, Separating transformers, autotransformers, variable transformers and reactors

IEC 60990:1999, Methods of measurement of touch current and protective conductor current

IEC 61032:1997, Protection of persons and equipment by enclosures – Probes for verification

IEC 61058-1:2000, Switches for appliances - Part 1: General requirements

IEC 61167, Metal halide lamps – Performance specification

IEC 61184, Bayonet lampholders

IEC 61199, Single-capped fluorescent lamps – Safety specifications

IEC 61249 (all parts), Materials for printed boards and other interconnecting structures

IEC 61347 (all parts), Lamp controlgear

IEC 61347-1, Lamp controlgear – Part 1: General and safety requirements

IEC 61347-2-9, Lamp controlgear – Part 2-9: Particular requirements for electromagnetic controlgear for discharge lamps (excluding fluorescent lamps)

IEC 61558 (all parts), Safety of power transformers, power supplies, reactors and similar products

IEC 61558-1:2005, Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests

IEC 61558-2 (all parts), Safety of power transformers, power supplies, reactors and similar products – Part 2: Particular requirements and tests

IEC 61558-2-5, Safety of transformers, reactors, power supply units and combinations thereof – Part 2-5: Particular requirements and test for transformer for shavers, power supply units for shavers and shaver supply units

IEC 61558-2-6, Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers

IEC 61643-11, Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – requirements and tests

IEC 62031, LED modules for general lighting – Safety specifications

IEC 62035: Discharge lamps (excluding fluorescent lamps) – Safety specifications

IEC/TR 62778, Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires

IEC 80416-1, Basic principles for graphical symbols for use on equipment – Part 1: Creation of symbol originals