

SS 358:Part 1:2011(2017)+A1(2017) IEC 60227-1 : 2007, IDT

(ICS 29.060.20)

SINGAPORE STANDARD Specification for polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V

– Part 1 : General requirements

Incorporating Amendment No. 1 Confirmed 2017

Published by



SS 358:Part 1:2011(2017)+A1(2017) IEC 60227-1 : 2011. IDT

(ICS 29.060.20)

SINGAPORE STANDARD

Specification for polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

@ IEC 2011 – All rights reserved@ Enterprise Singapore 2017

ISBN 978-981-4353-04-5

This Singapore Standard was approved by the Electrical and Electronic Standards Committee on behalf of the Standards Council of Singapore on 28 July 2011.

First endorsement, 1991 First revision, 1996 Second revision, 2011

The Electrical and Electronic Standards Committee appointed by the Standards Council consists of the following members:

		Name	Capacity
Chairman	:	Mr Renny Yeo Ah Kiang	Member, Standards Council
Deputy Chairman	:	Er. Peter Leong Weng Kwai	Member, Standards Council
Secretary	:	Mr Lee Toon Huat	SPRING Singapore
Members	:	Prof Choi San Shing Mr Chong Weng Hoe	Nanyang Technological University TÜV SÜD PSB Pte Ltd
		Mr Mazad Khan Jeaudeen	Singapore International Chamber of Commerce
		Er. Adeline Koh Lian Suan	Association of Consulting Engineers Singapore
		Mr Kwek Chin Hin	National Environment Agency
		Er. Prof Liew Ah Choy	National University of Singapore
		Er. Lim Ah Hee	Housing & Development Board
		Er. Lim Say Leong	Singapore Business Federation
		Er. Kenneth Liu	Association of Consulting Engineers Singapore
		Er. Ng Eng Kiong	Individual Capacity
		Er. Ng Kim Leong	Institution of Engineers, Singapore
		Mr Ng Kin Ming	Singapore Electrical Contractors and Licensed Electrical Workers Association
		Mr Michael Ong	SPRING Singapore
		Er. Ong Ser Huan	Institution of Engineers, Singapore
		Mr Jeff Ong Soon Boon	SP PowerGrid Ltd
		Mr K Seshadri	Individual Capacity
		Mr Sim Wee Meng	Land Transport Authority
		Mr Tan Boon Chong	Singapore Manufacturers' Federation
		Er. Tan Hak Khoon	Energy Market Authority
		Mr Jimi Wong Yick Chee	Singapore Electrical Trades Association
		Prof Yeo Tat Soon	National University of Singapore

The Technical Committee on Electrical Accessories and Electric Cables appointed by the Electrical and Electronic Standards Committee and responsible for the preparation of this standard consists of representatives from the following organisations:

	Name	Capacity
:	Mr Tan Boon Chong	Member, Electrical and Electronic Standards Committee
:	Er. Joseph Michael	Energy Market Authority
:	Mr Allan Koh	SPRING Singapore
:	Mr Leslie Earnest	CPG Corporation Pte Ltd
	Mr Eng Cher Suah	Singapore Electrical Trades Association
	Mr Goh Sheng Sze	Singapore Manufacturers' Federation
	Mr Ho Hin Chan	Housing & Development Board
	Mr Ken Jung	Singapore Electrical Contractors and Licensed Electrical Workers Association
	Er. Lim Say Leong	Institution of Engineers, Singapore
	Mr Sim Geok Seng	SPRING Singapore
	Mr Sim Wee Meng	Land Transport Authority
	Mr Tan Hiok Pheng	TÜV SÜD PSB Pte Ltd
	Mr Tan Keng Swee	Jurong Consultants Pte Ltd
	Ms Tan Lay Hua	SP Services Ltd
	Mr Ting Ik Hing	Surbana International Consultants Pte Ltd
	Mr Wong Kum Hong	Association of Consulting Engineers Singapore
	:	 Mr Tan Boon Chong Er. Joseph Michael Mr Allan Koh Mr Leslie Earnest Mr Eng Cher Suah Mr Goh Sheng Sze Mr Ho Hin Chan Mr Ken Jung Er. Lim Say Leong Mr Sim Geok Seng Mr Sim Wee Meng Mr Tan Hiok Pheng Mr Tan Hiok Pheng Mr Tan Keng Swee Ms Tan Lay Hua Mr Ting Ik Hing

The Working Group on Cables appointed by the Technical Committee on Electrical Accessories and Electric Cables to assist in the preparation of this standard comprises the following experts who contribute in their *individual capacity*:

Name

Convenor	:	Er. Joseph Michael
Members	:	Er. Kwek Kim Hong
		Mr Lee Kok Cheow
		Mr Soh Thong Heng
		Mr James Teng
		Mr Yeo Chin Yong

The organisations which the experts are involved in are:

Enamelled Wire and Cables (S) Pte Ltd Energy Market Authority Institution of Engineers, Singapore Singapore Cables Manufacturers Pte Ltd Tai Sin Electric Cables Manufacturers Ltd TÜV SÜD PSB Pte Ltd

(blank page)

4 COPYRIGHT

CONTENTS

NA	TIONA	L FOR	EWORD	7
FO	REWO)RD		8
1	Gene	eral		10
•	1.1			
	1.1		tive references	
2				
2				
	2.1		ions relating to insulating and sheathing materials	
		2.1.1	Polyvinyl chloride compound (PVC)	
	0.0	2.1.2	Type of compound	
	2.2		ions relating to the tests	
		2.2.1	Type tests (symbol 7)	
	0.0	2.2.2	Sample tests (symbol S)	
~	2.3		voltage	
3		•		
	3.1		ion of origin and cable identification	
		3.1.1	Continuity of marks	
	3.2		lity	
	3.3	-	ity	
4	Core		cation	
	4.1	Core id	dentification by colours	
		4.1.1	General requirements	
		4.1.2	Colour scheme	.14
		4.1.3	Colour combination green-and-yellow	.14
	4.2	Core io	dentification by numbers	.14
		4.2.1	General requirements	.14
		4.2.2	Preferred arrangement of marking	. 15
		4.2.3	Durability	. 15
5	Gene	eral requ	irements for the construction of cables	. 15
	5.1	Condu	ctors	. 15
		5.1.1	Material	.15
		5.1.2	Construction	.15
		5.1.3	Check on construction	.15
		5.1.4	Electrical resistance	.16
	5.2 Insulation			.16
		5.2.1	Material	.16
		5.2.2	Application to the conductor	.16
		5.2.3	Thickness	.16
		5.2.4	Mechanical properties before and after ageing	.16
	5.3	Filler		.18
		5.3.1	Material	.18
		5.3.2	Application	.19
	5.4	Extrud	ed inner covering	.19
		5.4.1	Material	.19
			5	

	5.4.2	Application	.19
	5.4.3	Thickness	.19
5.5	Sheath		.19
	5.5.1	Material	.19
	5.5.2	Application	.20
	5.5.3	Thickness	.20
	5.5.4	Mechanical properties before and after ageing	.20
5.6	Tests o	on completed cables	.22
	5.6.1	Electrical properties	.22
	5.6.2	Overall dimensions	.23
	5.6.3	Mechanical strength of flexible cables	.24
	5.6.4	Flame retardance	.24
6 Guid	e to use	of the cables	.24
Annex A	(normat	ive) Code designation	.25
		ements for the non-electrical tests for polyvinyl chloride (PVC)	. 17
Table 2 -	- Require	ements for the non-electrical test for polyvinyl chloride (PVC) sheaths	.21
Table 3 -	Require	ements for electrical tests for PVC insulated cables	.23

National Foreword

This Singapore Standard was prepared by the Technical Committee on Electrical Accessories and Electric Cables under the purview of the Electrical and Electronic Standards Committee. It is a revision of SS 358 : Part 1 : 1996.

This revised standard is identical to the third edition of IEC 60227-1 : 2007-10 published by the International Electrotechnical Commission.

Attention is drawn to the following:

- 1. Where the words "International Standard" appear, they should be interpreted as "Singapore Standard".
- 2. Where the reference "IEC 60227" appears, it should be interpreted as Singapore Standards on polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V.
- 3. The following parts of IEC 60227 shall be replaced by SS 358 under the general title: Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V:

IEC 60227-2	-	SS 358 : Part 2 : Test methods
IEC 60227-3	-	SS 358 : Part 3 : Non-sheathed cables for fixed wiring
IEC 60227-5	-	SS 358 : Part 5 : Flexible cables (cords)

4. The comma has been used throughout as a decimal marker whereas in Singapore Standards, it is a practice to use a full point on the baseline as the decimal marker.

Parts 3 and 5 are for particular types of cable and should be read in conjunction with Parts 1 and 2. Further parts may be added as other types are standardised.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

- 1. Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR.
- 3. Compliance with a SS or TR does not exempt users from any legal obligations.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60227-1 has been prepared by IEC technical committee 20: Electric cables.

This third edition of IEC 60227-1 cancels and replaces the second edition, published in 1993, amendment 1 (1995) and amendment 2 (1997) The document 20/903/FDIS, circulated to the National Committees as amendment 3, led to the publication of this new edition.

The text of this standard is based on the second edition, its amendments 1 and 2, and the following documents:

FDIS	Report on voting
20/903/FDIS	20/910/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V –

Part 1: General requirements

1 General

1.1 Scope

This part of International Standard IEC 60227 applies to rigid and flexible cables with insulation, and sheath if any, based on polyvinyl chloride, of rated voltages U_0/U up to and including 450/750 V used in power installations of nominal voltage not exceeding 450/750 V a.c.

NOTE For some types of flexible cables the term cord is used.

The particular types of cables are specified in IEC 60227-3, IEC 60227-4, etc. The code designations of these types of cables are given in Annex A.

The test methods specified in Parts 1, 3, 4, etc. are given in IEC 60227-2, IEC 60332-1-2 and in the relevant parts of IEC 60811.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60173, Colours of the cores of flexible cables and cords

IEC 60227-2, Polyvinyl chloride insulated cables of rated voltage up to and including 450/750 V – Part 2: Test methods

IEC 60227-3, Polyvinyl chloride insulated cables of rated voltage up to and including 450/750 V – Part 3: Non-sheathed cables for fixed wiring

IEC 60227-4, Polyvinyl chloride insulated cables of rated voltage up to and including 450/750 V – Part 4: Sheathed cables for fixed wiring

IEC 60227-5, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 5: Flexible cables (cords)

IEC 60228, Conductors of insulated cables

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW premixed flame

IEC 60811-1-1, Common test methods for insulating and sheathing materials of electric cables and optical cables – Part 1: Methods for general application –Measuring of thickness and overall dimensions – Tests for determining the mechanical properties

IEC 60811-1-2, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section Two: Thermal ageing methods

IEC 60811-1-4, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section Four: Tests at low temperature

IEC 60811-3-1, Common test methods for insulating and sheathing materials of electric cables – Part 3: Methods specific to PVC compounds – Section One: Pressure test at high temperature – Tests for resistance to cracking

IEC 60811-3-2, Common test methods for insulating and sheathing materials of electric cables – Part 3: Methods specific to PVC compounds – Section Two: Loss of mass test – Thermal stability tests

IEC 62440, Electric cables – Guide to use for cables with a rated voltage not exceeding 450/750V