

SINGAPORE STANDARD

Medical devices –

Part 1 : Application of usability engineering to medical
devices

Published by

**Enterprise
Singapore**

SS IEC 62366-1 : 2018

IEC 62366-1:2015, IDT
(ICS 11.040)

SINGAPORE STANDARD

Medical devices –

Part 1 : Application of usability engineering to medical devices

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

© IEC 2015 – All rights reserved
© Enterprise Singapore 2018

ISBN 978-981-48-3535-0

This Singapore Standard was approved on 15 November 2018 by the Biomedical and Health Standards Committee under the purview of the Singapore Standards Council.

First published, 2019

The Biomedical and Health Standards Committee, appointed by the Standards Council, consists of the following members:

	Name	Capacity
Chairman	: Dr Yong Chern Chet	<i>Individual Capacity</i>
Deputy Chairmen	: Mr Vincent Cheung Ms Selina Seah Ms Wong Woei Jiuang	<i>Individual Capacity</i> <i>Changi General Hospital</i> <i>Health Sciences Authority</i>
Advisor	: Ms Jacqueline Monteiro	<i>Individual Capacity</i>
Secretary	: Ms Iris Peng	<i>Singapore Manufacturing Federation – Standards Development Organisation</i>
Members	: Mr Alec Chow Boon Kuan Mr Chung Kwong Yuew Ms Heidi Goh Prof James Goh Dr Lai Choon Sheen Dr Christopher Lam Assoc Prof Leo Hwa Liang Dr Lin Jianhua Dr Leonard Loh Assoc Prof Eddie Ng Yin Kwee Dr Ong Siew Hwa Dr Padmanabhan Saravanan Mr Peh Ruey Feng Ms Celine Tan Prof Tan Puay Hoon Ms Wang Dan Dr Sidney Yee Dr Zhou Zhihong	<i>Medtronic International Ltd</i> <i>Temasek Polytechnic (BioMedical Engineering Faculty)</i> <i>Singapore Manufacturing Federation (Medical Technology Industry Group)</i> <i>Biomedical Engineering Society (Singapore)</i> <i>Eu Yan Sang International Ltd</i> <i>Health Sciences Authority</i> <i>National University of Singapore</i> <i>TüV SüD PSB Pte Ltd</i> <i>Nanyang Polytechnic</i> <i>Nanyang Technological University</i> <i>Acumen Research Laboratories Pte Ltd</i> <i>Temasek Polytechnic (Centre of Innovation for Complementary Health Products)</i> <i>Advent Access Pte Ltd</i> <i>Enterprise Singapore</i> <i>Singapore Health Services Pte Ltd</i> <i>Biosensors International Group</i> <i>Diagnostics Development (DxD) Hub</i> <i>Singapore Bioimaging Consortium</i>

The Technical Committee on Medical Devices, appointed by the Biomedical and Health Standards Committee, consists of representatives from the following organisations:

	Name	Capacity
Chairman	: Prof James Goh	<i>Individual Capacity</i>
Secretary	: Ms Iris Peng	<i>Singapore Manufacturing Federation – Standards Development Organisation</i>
Members	: Ms Chua Chui Khim	<i>Becton Dickinson Medical (S) Pte Ltd</i>
	Dr Christopher Lam	<i>Health Sciences Authority</i>
	Assoc Prof Leo Hwa Liang	<i>Biomedical Engineering Society (Singapore)</i>
	Dr Lim Jing	<i>Osteopore International Pte Ltd</i>
	Ms Iris Tan	<i>Advent Access Pte Ltd</i>

The National Mirror Working Group on IEC SC62D MT20, appointed by the Technical Committee to assist in the preparation of this standard, comprises the following experts who contribute in their individual capacity:

	Name
Convenor	: Dr Christian Gert Bluechel
Secretary	: Mr Kevin Tan
Members	: Mr Peter Haywood
	Dr Ho Teck Tuak
	Mr Watson Ong
	Mr Peh Ruey Feng
	Prof Tong Yen Wah

The organisations in which the experts of the National Mirror Working Group are involved are:

Advent Access Pte Ltd

AWAK Technologies Pte Ltd

Kidney Dialysis Foundation

National University of Singapore

Temasek Polytechnic

The Institution of Engineers, Singapore

(blank page)

CONTENTS

NATIONAL FOREWORD	7
FOREWORD	8
INTRODUCTION	10
1 * Scope	11
2 Normative references	11
3 Terms and definitions	11
4 Principles	17
4.1 General requirements	17
4.1.1 * USABILITY ENGINEERING PROCESS	17
4.1.2 * RISK CONTROL as it relates to USER INTERFACE design	17
4.1.3 Information for SAFETY as it relates to USABILITY	18
4.2 * USABILITY ENGINEERING FILE	18
4.3 Tailoring of the USABILITY ENGINEERING effort	18
5 * USABILITY ENGINEERING PROCESS	19
5.1 * Prepare USE SPECIFICATION	19
5.2 * Identify USER INTERFACE characteristics related to SAFETY and potential USE ERRORS	19
5.3 * Identify known or foreseeable HAZARDS and HAZARDOUS SITUATIONS	19
5.4 * Identify and describe HAZARD-RELATED USE SCENARIOS	20
5.5 * Select the HAZARD-RELATED USE SCENARIOS for SUMMATIVE EVALUATION	20
5.6 * Establish USER INTERFACE SPECIFICATION	20
5.7 * Establish USER INTERFACE EVALUATION plan	21
5.7.1 General	21
5.7.2 * FORMATIVE EVALUATION planning	22
5.7.3 * SUMMATIVE EVALUATION planning	22
5.8 * Perform USER INTERFACE design, implementation and FORMATIVE EVALUATION	23
5.9 * Perform SUMMATIVE EVALUATION of the USABILITY of the USER INTERFACE	23
5.10 USER INTERFACE OF UNKNOWN PROVENANCE	24
Annex A (informative) General guidance and rationale	25
A.1 General guidance	25
A.2 Rationale for requirements in particular clauses and subclauses	25
ANNEX B (informative) Examples of possible HAZARDOUS SITUATIONS related to USABILITY	43
Annex C (normative) Evaluation of a USER INTERFACE OF UNKNOWN PROVENANCE (UOUP)	46
C.1 General	46
C.2 USABILITY ENGINEERING PROCESS for USER INTERFACE OF UNKNOWN PROVENANCE	47
C.2.1 * USE SPECIFICATION	47
C.2.2 * Review of POST-PRODUCTION information	47
C.2.3 HAZARDS and HAZARDOUS SITUATIONS related to USABILITY	47
C.2.4 RISK CONTROL	47
C.2.5 RESIDUAL RISK evaluation	47
Annex D (informative) Types of MEDICAL DEVICE use, with examples	48

Annex E (informative) Reference to the essential principles	50
Bibliography	51
Index of defined terms	54
Figure 1 – Relationship of the types of use	12
Figure A.1 – Model of USER-MEDICAL DEVICE interaction.....	29
Figure A.2 – Relationship of TASKS and functions within a USE SCENARIO.....	30
Figure A.3 – Relationship of TASKS and functions and USE ERROR within a HAZARD-RELATED USE SCENARIO.....	31
Figure A.4 – The relationship between the RISK MANAGEMENT PROCESS (ISO 14971:2007) and the USABILITY ENGINEERING PROCESS (IEC 62366-1).....	37
Figure D.1 – Interrelationships between the different types of MEDICAL DEVICE use, with examples.....	49
Table B.1 – Glossary of relevant RISK MANAGEMENT terms.....	43
Table B.2 – Examples of HARM due to RISK caused by USE ERROR(S) or poor USABILITY (1 of 3)	43
Table E.1 – Correspondence between this document and the essential principles	50

National Foreword

This Singapore Standard was prepared by the National Mirror Working Group on IEC SC62D MT20 appointed by the Technical Committee on Medical Devices under the direction of the Biomedical and Health Standards Committee.

This standard is identical with IEC 62366-1:2015, “Medical devices – Part 1: Application of usability engineering to medical devices”, published by the International Electrotechnical Commission.

Attention is drawn to the following:

1. Where appropriate, the words “International Standard” shall be read as “Singapore Standard”.
2. The reference to International Standards shall be replaced by the following Singapore Standards:

International Standard	Corresponding Singapore Standard
IEC 62366-1	SS IEC 62366-1
IEC TR 62366-2	TR IEC/TR 62366-2
IEC 60601-1	SS IEC 60601-1
IEC 60601-1-6	SS IEC 60601-1-6
IEC 60601-1-8	SS IEC 60601-1-8
IEC 60601-1-11	SS IEC 60601-1-11
ISO 13485	SS ISO 13485
ISO 14971	SS ISO 14971

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

1. *Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions.*
2. *An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR.*
3. *Compliance with a SS or TR does not exempt users from any legal obligations.*

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEDICAL DEVICES –

Part 1: Application of usability engineering to medical devices

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62366-1 has been prepared by a joint working group of subcommittee 62A: Common aspects of electrical medical equipment used in medical practice, of IEC technical committee 62: Electrical medical equipment in medical practice, and ISO technical committee 210: Quality management and corresponding general aspects for MEDICAL DEVICES.

It is published as double logo standard.

This first edition of IEC 62366-1, together with the first edition of IEC 62366-2, cancels and replaces the first edition of IEC 62366 published in 2007 and its Amendment 1 (2014).

Part 1 has been updated to include contemporary concepts of USABILITY ENGINEERING, while also streamlining the process. It strengthens links to ISO 14971:2007 and the related methods of RISK MANAGEMENT as applied to SAFETY related aspects of medical device user interfaces. Part 2 contains tutorial information to assist manufactures in complying with Part 1, as well as offering more detailed descriptions of USABILITY ENGINEERING methods that can be applied more generally to MEDICAL DEVICES that go beyond safety-related aspects of MEDICAL DEVICE USER INTERFACES.

The text of this standard is based on the following documents:

FDIS	Report on voting
62A/977/FDIS	62A/988/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table. In ISO, the standard has been approved by 26 P-members out of 26 having cast a vote.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this International Standard, the following print types are used:

- Requirements and definitions: roman type.
- *Means to assess compliance: italic type.*
- Informative material appearing outside of tables, such as notes, examples and references: in smaller type. Normative text of tables is also in a smaller type
- TERMS DEFINED IN CLAUSE 3 OR AS NOTED: SMALL CAPITALS.

The requirements are followed by means to assess compliance.

In this standard, the conjunctive “or” is used as an “inclusive or” so a statement is true if any combination of the conditions is true.

The verbal forms used in this standard conform to usage described in Annex H of the ISO/IEC Directives, Part 2. For the purposes of this standard, the auxiliary verb:

- “shall” means that compliance with a requirement or a test is mandatory for compliance with this standard;
- “should” means that compliance with a requirement or a test is recommended but is not mandatory for compliance with this standard;
- “may” is used to describe a permissible way to achieve compliance with a requirement or test.

Clauses and subclauses for which a rationale is provided in informative Annex A are marked with an asterisk (*).

A list of all parts of the IEC 62366 series, published under the general title *Medical devices*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees and Member Bodies is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC or ISO publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests. It is the recommendation of the committee that the content of this publication be adopted for mandatory implementation nationally not earlier than 3 years from the date of publication.

The contents of the corrigendum of July 2016 have been included in this copy.

INTRODUCTION

Medical practice is increasingly using MEDICAL DEVICES for observation and treatment of PATIENTS. USE ERRORS caused by inadequate MEDICAL DEVICE USABILITY have become an increasing cause for concern. Many of the MEDICAL DEVICES developed without applying a USABILITY ENGINEERING (HUMAN FACTORS ENGINEERING) PROCESS are non-intuitive, difficult to learn and difficult to use. As healthcare evolves, less skilled USERS including PATIENTS themselves are now using MEDICAL DEVICES and MEDICAL DEVICES are becoming more complicated. The design of the USER INTERFACE to achieve adequate USABILITY requires a different PROCESS and skill set than that of the technical implementation of the USER INTERFACE.

The USABILITY ENGINEERING PROCESS is intended to identify and minimise USE ERRORS and thereby reduce use-associated RISKS. Some, but not all, forms of incorrect use are suited to control by the MANUFACTURER. The USABILITY ENGINEERING PROCESS is related to the RISK MANAGEMENT PROCESS as indicated in Figure A.4.

This International Standard describes a USABILITY ENGINEERING PROCESS to provide acceptable RISK related to USABILITY of a MEDICAL DEVICE. It is intended to be useful not only for MANUFACTURERS of MEDICAL DEVICES, but also for technical committees responsible for the preparation of particular MEDICAL DEVICE standards.

This International Standard strictly focuses on applying the USABILITY ENGINEERING PROCESS to optimize MEDICAL DEVICE USABILITY as it relates to SAFETY. The companion technical report (IEC 62366-2¹) is comprehensive and has a broader focus. It focuses not only on USABILITY as it relates to SAFETY, but also on how USABILITY relates to attributes such as TASK accuracy, completeness and EFFICIENCY, and USER satisfaction.

NOTE SAFETY is freedom from unacceptable RISK. Unacceptable RISK can arise from USE ERROR, which can lead to exposure to direct physical HAZARDS or loss or degradation of clinical functionality.

MANUFACTURERS can choose to implement a USABILITY ENGINEERING program focused narrowly on SAFETY or more broadly on SAFETY and other attributes, such as those cited above. A broader focus might also be useful to address specific USABILITY ENGINEERING expectations, such as the need to confirm that USERS can successfully perform non-SAFETY-related TASKS. A MANUFACTURER might also implement a broader program to realize the commercial benefits of a MEDICAL DEVICE that not only is safe to use but also offers superior USABILITY.

¹ IEC 62366-2, *Medical devices – Part 2: Guidance on the application of usability engineering to medical devices* (in preparation).

MEDICAL DEVICES –

Part 1: Application of usability engineering to medical devices

1 * Scope

This part of IEC 62366 specifies a PROCESS for a MANUFACTURER to analyse, specify, develop and evaluate the USABILITY of a MEDICAL DEVICE as it relates to SAFETY. This USABILITY ENGINEERING (HUMAN FACTORS ENGINEERING) PROCESS permits the MANUFACTURER to assess and mitigate RISKS associated with CORRECT USE and USE ERRORS, i.e., NORMAL USE. It can be used to identify but does not assess or mitigate RISKS associated with ABNORMAL USE.

NOTE 1 SAFETY is freedom from unacceptable RISK. Unacceptable RISK can arise from USE ERROR, which can lead to exposure to direct physical HAZARDS or loss or degradation of clinical functionality.

NOTE 2 Guidance on the application of USABILITY ENGINEERING to MEDICAL DEVICES is available in IEC 62366-2², which addresses not only SAFETY but also aspects of USABILITY not related to SAFETY.

If the USABILITY ENGINEERING PROCESS detailed in this International Standard has been complied with, then the USABILITY of a MEDICAL DEVICE as it relates to SAFETY is presumed to be acceptable, unless there is OBJECTIVE EVIDENCE to the contrary.

NOTE 3 Such OBJECTIVE EVIDENCE can subsequently originate from POST-PRODUCTION surveillance.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 The way in which these referenced documents are cited in normative requirements determines the extent (in whole or in part) to which they apply.

NOTE 2 Informative references are listed in the bibliography beginning on page 51.

ISO 14971:2007, *Medical devices – Application of risk management to medical devices*

² IEC 62366-2, *Medical devices – Part 2: Guidance on the application of usability engineering to medical devices* (in preparation).