SS ISO 11138-7 : 2019 ISO 11138-7:2019, IDT (ICS 11.080.01)

SINGAPORE STANDARD

Sterilisation of health care products – Biological indicators

Part 7 : Guidance for the selection, use and interpretation of results





SS ISO 11138-7 : 2019 ISO 11138-7:2019, IDT (ICS 11.080.01)

SINGAPORE STANDARD

Sterilisation of health care products – Biological indicators

– Part 7: Guidance for the selection, use and interpretation of results.

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

© ISO 2019 - All rights reserved

© Enterprise Singapore 2019

ISBN 978-981-48-9456-2

The content of this Singapore Standard was approved on 26 November 2019 by the Biomedical and Health Standards Committee (BHSC) under the purview of the Singapore Standards Council.

First published, 2020

BHSC consists of the following members:

		Name	Representation
Chairman	:	Dr Yong Chern Chet	Individual Capacity
Deputy Chairmen	:	Mr Vincent Cheung Ms Selina Seah	Individual Capacity Changi General Hospital
		Ms Wong Woei Jiuang	Health Sciences Authority
Advisor	:	Ms Jacqueline Monteiro	Individual Capacity
Secretary	:	Mr Kevin Tan	Singapore Manufacturing Federation – Standards Development Organisation
Members	:	Mr Alec Chow Boon Kuan	Medtronic International Ltd
		Mr Chung Kwong Yuew	Temasek Polytechnic (BioMedical Engineering Faculty)
		Ms Heidi Goh	Singapore Manufacturing Federation (Medical Technology Industry Group)
		Prof James Goh	Biomedical Engineering Society (Singapore)
		Dr Lai Choon Sheen	Eu Yan Sang International Ltd
		Dr Christopher Lam	Health Sciences Authority
		Assoc Prof Leo Hwa Liang	National University of Singapore
		Dr Lin Jianhua	TÜV SÜD PSB Pte Ltd
		Dr Leonard Loh	Nanyang Polytechnic
		Ms Audrey Lok	Enterprise Singapore
		Assoc Prof Eddie Ng Yin Kwee	Nanyang Technological University
		Dr Ong Siew Hwa	Acumen Research Laboratories Pte Ltd
		Dr Padmanabhan Saravanan	Temasek Polytechnic (Centre of Innovation for Complementary Health Products)
		Mr Peh Ruey Feng	Advent Access Pte Ltd
		Prof Tan Puay Hoon	Singapore Health Services Pte Ltd
		Ms Wang Dan	Biosensors International Group
		Dr Sidney Yee	Diagnostics Development (DxD) Hub
		Dr Zhou Zhihong	Singapore Bioimaging Consortium

BHSC sets up the Technical Committee on Quality Management Systems to oversee the preparation of this standard. The Technical Committee consists of the following members:

		Name	Representation
Chairman	:	Ms Heidi Goh	Individual Capacity
Secretary	:	Mr Kevin Tan	Singapore Manufacturing Federation – Standards Development Organisation
Members	:	Ms Jasmine Chan	Konica Minolta Business Solutions Asia Pte Ltd
		Ms Shiirlyn Ee	Illumina
		Ms Katherine Goh	Singapore Accreditation Council
		Dr Christopher Lam	Health Sciences Authority
		Mr Ng Chee Kai	Becton Dickinson Medical Products Pte Ltd
		Mr Ariq Tan	Sivantos
		Ms Grace Tan	Edward Lifesciences (Singapore) Pte Ltd
		Ms Diana Teo	Medtronic International Ltd
		Ms Wang Dan	Biosensors International Group
		Ms Zhu Huifang	Smith & Nephew Pte Ltd

The Technical Committee sets up the National Mirror Working Group on ISO/TC 210 to prepare this standard. The Working Group consists of the following experts who contribute in their *individual capacity*:

Name

Convenor : Dr Margam Chandrasekaran

Secretary : Mr She Long Huai

Members : Ms Heidi Goh

Ms How Pei Sin Mr Liew Ee Bin Mr Jason Lim

Mr Narayanan Sethu

Mr Caleb Ng Mr Paul Tan

The organisations in which the experts of the National Mirror Working Group are involved are:

Access-2-Healthcare

BioPharmaSpec UK Ltd

Edwards Lifesciences (Singapore) Pte Ltd

Sanmina Corporation Singapore

Singapore Manufacturing Federation (Medical Technology Industry Group)

Stendard

SysteMED Pte Ltd

TÜV SÜD PSB Pte Ltd

Wise Consultants and Services Pte Ltd

Contents

		Page
Nation	al Foreword	8
Forew	ord	9
Introduction		10
1	Scope	11
2	Normative references	11
3	Terms and definitions	11
4	General	14
5	Characteristics of biological indicators	16
5.1	General	
5.2	Test organism suspension for direct inoculation of products	
5.3	Inoculated carriers	
5.4	Self-contained biological indicators	
6	Selection of supplier	20
6.1	General	20
6.2	Documentation	21
6.2.1	General	21
6.2.2	Manufacturer audit	
7	Biological indicators in process development	22
7.1	General	22
7.2	Overkill approach	23
7.3	Combined biological indicator and bioburden method	24
7.4	Bioburden method	25
8	Biological indicators in sterilization validation	25
8.1	General	
8.2	Placement and handling of biological indicators	26
8.3	Sterilizer qualification	
8.4	Performance qualification	
8.5	Review and approval of validation	27
8.6	Requalification	27
9	Biological indicators in routine monitoring	
9.1	General	
9.2	Placement and handling of biological indicators	
9.3	Process challenge device	
10	Interpretation and acceptance criteria	29
10.1	General	29
10.2	Interpretation of results	29
11	Application of biological indicator standards	30
11.1	General assessment of biological indicator performance by the user	
11.2	Nominal population of test organism	
11.3	Resistance determination	
	General	
11.3.2	Survivor curve method	32

	Fraction-negative method	
	Survival-kill response characteristics	
	z value determinationGeneral	
	Graphically plotting the z value	
11.4.3	Mathematically calculating the z value	.34
	Correlation coefficient, r, for the z value	
11.5 11.6	$F_{(T,z)}$ equivalent sterilization value determination Establishing spore-log-reduction	
11.7	Sterility assurance level calculation	
11.8	Test equipment	.36
12	Culture conditions	.36
12.1	General	
12.2 12.3	Incubation temperature Incubation period	
12.3 12.4	Choice of growth medium	
13	Third-party considerations	
13.1	General	
13.2	${\bf Minimum\ requirements\ from\ ISO\ 11138-1\ for\ replicates\ and\ total\ number\ of}$	
122	biological indicators	
13.3	Test equipment	
14	Personnel training	
15	Storage and handling	
16	Disposal of biological indicators	.40
Annex	A (informative) Microbiological inactivation kinetics and enumeration techniques	.41
Annex	B (informative) Process challenge devices	.45
B.1	General	.45
B.2	Helices	.45
B.3	Standard test packs	
B.4	User's process challenge devices	
B.5	Biological test packs	
		. 73
Annex	C (informative) Formulae for <i>D</i> value determination by fraction-negative method	.46
C.1	Principles	.46
C.2	Materials	.46
C.3	Procedure	.47
C.3.1	Holcomb-Spearman-Karber Procedure (HSKP)	.47
C.3.1.1	Procedure	.47
C.3.1.2	Calculations using the HSKP	.47
	Example calculations using the HSKP	
	Limited Holcomb-Spearman-Karber Procedure (LHSKP)	

C.3.2.1	Calculations using the LHSKP	54
C.3.2.2	Example calculations using the LHSKP	56
C.3.3	Stumbo-Murphy-Cochran Procedure (SMCP)	58
C.3.3.1	Procedure	58
C.3.3.2	Calculations using the SMCP	58
C.3.3.3	Example calculations using the SMCP	59
Annex	D (informative) Examples of documentation for biological indicators prepared the user	-
D.1	General	62
D.1.1	Sources of microorganisms	62
D.1.2	Documentation	62
D.2	Commercially available suspension	63
D.3	Suspension from a commercially available strain	63
D.4	Suspension from in-house isolates	64
D.5	Inoculated carriers	65
D.5.1	General	65
D.5.2	Documentation of fluid carrier materials	65
D.5.3	Documentation of solid carrier materials	65
D.5.4	Documentation of inoculated carriers used for <i>D</i> value determinations	66
Annex	E (informative) Calculation of z value	67
Annex	F (informative) D value determination by survivor curve method	70
F.1	Principle	70
F.2	Materials	70
F.3	Procedure	70
Table :	F.1 — Examples of regression analysis	71
Table :	F.2 — Examples of calculations for slope	72
Annex	G (informative) Survival-kill response characteristics	74
G.1	Principle	74
G.2	Materials	74
G.3	Procedure	74
Biblio	graphy	76

National Foreword

This Singapore Standard was prepared by the National Mirror Working Group on ISO/TC 210 set up by the Technical Committee on Quality Management Systems under the purview of BHSC.

This standard is identical with ISO 11138-7:2019, "Sterilization of health care products – Biological indicators – Part 7: Guidance for the selection, use and interpretation of results", published by International Organization for Standardization.

NOTE 1 – Reference to International Standards are replaced by applicable Singapore Standards/Technical References.

NOTE 2 - Where numerical values are expressed as decimals, the comma is read as a full point.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

- 1. Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "Mature Standards". Mature Standards will not be subject to further review, unless there are requests to review such standards.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.
- 3. Compliance with a SS or TR does not exempt users from any legal obligations.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 198, *Sterilization of health care products*.

This first edition cancels and replaces ISO 14161:2009, which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document provides guidance regarding the selection, use and interpretation of results of biological indicators used to develop, validate and monitor sterilization processes. The procedures described in this document are of a general nature and do not, of themselves, constitute a comprehensive development, validation or monitoring programme with regard to the sterilization of health care products. The intent of this document is not to stipulate the use of biological indicators in a process but, if they are used, to provide guidance for their proper selection and use in order to avoid misleading results.

In this document, users will find guidance on selection of the correct biological indicator for their particular sterilization process (see the ISO 11138 series) and critical parameters as well as guidance on its appropriate use.

The selection of an appropriate biological indicator for the particular process used is critical. There is a wide variety of sterilization processes in common use, and biological indicator manufacturers are not able to foresee all possible uses of their product. Manufacturers, therefore, label biological indicators according to their intended use. It is the responsibility of the users of biological indicators to select, use, recover and interpret the results as appropriate for the particular sterilization process used.

The performance of a biological indicator can be adversely affected by the conditions of storage and transport prior to its use, by inappropriate/non-indicated use of the biological indicator or by the sterilizer process parameters. In addition, the incubation procedure used after exposure to the process, including incubation temperature and culture medium type, supplier and specific batch, can affect measured resistance as a function of recovery and growth. For these reasons, the recommendations of the biological indicator manufacturer for transportation, storage and use should be followed. After exposure, the aseptic transfer (if applicable) and incubation of biological indicators as specified by the biological indicator manufacturer is critical for obtaining correct results.

It is important to note that biological indicators are not intended to indicate that the products in the load being sterilized are sterile. Biological indicators are utilized to test the effectiveness of a given sterilization process and the equipment used, by assessing microbial lethality according to the concept of sterility assurance level. Suitable training is necessary for personnel conducting these studies.

NOTE The general information provided in this document can have useful application for processes and biological indicators not currently addressed by existing International Standards, e.g. new and developing sterilization processes.

Sterilization of health care products — Biological indicators —

Part 7:

Guidance for the selection, use and interpretation of results

1 Scope

This document provides guidance for the selection, use and interpretation of results from application of biological indicators when used in the development, validation and routine monitoring of sterilization processes.

It does not consider those processes that rely solely on physical removal of microorganisms, e.g. filtration.

It is not applicable to combination processes using, for example, washer-disinfectors or flushing and steaming of pipelines.

It does not specify requirements for the selection and use of biological indicators intended to monitor vaporised hydrogen peroxide processes for isolator and room biodecontamination processes at atmospheric pressure.

It is not applicable to liquid immersion sterilization processes.

2 Normative references

There are no normative references in this document.