TR 73 : Part 1 : 2020 ISO/TR 12885:2018, IDT (ICS 07.120; 13.100)

# **TECHNICAL REFERENCE**

# Handling of engineered nanomaterials in workplaces

 Part 1 : Health and safety practices in occupational settings relevant to nanotechnologies

[ISO title: Nanotechnologies - Health and safety practices in occupational settings]





TR 73: Part 1: 2020 ISO/TR 12885:2018, IDT (ICS 07.120; 13.100)

#### TECHNICAL REFERENCE

# Handling of engineered nanomaterials in workplaces

 Part 1 : Health and safety practices in occupational settings relevant to nanotechnologies

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this Technical Reference may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

© ISO 2018 – All rights reserved © Enterprise Singapore 2020

ISBN 978-981-48-9472-2

The content of this Technical Reference was approved on 16 March 2020 by the Chemical Standards Committee (CSC) under the purview of the Singapore Standards Council.

First published, 2020

CSC consists of the following members:

		Name	Representation
Chairman	:	Dr Keith Carpenter	Individual Capacity
Deputy Chairman	:	Er. Lucas Ng	Individual Capacity
Secretary 1	:	Ms Elane Ng	Standards Development Organisation  @Singapore Chemical Industry Council
Secretary 2	:	Ms Rosmalinda Tay	StandardsDevelopment Organisation  @Singapore Chemical Industry Council
Members	:	Mr Goh Tiak Boon	Individual Capacity
		Prof Alfred Huan	Individual Capacity
		Er. Khong Beng Wee	Individual Capacity
		Mr Terence Koh	Singapore Chemical Industry Council Limited
		Dr Leong Kwai Yin	Individual Capacity
		Dr Thomas Liew	National Metrology Centre
		Mr Lim Eng Kiat	Individual Capacity
		Mdm Jaime Lim	Ministry of Manpower
		Mr Lim Kian Chye / Mr Ng Eng Fu	Housing & Development Board
		Prof Loh Kian Ping	National University of Singapore
		Dr Loh Wah Sing	Individual Capacity
		Ms Pamela Phua	Singapore Paint Industry Association
		Mr Seah Khen Hee	Individual Capacity
		Assoc Prof Timothy Tan	Nanyang Technological University
		Dr Teo Tang Lin	Chemical Metrology Division, Health Sciences Authority
		Mr Yao Yikai	Maritime and Port Authority of Singapore
		Ms Suzanna Yap	National Environment Agency
Co-opted Members	:	Ms Christina Loh	Individual Capacity
		Mr Pitt Kuan Wah	Individual Capacity

CSC sets up the Technical Committee on Nanotechnology to oversee the preparation of this standard. The Technical Committee consists of the following members:

		Name	Representation		
Chairman	:	Prof Alfred Huan	Individual Capacity		
Deputy Chairman	:	Assoc Prof Lanry Yung	Individual Capacity		
Secretary	:	Ms Rosmalinda Tay	Standards Development Organisation  @Singapore Chemical Industry Council		
Members	:	Assoc Prof Joanne Chan Sheot Harn	Singapore Food Agency		
		Dr Hengky Chang	Nanyang Polytechnic		
		Assoc Prof Duong Hai Minh	National University of Singapore		
		Mr Foo Toon Fong	GLOBALFOUNDRIES Singapore Pte Ltd		
		Ms Evelyn Koh	Ministry of Manpower		
		Dr Thomas Liew	National Metrology Centre		
		Dr Lim Mong Hoo	PUB, Singapore's National Water Agency		
		Dr Lerwen Liu	NanoGlobe Pte Ltd		
		Assoc Prof Ng Kee Woei	Nanyang Technological University		
		Ms Pamela Phua	AkzoNobel Paints		
		Dr Allen Poh	Ministry of the Environment and Water Resources		
		Dr Junie Tok	P & G International Operations Pte Ltd		
		Ms Suzanna Yap	National Environment Agency		
		Dr Yow Soh Zeom	Health Sciences Authority		
Co-opted Members	:	Dr Kurnia Wira	Individual Capacity		
		Dr Leong Yew Wei	Individual Capacity		
		Prof Ong Wei-Yi	Individual Capacity		
		Dr Ramam Akkipeddi	Individual Capacity		
		Dr Sanjay Thakur	Individual Capacity		

The Technical Committee sets up the Working Group on ISO/TC 229/WG3 for Health, Safety & Environment to prepare this standard. The Working Group consists of the following experts who contribute in their *individual capacity*:

#### Name

**Convenor** : Prof Ong Wei-Yi

Deputy

**Convenor** : Assoc Prof Joachim Loo

**Secretary** : Ms Rosmalinda Tay

Members : Ms Cheng Si Min

Dr Lin Jianhua

Dr Allen Poh

Mr Sriram Prasath Dr Teh Lay Kuan

Dr Sarah Teng

Dr Sylvia Teo

Dr Wang Zheng Ming

Dr Yow Soh Zeom

**Assoc Prof Lanry Yung** 

The organisations in which the experts of the Working Group are involved are:

Health Sciences Authority

IOM (Institute of Occupational Medicine) Singapore Pte Ltd

Ministry of the Environment and Water Resources

Ministry of Manpower

Nanyang Technological University

National University Health System

National University of Singapore

PUB, Singapore's National Water Agency

Singapore Food Agency

TÜV SÜD PSB Pte Ltd

# **Contents**

				Page					
Nation	al Fore	word		_ 7					
				8					
				10					
1				_ 12					
2			ferences	_					
_									
3			finitions						
4	Symb	ols and a	abbreviated terms	_12					
5	Nanomaterials: Description and manufacturing								
	5.1		actured nanomaterials						
	5.2		tion processes						
		5.2.1	Typical production processes						
		5.2.2	Aerosol generation methods	16					
		5.2.3	Vapor deposition methods	17					
		5.2.4	Colloidal/self-assembly methods						
		5.2.5		_ 17					
		5.2.6	Electrospinning	_ 17					
		5.2.7	Attrition methods	_18					
6	Hazaı	d chara	cterization	_18					
	6.1	Health	effects	18					
		6.1.1	General	_18					
		6.1.2	Basic principles and uncertainties	_ 19					
		6.1.3	Potential relevance of health effects information about incidental or	r					
			naturally-occurring NOAAs	_20					
		6.1.4	Relationship between toxicity and surface area, surface chemistry,						
			and particle number	_20					
		6.1.5	Inflammatory response to NOAAs	_21					
		6.1.6	Observations from epidemiological studies involving fine and						
			nanoscale particles	_22					
	6.2	Physica	al hazards	_22					
		6.2.1	Fire (exothermic events)						
		6.2.2	Safety consideration in manufacturing NOAAs	_23					
7	Exposure assessment to nanomaterials								
	7.1	Genera	l	23					
	7.2		fic framework for assessing exposure to nanomaterials	_25					
		7.2.1	Routes of exposure	25					
		7.2.2	Metric for assessing exposure to airborne nanomaterials	_27					
	7.3		of methods for characterizing exposure to manufactured NOAAs	_30					
		7.3.1	General	_30					
		7.3.2	Sampling strategy issues	_34					
	7.4	Dustine	ess assessment	_38					
		7.4.1	General	_38					
		7.4.2		_ 38					
	7.5		exposure assessment	_ 39					
			Sampling	_ 39					
		7.5.2	Sample characterization	_ 40					
	7.6	Dose (i	nternal exposure) assessment	_ 40					

	7.7	Discussion	_41				
	7.8	Summary	_41				
8	Risk	Risk assessment in occupational settings					
	8.1	Introduction and scope					
	8.2	Risk assessment for NOAAs					
		8.2.1 General	_42				
		8.2.2 Quantitative and qualitative risk assessment					
		8.2.3 Hazard identification	_44				
		8.2.4 Exposure-response assessment	_44				
		8.2.5 Exposure assessment	_46				
	0.2	8.2.6 Risk characterization	_47				
	8.3	Conclusions	_48				
9		mitigation approaches					
	9.1	Introduction	_48				
	9.2	Implication of risk assessment in regard to control methodologies9.2.1 Background	49 49				
		9.2.1 Background	<del>49</del> 49				
	9.3	Examination of control methodologies					
	9.3	9.3.1 Exposure prevention	51 51				
		9.3.2 Control strategies	52				
		9.3.3 Reducing risk through effective design	53				
		9.3.4 Substitution of raw materials, products, processes and equipment					
		9.3.5 Engineering control techniques					
		9.3.6 Administrative means for the control of workplace exposures					
		9.3.7 Evaluating the work environment	68				
		9.3.8 Personal protective equipment (PPE)	_69				
	9.4	Health surveillance	75				
	9.5	Product stewardship	76				
Anne	ex A (in	formative) Primary chemical composition of nanomaterials	79				
Anne	ex B (in	formative) Nanomaterial-specific animal and cell culture toxicity					
	stı	ıdies	88				
Anne		formative) Characteristics of selected instruments and techniques for	_				
7 1 1 1 1 1 1		onitoring nano-aerosol exposure	_103				
Anne	ex <b>D</b> (in	formative) Characteristics of biosafety cabinets	_114				
Anne	ex E (in	formative) Assigned protection factors for respirators	_116				
	-	formative) Advantages and disadvantages of different types of air-					
	•	rifying particulate respirators	_118				
Rihli	ogrank	- NV	121				

#### **National Foreword**

This Technical Reference (TR) was prepared by the National Mirror Committee on ISO/TC 229/WG3 for Health, Safety & Environment set up by the Technical Committee on Nanotechnology under the purview of CSC.

TR 73 consists of the following parts under the generic title "Handling of engineered nanomaterials in workplaces":

- Part 1: Health and safety practices in occupational settings relevant to nanotechnologies
- Part 2: Overview of available frameworks for the developmemnt of occupational exposure limits and bands for nano-objects and their aggregates and agglomerates (NOAAs)
- Part 3: Occupational and environmental monitoring of engineered nanomaterials

This TR is identical with ISO/TR 12885:2018, "Nanotechnologies — Health and safety practices in occupational settings", published by the International Organisation for Standardisation.

NOTE 1 – Reference to International Standards/Technical Reports are replaced by applicable Singapore Standards/Technical References.

NOTE 2 - Where numerical values are expressed as decimals, the comma is read as a full point.

This TR is a provisional standard made available for application over a period of three years. The aim is to use the experience gained to update the TR so that it can be adopted as a Singapore Standard. Users of the TR are invited to provide feedback on its technical content, clarity and ease of use. Feedback can be submitted using the form provided in the TR. At the end of the three years, the TR will be reviewed, taking into account any feedback or other considerations, to further its development into a Singapore Standard if found suitable.

Attention is drawn to the possibility that some of the elements of this TR may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

#### NOTE

- 1. Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "Mature Standards". Mature Standards will not be subject to further review, unless there are requests to review such standards.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use Of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence
- 3. Compliance with a SS or TR does not exempt users from any legal obligations.

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 229, Nanotechnologies.

This second edition cancels and replaces the first edition (ISO/TR 12885:2008), which has been technically revised.

The main changes compared to the previous edition are as follows:

- widespread reference to 'nano-objects, and their aggregates and agglomerates greater than 100 nm' ('NOAAs'), in place of alternative terms;
- addition of annexes addressing:
  - primary chemical composition of nanomaterials;
  - nanomaterial-specific animal and cell culture toxicity studies;
  - characteristics of selected instruments and techniques for monitoring nano-aerosol exposure;
  - characteristics of biosafety cabinets;

- advantages and disadvantages of different types of air-purifying particulate respirators;
- consolidation of bibliographical information.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

#### Introduction

The field of nanotechnologies is advancing rapidly and is expected to impact virtually every facet of global industry and society. International standardization on nanotechnologies should contribute to realizing the potential of this technology through economic development, improving the quality of life, and for improving and protecting public health and the environment. One can expect many new manufactured nanomaterials coming to the market and workplace. The introduction of these new materials into the workplace raises questions concerning occupational safety and health. This document assembles useful knowledge on occupational safety and health practices in the context of nanotechnologies. Use of the information in this document could help companies, researchers, workers and other people to prevent potential adverse health and safety consequences during the production, handling, use and disposal of manufactured Nano-Objects, and their Aggregates and Agglomerates greater than 100 nm (NOAAs). This advice is broadly applicable across a range of NOAAs and applications.

This document is based on current information about nanotechnologies, including characterization, health effects, exposure assessments, and control practices. It is expected that this document will be revised and updated and new safety standards will be developed as our knowledge increases and experience is gained in the course of technological advance.

Nanotechnology involves materials at the nanoscale. ISO/TC 229 defines the "nanoscale" to mean size range from approximately 1 nm to 100 nm (ISO/TS 80004-1:2015)<sup>[1]</sup>. To give a sense of this scale, a human hair is of the order of 10 000 to 100 000 nm, a single red blood cell has a diameter of around 5 000 nm, viruses typically have a maximum dimension of 10 nm to 100 nm and a DNA molecule has a diameter of around 2 nm. The term "nanotechnology" can be misleading since it is not a single technology or scientific discipline. Rather it is a multidisciplinary grouping of physical, chemical, biological, engineering, and electronic processes, materials, applications and concepts in which the defining characteristic is one of size.

The distinctive and often unique properties which are observed with nanomaterials offer the promise of broad advances for a wide range of technologies in fields as diverse as computers, biomedicine, and energy. At this early stage the potential applications of nanomaterials seem to be limited only by the imagination. New companies, often spin outs from university research departments, are being formed and are finding no shortage of investors willing to back their ideas and products. New materials are being discovered or produced and for some, astonishing claims are being made concerning their properties, behaviours and applications.

While much of the current "hype" is highly speculative, there is no doubt that worldwide, governments and major industrial companies are committing significant resources for research into the development of nanometer scale processes, materials and products.

Ordinary materials such as carbon or silicon, when reduced to the nanoscale, often exhibit novel and unexpected characteristics such as extraordinary strength, chemical reactivity, electrical conductivity, or other characteristics that the same material does not possess at the micro or macro-scale. A huge range of nanomaterials have already been produced including nanotubes, nanowires, fullerene derivatives (buckyballs).

A few manufactured nanomaterials were developed already in the 19th and 20th centuries, at a time when the word "nanotechnology" was unknown. Among such nanomaterials are zeolites, catalyst supports such as  $MgCl_2$ , pigments and active fillers such as carbon black and synthetic amorphous silica. Market size of these commodity materials is well above the billion US dollars or million tons threshold.

Nanotechnologies are gaining in new commercial application. Nanomaterials are currently being used in electronic, magnetic and optoelectronic, biomedical, pharmaceutical, cosmetic, energy, catalytic and materials applications. Areas producing the greatest revenue for nanomaterials are chemical-mechanical polishing, magnetic recording tapes, sunscreens, automotive catalyst supports, electro-conductive coatings and optical fibres.

Among other factors, due to the great variability of physical and chemical properties of nanomaterials, our abilities to accurately predict the impact of some nanomaterials exposures on worker health are limited at this time. Similarly, there might be insufficient information about human exposures during work and our abilities to measure nanomaterials in the workplace (or more generally) are limited by current technologies. Overall, there is currently limited knowledge on chronic health effects of nanomaterials. In the case of some nanostructured materials, such as carbon black and synthetic amorphous silica, toxicological and epidemiological data are available.

A subset of nanomaterials, NOAAs are of particular concern in the workplace as they can be dispersed in the air and can represent health risks via inhalation exposures. NOAAs include structures with one, two or three external dimensions in the nanoscale from approximately 1 nm to 100 nm, which might be spheres, fibres, tubes and others as primary structures. NOAAs can consist of individual primary structures in the nanoscale and aggregated or agglomerated structures, including those with sizes larger than 100 nm. An aggregate is comprised of strongly bonded or fused particles (structures). An agglomerate is a collection of weakly bound particles and/or aggregates.

There are many gaps in current science about identifying, characterizing, and evaluating potential occupational exposures in the nanotechnology context. These gaps in our knowledge are best addressed at a multidisciplinary level. Occupational health practitioners and scientists and practitioners in the toxicology field including medical scientists and environmental scientists have vital roles to play in safeguarding health in this fast-moving field. Collaborative studies — ideally with international coordination — are essential in order to provide the critical information required within a reasonable time frame.

Handling of engineered nanomaterials in workplaces – Part 1: Health and safety practices in occupational settings relevant to nanotechnologies

# 1 Scope

This document describes health and safety practices in occupational settings relevant to nanotechnologies. This document focuses on the occupational manufacture and use of manufactured nano-objects, and their aggregates and agglomerates greater than 100 nm (NOAAs). It does not address health and safety issues or practices associated with NOAAs generated by natural processes, hot processes and other standard operations which unintentionally generate NOAAs, or potential consumer exposures or uses, though some of the information in this document can be relevant to those areas.

#### 2 Normative references

There are no normative references in this document.