

SS 37 : 1998
(ICS 87.040.10)

SINGAPORE STANDARD

Specification for aluminium paint

Amendment No. 1 & 2 (issued separately)



SS 37 : 1998

(ICS 87.040.10)

SINGAPORE STANDARD

Specification for aluminium paint

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this Singapore Standard may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

ISBN 9971-67-663-X

This Singapore Standard having been approved by the Chemical Standards Committee was endorsed by the Standards Council on 3 August 1998.

First published, 1971

First revision, 1998

The Chemical Standards Committee appointed by the Standards Council consists of the following members:

	Name	Organisation
Chairman	: Mr Koh Soo Nam	<i>Standards Council</i>
Secretary	: Ms Lim Lee Fang	<i>Singapore Productivity and Standards Board</i>
Members	: Dr Chong Hooi Loong	<i>Singapore Productivity and Standards Board</i>
	Mr Chua Teck Hock	<i>Institute of Science and Forensic Medicine</i>
	Dr Pranav Joshi	<i>Singapore Confederation of Industries</i>
	Mr Lim Kew Leong	<i>Ministry of the Environment</i>
	Dr Ng Tju Lik	<i>Singapore National Institute of Chemistry</i>
	Dr Rangaiah G P	<i>Institution of Engineers Singapore</i>
	Assoc Prof Tan Thiam Chye	<i>National University of Singapore</i>
	Mr Wong Sun Yew	<i>Singapore Paint Manufacturers' Association</i>

The Technical Committee on Paints and Varnishes appointed by the Chemical Standards Committee and responsible for the preparation of this standard consists of representatives from the following organisations:

	Name	Organisation
Chairman	: Mr Lim Eng Kiat	<i>Individual Capacity</i>
Secretary	: Ms Jesline Lim Lay Eng	<i>Singapore Productivity and Standards Board</i>
Members	: Mr Ch'ng Peng Soon	<i>Jurong Town Corporation</i>
	Ms Maria Felicia Fermin	<i>Singapore Confederation of Industries</i>
	Mr Foo Tee Sim	<i>Housing and Development Board</i>
	Mrs Foo-Tham Poh Keng	<i>Singapore Productivity and Standards Board</i>
	Mr Gilbert TC Kuek	<i>Singapore Contractors' Association Limited</i>
	Mr Phan Chin Poh	<i>Public Works Department</i>
	Dr Paul Philpot	<i>Singapore Paint Manufacturers' Association</i>
	Mr Victor Wee Chye Hin	<i>Singapore Institute of Architects</i>
	Mr Wong Sun Yew	<i>Singapore Paint Manufacturers' Association</i>

Contents

	Page
Foreword _____	4

SPECIFICATION

1	Scope _____	5
2	Approved sample _____	5
3	Sampling and preparation _____	5
4	Requirements _____	5
5	Testing _____	7
6	Keeping qualities _____	8
7	Packing and marking _____	8

ANNEX

A	Testing arrangements _____	10
---	----------------------------	----

TABLES

1	Quantitative requirements of the paint _____	6
2	Test methods _____	9

Foreword

This Singapore Standard was prepared by the Technical Committee for Paints and Varnishes under the direction of the Chemical Standards Committee.

It is a revision of SS 37 : 1971. The major changes in the revised edition are as follows:

- (a) Adoption of new requirement for uncombined water
- (b) Amendment of dry film thickness for the bend test and hard-drying time test
- (c) Significant reduction of lead content requirement

In preparing this specification, reference was made to the following:

- (1) Defence Specification, DEF -1099-A : 1957 - Paint, Aluminium, for Metal.
- (2) BS 388 : 1972 - Specification for Aluminium Pigments
- (3) SS 5 "Methods of Test for Paints, Varnishes and Related Materials"

Acknowledgement is made for the use of information from the above publications.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

1. *Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "Mature standards". Mature Standards will not be subject to further review, unless there are requests to review such standards.*
2. *An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.*
3. *Compliance with a SS or TR does not exempt users from any legal obligations.*

Specification for aluminium paint

1 Scope

This specification applies to a ready-for-use air drying aluminium finishing paint suitable for both interior and exterior use.