# **SS 333:2022** (ICS 13.220.50; 91.140.30)

# SINGAPORE STANDARD Specification for fire dampers





SS 333:2022

(ICS 13.220.50; 91.140.30)

# SINGAPORE STANDARD Specification for fire dampers

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

© Enterprise Singapore 2022

ISBN 978-981-5073-54-6

## SS 333:2022

# Contents

Foreword		
1	Scope	6
2	Normative references	
3	Terms and definitions	7
4	Materials	
5	Design and manufacture	
6	Testing	13
7	Marking	
8	Installation instructions	20
9	Locations where fire dampers are prohibited	21
10	Responsibilities of manufacturer / owner of building (or representative)	22
11	Inspection, testing and maintenance	24
12	Maintenance information system	25

#### Annexes

А	Installation of fire damper in wall	26
В	Typical multi-blade fire damper	27
С	Typical curtain type fire damper	28
D	Example of typical single blade circular fire damper and motorised fire-smoke damper _	29
E	Fire resistance test	31
F	Typical fire damper sleeve connections	35
G	Torque measurement	36
н	Calculation of minimum total clearance between fire damper and side of penetration	37
I	Example of fire damper certificate	38
J	Example of fire damper schedule of evidence of compliance	39
К	Example of log book details	41

#### Tables

1	Mechanical properties of grade 301 stainless steel in the cold-worked condition	10
2	Chemical composition of phosphor bronze	10
3	Mechanical properties of 5% phosphor bronze rolled tempers – Sheet and strip	10
4	Mechanical properties of 5% phosphor bronze plate	10
5	Tests for fire dampers	13
6	Tests for smoke dampers	13
7	Tests for fire-smoke dampers	13
8	Air leakage rate (< 0.5 m <sup>2</sup> )	15

# SS 333:2022

9	Air leakage rate (> 0.5 m <sup>2</sup> )	16
10	Fire-smoke damper leakage classification for damper size larger than 0.09 m <sup>2</sup> in size	
11	Fire-smoke damper rated air velocity and pressure	18
E.1	Temperature rise as a function of time	33
Bibliography		42

### Foreword

This Singapore Standard was prepared by the Working Group on Fire Dampers set up by the Technical Committee on Building Maintenance and Management under the purview of the Building and Construction Standards Committee.

It is a revision of SS 333:2012, "Specification for fire dampers". Air-conditioning and ventilation ducts have to traverse through fire rated walls, floor and ceiling in order to provide an economical and effective system for any building. This system, however, provides an effective means whereby fire and smoke (fire-smoke damper) can infiltrate throughout the whole building. Hence, there is a necessity to have fire dampers in order to preserve the integrity of each compartmented area in the event of an outbreak of fire.

This standard covers the installation and construction of the fire damper assemblies. The materials and assemblies, which, through field experience, found in this standard have been found acceptable for such application.

The key changes made in the standard are as follows:

- a) The definition, specifications and test requirements of fire-smoke dampers are included.
- b) The release mechanism and latching device are not applicable to a fire-smoke damper.
- c) The locations where fire dampers are prohibited are included.
- d) The air leakage calculation of a fire-smoke damper is included.

In preparing this standard, reference was also made to the following publications.

- 1. Code of Practice for Fire Precautions in Buildings 2018
- 2. Fire Safety (Fire Safety Managers) Regulations 1994
- 3. ISO 834 : Parts 1 to 9 : 1999-2009 Fire-resistance tests Elements of building construction

Permission has also been sought from the following organisations for the reproduction of materials from their publications into this standard:

- 1. National Fire Protection Association (NFPA)
  - Standard for fire doors and other opening protectives (Reproduced and adapted with permission from NFPA Copyright © 2009, National Fire Protection Association, Quincy, MA. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.)
- 2. Standards Australia
  - AS 1530.4:2005 Methods for fire tests on building materials, components and structures Part 4: Fire-resistance test of elements of construction
  - AS 1682.1:1990 Fire dampers Part 1: Specification
- 3. UL
  - UL 555S:2014 Standard for safety smoke dampers

(Reproduced and adapted with permission from UL Copyright © 2014 Underwriters Laboratories Inc. Reprinted with permission.)

 UL 555 Ed 7:2016 Standard for safety for fire dampers (Reproduced and adapted with permission from UL Copyright © 2016 Underwriters Laboratories Inc. Reprinted with permission.)

Acknowledgement is made for the use of information from the above publications.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all such patent rights.

#### NOTE

- Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "mature standards". Mature standards will not be subject to further review unless there are requests to review such standards.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.
- 3. Compliance with a SS or TR does not exempt users from any legal obligations.

# **Specification for fire dampers**

#### 1 Scope

This Singapore Standard specifies the requirements for the materials, design, manufacture, performance, testing, marking, inspection and maintenance of fire dampers which may be of rectangular or circular face, of single or multi-blade or curtain construction, operate by gravity, spring or electric / pneumatic actuator (s).

This standard is also applicable to fire-smoke dampers.

#### 2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

AMCA 500-D	Laboratory methods of testing dampers for rating
AS 1397	Continuous hot-dip metallic coated steel sheet and strip – Coatings of zinc and zinc alloyed with aluminium and magnesium
AS 1444	Wrought alloy steels – Standard, hardenability (H) series and hardened and tempered to designated mechanical properties
AS 1562	Design and installation of sheet roof and wall cladding Part 1: Metal
AS 1566	Copper and copper alloys – Rolled flat products
AS/NZS 1567	Copper and copper alloys – Wrought rods, bars and sections
AS 1890	Thermally released links
ASTM A653/A653M-11	Standard specification for steel sheet, zinc coated (galvanized) or zinc-iron alloy-coated (galvannealed) by the hot-dip process
EN 1751	Ventilation for buildings – Air terminal devices – Aerodynamic testing of damper and valves
UL 33 Ed. 8	Standard for heat responsive links for fire-protection service