SS IEC 62717:2015(2023)+A1:2023 IEC 62717:2014+Amd1:2015+Amd2:2019, IDT

SINGAPORE STANDARD

LED modules for general lighting

Performance requirements

Incorporating Amendment No. 1

Confirmed 2023





SS IEC 62717:2015(2023)+A1:2023

IEC 62717:2014+Amd1:2015+Amd2:2019, IDT (ICS 29.140.99)

SINGAPORE STANDARD

LED modules for general lighting

- Performance requirements

Published by Enterprise Singapore







THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 Enterprise Singapore
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Enterprise Singapore, representing the IEC National Committee of Singapore, or the IEC. If you have any questions about the copyrights of Enterprise Singapore or the IEC or have an enquiry about obtaining additional rights to this publication, please contact Enterprise Singapore at: standards@enterprisesg.gov.sg for further information.

SS IEC 62717:2015(2023)+A1:2023

National Foreword

This Singapore Standard was prepared by the Working Group on Lighting set up by the Technical Committee on Building Facilities and Services under the purview of the Electrical and Electronic Standards Committee.

This standard is an identical adoption of IEC 62717:2014+Amd1:2015+Amd2:2019, "LED modules for general lighting – Performance requirements", published by the International Electrotechnical Commission.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

- 1. Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "mature standards". Mature standards will not be subject to further review, unless there are requests to review such standards.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.
- 3. Compliance with a SS or TR does not exempt users from any legal obligations.



IEC 62717

Edition 1.2 2019-01 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

LED modules for general lighting – Performance requirements

Modules de LED pour éclairage général - Exigences de performance





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

CONTENTS

FOREWORD		5
INTRODUCTIO	N	8
1 Scope		9
1.2 Gene	ral	9
1.3 State	ment	10
2 Normative	references	10
3 Terms and	definitions	11
4 Marking		14
ŭ	latory marking	
	ional marking	
	S	
	tions	
	eral test conditions	
	tion of module families to reduce test effort	
	General	
	Variations within a family	
	Compliance testing of family members	
	ED module input	
	module power	
	acement factor (u.c.)	
•	it	
	nous flux	
	nous intensity distribution, peak intensity and beam angle	
	General	
	Measurement	
	Luminous intensity distribution	
	Peak intensity value	
	Beam angle value	
	nous efficacy	
	ty coordinates, correlated colour temperature (CCT) and colour	
	y	20
9.1 Chro	maticity coordinates	20
9.2 Corre	elated colour temperature (CCT)	21
9.3 Color	ur rendering index (CRI)	21
10 LED modu	le life	21
10.1 Gene	ral	21
10.2 Lume	en maintenance	22
10.3 Endu	rance tests	23
10.3.1	General	23
10.3.2	Temperature cycling test	23
10.3.3	Supply switching test	25
10.3.4	Accelerated operation life test	25
11 Verification	1	25
12 Information	n for luminaire design	26
Annex A (norma	ative) Method of measuring LED module characteristics	27

	7:2014+AMD1:2015 - 3 - 019 CSV © IEC 2019	
A.1	General	27
A.2	Electrical characteristics	
A.3	Photometric characteristics	28
A.3.	1 General	28
A.3.2	2 Test voltage, current or power	28
A.3.3	3 Luminous flux	28
A.3.4	4 Luminous intensity distribution	28
A.3.	5 Colour characteristics	28
Annex B (informative) Information for luminaire design		29
B.1	Temperature stability	29
B.2	Binning procedure of white colour LEDs	29
B.3	Ingress protection	29
Annex C	(informative) Explanation of recommended LED product lifetime metrics	30
C.1	General	30
C.2	Life time specification for gradual light output degradation	
C.3	Lifetime specification for abrupt light output degradation	
C.4	Combined gradual and abrupt light output degradation	
C.5	Overview of LED lifetime metrics and related lighting product groups	34
C.6	Example of lifetime metric values	35
Annex D	(normative) Explanation of the photometric code	37
	(normative) Measurement of displacement factor	
E.1	General	
E.2	Phase shift angle definition	
E.3	Measurements requirements	
E.3.		
E.3.2	11.7	
E.3.0	·	
	(informative) Explanation of displacement factor	
	General	
F.2	Recommended values for displacement factor	
	(informative) Examples of LED dies and LED packages	
G.1	LED die	
G.2	LED package	
	(informative) Test equipment for temperature measurement	
H.1	General	
п. і Н.2	Set-up and procedure	
	informative) Use of ANSI/IES LM-80-15 for luminous flux maintenance and	44
	ed chromaticity coordinates data	45
I.1	General	45
1.2	Criteria for the use of ANSI/IES LM-80-15	45
1.2.1	LED package data used for LED modules	45
1.2.2		
1.2.3	•	
1.3	Compliance criteria	
1.3.1	Chromaticity coordinates	
1.3.2	Luminous flux maintenance factor	46

Bibliography......47

Figure 1 – Types of LED modules	9
Figure 2 – Luminous flux depreciation over test time	23
Figure C.1 – Light output over life of a LED-based luminaire comprised of a single LED	
module	30
Figure C.2 – Life time specification for gradual light output degradation	31
Figure C.3 – Reliability curve Rabrupt for abrupt light output degradation	32
Figure C.4 – Reliability curve $R_{ m gradual}$ for gradual light output degradation	33
Figure C.5 – Combined R _{gradual} and R _{abrupt} degradation	34
Figure C.6 – Overview of LED lifetime metrics	
Figure E.1 – Definition of the fundamental current phase shift angle φ_1 (I_1 leads	
$U_{\text{mains}}, \phi_1 > 0)$	38
Figure E.2 – Definition of the fundamental current phase shift angle ϕ_1 (I_1 lags	
$U_{mains}, \varphi_1 < 0) \dots$	
Figure G.1 – Schematic drawings of LED dies	
Figure G.2 – Schematic drawings of LED packages	43
Table 1 – Mandatory marking and location of marking ¹	
Table 2 – LED module median useful life information	16
Table 3 – Optional marking and location of marking	16
Table 4 – Allowed variations within a family	18
Table 5 – Tolerance (categories) on rated chromaticity coordinate values	21
Table 6 – Lumen maintenance code at an operational time as stated in 6.1	22
Table 7 – Sample sizes	26
Table C.1 – Examples of lifetime metric values for luminous flux maintenance factor	
ratings	36
Table C.2 – Examples of lifetime metric values for abrupt failure	36
Table C.3 – Examples of lifetime metric values of x for median LED lamp life (combined failures)	
Table C.4 – Examples of lifetime metric values	36
Table C.5 – Examples of metric values for LED module useful life $L_{X}B_{V}$	
Table F.1 – Recommended values for displacement factor	

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LED MODULES FOR GENERAL LIGHTING – PERFORMANCE REQUIREMENTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 62717 edition 1.2 contains the first edition (2014-12) [documents 34A/1796/FDIS and 34A/1817/RVD], its amendment 1 (2015-09) [documents 34A/1853/FDIS and 34A/1870/RVD] and its amendment 2 (2019-01) [documents 34A/2121/FDIS and 34A/2127/RVD].

This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 62717 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This edition includes the following significant technical changes with respect to IEC PAS 62717.

- all terms and definitions are aligned with IEC 62504 and relevant documents of CIE. For example, general terms like "rated value" are shifted to IEC 62504.
- a statement on the applicability on a population is included.
- the normative references are completed and cleaned from standards that are not in use.
- with regard to EMC, references to harmonic currents are given.
- the change, which has an effect on most parts of the standard, is the split of failure mechanisms into abrupt failures and luminous flux depreciation. Consequently, new terms and definitions, new requirements for lumen maintenance and a complete new structure and contents of Annex C are introduced.
- transition from t_{pmax} to t_{prated} is made, with the background that there is not one t_{pmax} , but a choice of t_{p} (rated) values, in combination with lifetime.
- places where to mark (product, packaging, data sheets) are changed, and as a consequence of the split of failure mechanisms, new parameters are listed. Further, changes in the endurance test (ramping speed of temperature) are reflected in marking.
- the concept of displacement factor instead of power factor is introduced. This led to new definitions, requirements and Annexes E and F.
- the requirements on luminous efficacy are changed.
- the requirements, associated with the family concept are reviewed.
- statistics, based on confidence intervals are removed. This concerns requirements and limits for LED module power and luminous flux and deletion of Annex E.
- new requirements for lumen maintenance are introduced.
- as part of the endurance test, the maximum light decrease after accelerated operation life test is now fixed.
- with regard to the discussion on type test and sample size, the number of pieces in a test sample is drastically reduced, see Table 7.
- Annex A on measuring methods is completely restructured and reviewed, for example for ambient temperature and for shortening of stabilisation time when conducting subsequent light output measurements.
- for electrical characteristics, the ageing time may be chosen as 500 h.
- for photometric data file formats, reference is given to IEC 62722-1.
- mistakes in the photometric code (Annex D) are corrected.
- Annex G on optimised test duration is removed; instead, an INF sheet shall be published.
- from the luminaire standard, a new Annex H on "Test equipment for temperature measurement" is taken over.
- finally, the Bibliography is updated.

-7-

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: roman type.
- test specifications: italic type.
- notes: smaller roman type.

The committee has decided that the contents of the base publication and it amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

-8-

IEC 62717:2014+AMD1:2015 +AMD2:2019 CSV © IEC 2019

INTRODUCTION

The first edition of a performance standard (precursor: IEC PAS 62717) for LED modules for general lighting applications acknowledges the need for relevant tests for this new source of electrical light, sometimes called "solid state lighting". The publication is closely related to simultaneously developed performance standard publication (which also started with a Publicly Available Specification) for luminaires in general (IEC 62722-1) and for LED-luminaires (IEC 62722-2-1). Changes in the LED module standard will have an impact on the luminaire standards and vice versa, due to the behaviour of LED. Therefore, in the development of the present standard, a close collaboration between experts of both products has taken place.

The provisions in the standard represent the technical knowledge of experts from the fields of the semiconductor (LED chip) industry and of those of the traditional electrical light sources.

Three types of LED-modules are covered: with integral controlgear, with means of control on board, but with separate controlgear ("semi-ballasted"), and with complete separate controlgear.

-9-

LED MODULES FOR GENERAL LIGHTING – PERFORMANCE REQUIREMENTS

1 Scope


1.2 General

This International Standard specifies the performance requirements for LED modules, together with the test methods and conditions, required to show compliance with this standard. The following types of LED modules are distinguished and schematically shown in Figure 1:

Type 1: integrated LED modules for use on d.c. supplies up to 250 V or on a.c. supplies up to 1 000 V at 50 Hz or 60 Hz.

Type 2: LED modules operating with part of separate controlgear connected to the mains voltage, and having further control means inside ("semi-integrated") for operation under constant voltage, constant current or constant power.

Type 3: LED modules where the complete controlgear is separate from the module (non-integrated) for operation under constant voltage, constant current or constant power.



The power supply of the controlgear for semi-ballasted LED modules (Type 2) is an electronic device capable of controlling currents, voltage or power within design limits.

The control unit of the controlgear for semi-ballasted LED modules (Type 2) is an electronic device to control the electrical energy to the LEDs.

A LED module with separate controlgear can be either a non-ballasted LED module or a semi-ballasted LED module.

Figure 1 - Types of LED modules

The requirements of this standard relate only to type testing.

Recommendations for whole product testing or batch testing are under consideration.

This standard covers LED modules, based on inorganic LED technology that produces white light.

Life time of LED modules is in most cases much longer than the practical test times. Consequently, verification of manufacturer's life time claims cannot be made in a sufficiently confident way, because projecting test data further in time is not standardised. For that reason the acceptance or rejection of a manufacturers life time claim, past an operational time as stated in 6.1, is out of the scope of this standard.

Instead of life time validation this standard has opted for lumen maintenance codes at a defined finite test time. Therefore, the code number does not imply a prediction of achievable life time. The categories, represented by the code, are lumen-depreciation character categories showing behaviour in agreement with manufacturer's information which is provided before the test is started.

In order to validate a life time claim, an extrapolation of test data is needed. A general method of projecting measurement data beyond limited test time is under consideration.

The pass/fail criterion of the life time test as defined in this standard is different from the life time metrics claimed by manufacturers. For explanation of recommended life time metrics, see Annex C.

NOTE When modules are operated in a luminaire, the claimed performance data can deviate from the values established via this standard due to e.g. luminaire components that impact the performance of the LED module.

The separate electronic controlgear for LED modules as mentioned in Type 2 and Type 3 is not part of the testing against the requirements of this standard.

Protection for water and dust ingress, see B.3.

1.3 Statement

It may be expected that integrated LED modules which comply with this standard will start and operate satisfactorily at voltages between 92 % and 106 % of rated supply voltage. LED modules with separate controlgear are expected to start and operate satisfactorily in combination with the specified controlgear complying with IEC 61347-2-13 and IEC 62384. All LED modules are expected to start and operate satisfactorily when operated under the conditions specified by the LED module manufacturer and in a luminaire complying with IEC 60598-1.

The requirements for individuals apply for 95 % of the population.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845:1987, International Electrotechnical Vocabulary - Chapter 845: Lighting

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-3-5:2001, Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers

IEC 60081, Double-capped fluorescent lamps – Performance specifications

- 11 -

IEC 61000-3-2:2005¹, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)

IEC 61000-3-2:2005/AMD 1:2008 IEC 61000-3-2:2005/AMD 2:2009

IEC 61000-4-7, Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

IEC TR 61341, Method of measurement of centre beam intensity and beam angle(s) of reflector lamps

IEC 61347-2-13, Lamp controlgear – Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules

IEC 62031:2008, LED modules for general lighting – Safety specifications

IEC 62504, General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions

CIE 13.3:1995, Method of measuring and specifying colour rendering properties of light sources

CIE 177:2007, Colour rendering of white LED light sources

CIE S 025/E:2015, Test Method for LED Lamps, LED Luminaires and LED Modules

ANSI/IES LM-80-15, Approved Method: Measuring Luminous Flux and Color Maintenance of LED Packages, Arrays and Modules

¹ Third edition. This edition has been replaced in 2014 by IEC 61000-3-2:2014, *Electromagnetic compatibility* (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase).