

**SS 696:2023**  
(ICS 11.020.01; 13.100)

**SINGAPORE STANDARD**

# **Specification for high containment (biosafety level 3) facility**



**SS 696:2023**

(ICS 11.020; 13.100)

---

SINGAPORE STANDARD

**Specification for high containment  
(biosafety level 3) facility**

---

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: [standards@enterprisesg.gov.sg](mailto:standards@enterprisesg.gov.sg).

© Enterprise Singapore 2023

ISBN 978-981-5163-11-7

## Contents

	Page
Foreword _____	5
0 Introduction _____	6
1 Scope _____	6
2 Normative references _____	6
3 Terms and definitions _____	7
4 Physical containment requirements and recommendations _____	14
4.1 General _____	14
4.2 Facility planning and designing _____	15
4.3 Facility: Location, layout and structure _____	16
4.4 Facility: Physical containment barrier _____	17
4.5 Facility: Access points and access controls _____	18
4.6 Facility: Surface finishes and casework _____	20
4.7 Facility: Ventilation system _____	21
4.8 Facility: Other supporting services _____	23
4.9 Essential laboratory safety equipment _____	24
4.10 Additional security control for facility supporting areas _____	27
4.11 Features specific for animal facility _____	28
4.12 Features specific for animal facility involving loose pen animal work _____	29
4.13 Features specific for arthropod facility _____	31
4.14 Provision of redundancies _____	32
5 Administrative control and operational practice requirements _____	32
5.1 General _____	32
5.2 BRM system _____	32
5.3 Biorisk management (BRM) policy _____	33
5.4 Administrative control and facility oversight _____	34
5.6 BRM manual _____	38
5.7 Occupational safety and health (OSH) programme _____	39
5.8 Personnel training and management _____	39
5.9 Biological agents and toxins inventory and management _____	42
5.10 Decontamination and waste management programme _____	45
5.11 Good microbiological practices and procedures (GMPP) _____	47
5.12 General safety of hazards other than biohazards _____	52
5.13 Requirements and recommendations when working with animals, arthropods and genetically modified biological agents _____	53
5.14 Emergency response plan and readiness _____	55
5.15 Incident, noncompliance and nonconformity management _____	58
5.16 Whistle blowing provision _____	59

5.17	Document and record management	59
5.18	Continual improvement	60
6	Performance verification requirements and recommendations	60
6.1	General	60
6.2	Commissioning	61
6.3	Certification	62
6.4	Continuous performance verification	62
6.5	Decommissioning	63

## **Annexes**

A	Facility design document	65
B	Spatial decontamination of facility	66
C	Sample list of key requirements to be covered in a commissioning process	68
D	BRM committee	70
E	Risk assessment and mitigation	72
F	Validation and verification of autoclave process and performance	78
G	Development and validation of inactivation protocols	80
H	Installation of electrical system and wiring	84
I	Sample of continuous performance verification	85

## **Tables**

D.1	Description of BRM committee members, their credentials, and responsibilities	70
E.1	Risk assessment using a 5x5 matrix table	73
E.2	Examples of severity score level applied in a 5x5 matrix table biosafety risk assessment	73
E.3	Examples of severity score level applied in a 5x5 matrix table biosecurity risk assessment	74
E.4	Examples of likelihood score level applied in a 5x5 matrix table biosecurity risk assessment	74
E.5	Risk acceptability and action for respective risk level	75
E.6	Examples of mitigation strategies and measures for facility access control	76
E.7	Examples of mitigation strategies and measures for access control of biological agents, toxins, biological materials	76
E.8	Examples of mitigation strategies and measures for handling of security sensitive information	77
G.1	Examples of inactivating methods and viability testing assay	81
G.2	Requirement of verification based on sample nature	83

**Figures**

1	Example of a simple schematic layout of a BSL-3 facility with the configuration of an emergency exit and decontamination room	17
2	Examples of simple schematic layouts of clean and dirty change rooms	19
3	Example of a simple illustration of a loose pen housing unit within an ABSL-3	29
C.1	Example of a simple schematic layout showing the shutdown of an individual room/suite (e.g. BSL-3 suite 1) in a BSL-3 facility for spatial decontamination	68
Bibliography		87

## Foreword

This Singapore Standard was prepared by the Working Group on Biosafety Level 3 Facilities set up by the Technical Committee on Biotechnology and Laboratory Testing under the purview of the Biomedical Standards Committee.

It is presupposed that in the course of their work, users will comply with all relevant regulatory and statutory requirements. Some examples of relevant regulations and acts are listed in the Bibliography. The Singapore Standards Council and Enterprise Singapore shall not be responsible for identifying all of such legal obligations.

In preparing this standard, reference was made to the following publications:

1. CEN Workshop Agreement, CWA 16393 (2012)
2. Code of Practice for Risk Management, Third Revision, 2021, published by the Workplace Safety and Health Council.

Permission has also been sought from the following organisations for the reproduction of materials from their publications into this standard:

1. European Committee for Standardization, CEN Workshop Agreement, CWA 16393 (2012)
2. Ministry of Health, National Biosafety Standards for Maximum Containment Facilities
3. PUB, Singapore's National Water Agency, Requirements for BSL/ABSL-3 and above Facilities
4. Workplace Safety and Health Council, Code of Practice on Workplace Safety and Health (WSH) Risk Management

Acknowledgement is made for the use of information from the above publications.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all such patent rights.

### NOTE

1. *Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "mature standards". Mature standards will not be subject to further review unless there are requests to review such standards.*
2. *An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.*
3. *Compliance with a SS or TR does not exempt users from any legal obligations.*

## Specification for high containment (biosafety level 3) facility

### 0 Introduction

The purpose of this standard is to assist persons, organisations and industries involved in the possession, handling and/or working with dangerous hazardous biological agents (i.e. risk group 3 agents) through the systematic planning, designing and implementing appropriate and sound biosafety and biosecurity strategies, procedures and measures so that work can be carried out safely and securely, in a sustainable manner.

NOTE – More information related to high containment facilities can be found in the Ministry of Health's website ([www.moh.gov.sg/biosafety](http://www.moh.gov.sg/biosafety)).

### 1 Scope

This standard covers the physical containment requirements and recommendations, administrative control and operating practices, performance verification for high containment facilities (also termed as Biosafety Level 3 or BSL-3 facilities), which are handling hazardous biological agents. The scope of this standard includes the use of animals that can be handled within primary containment isolators/cages, whereby a room is the secondary containment, the use of loose pen animals, whereby the room is the primary containment, and the use of arthropods.

Requirements involving the handling of agricultural animals, animals infected with high consequence or otherwise regulated livestock pathogens, plants, autopsy, vaccine or large-scale production (in aggregate 10 or more litres at any one time) activities are not detailed in this standard. Users are advised to seek guidance from the relevant authorities and/or the corresponding standards (or requirements) for such work and any other works which are not covered in this standard.

### 2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

AS 1807	Separative devices – Biological and cytotoxic drug safety cabinets, clean workstations and pharmaceutical isolators – Methods of test
ASME AG-1	Code on nuclear air and gas treatment
ASME N511	In-service testing of nuclear air-treatment, heating, ventilating and air-conditioning systems
EN 12469	Biotechnology. Performance criteria for microbiological safety cabinets
IEST-RP-CC034	HEPA and ULPA filter leak tests
ISO 11138-1	Sterilization of health care products – Biological indicators – Part 1: General requirements
ISO 11138-3	Sterilization of health care products – Biological indicators – Part 3: Biological indicators for moist heat sterilization processes

NSF/ANSI 49	Biosafety cabinetry: Design, construction, performance, and field certification
SMACNA 016	HVAC air duct leakage test manual