

**SS 648-2:2024**

(ICS 01.140.30; 47.020)

**SINGAPORE STANDARD**

# **Code of practice for bunker mass flow metering**

**– Part 2 : Technical requirements and procedures**



## **SS 648-2:2024**

(ICS 01.140.30; 47.020)

---

SINGAPORE STANDARD

### **Code of practice for bunker mass flow metering**

– Part 2 : Technical requirements and procedures

---

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: [standards@enterprisesg.gov.sg](mailto:standards@enterprisesg.gov.sg).

© Enterprise Singapore 2024

ISBN 978-981-5277-37-1

## Contents

|   | Page |
|---|------|
| Foreword _____  | 4    |
| 1 Scope _____   | 6    |
| 2 Normative references _____                                      | 6    |
| 3 Terms and definitions _____                                     | 6    |
| 4 General requirements (safety, health and the environment) _____ | 13   |
| 5 Bunkering documentation requirements _____                      | 14   |
| 6 Metrological requirements _____                                 | 14   |
| 7 System integrity requirements _____                             | 18   |
| 8 Metering procedures _____                                       | 22   |
| 9 Bunker quality specifications _____                             | 31   |
| 10 Others _____   | 31   |
| 11 Disputes _____   | 31   |

## Annexes

|  |    |
|--|----|
| A Safety, health and the environment (normative) _____   | 33 |
| B Zero verification procedures (normative) _____   | 36 |
| C Process flow for update or upgrade (normative) _____   | 37 |
| D Examples of simplified schematic diagrams of the MFM bunker computer, data logger and edge device set up (informative) _____ | 38 |
| E Sealable bolts and nuts for blanks and flanges (normative) _____   | 39 |
| F Example of an ancillary device sealing (informative) _____   | 40 |
| G Bunkering pre-delivery safety checklist (informative) _____  | 41 |
| H Bunker requisition form (mass flow metering) (normative) _____   | 44 |
| I Example of mass flow metering system seals checklist (informative) _____   | 45 |
| J Example of meter reading record form (delivery) (informative) _____  | 46 |
| K Bunker delivery note (BDN) (normative) _____   | 47 |
| L Examples of bunker metering ticket (informative) _____   | 48 |
| M Responsibilities of bunker surveyor (normative) _____  | 49 |
| N Example of a survey time log (informative) _____   | 50 |
| O Example of a statement of fact (informative) _____   | 51 |
| P Example of meter totaliser log (informative) _____   | 52 |
| Q Schematic diagrams of multi meter set up (informative) _____   | 53 |
| R Sampling (normative) _____   | 55 |
| S Example of a sample label (informative) _____  | 62 |

|   |   |    |
|---|---|----|
| T | Examples of note of protest (informative) _____   | 63 |
| U | Resolution of bunker disputes (informative) _____ | 65 |

### Tables

|   |   |    |
|---|---|----|
| 1 | Uncertainty budget table _____                | 16 |
| 2 | Minimum bunker quantity _____                 | 17 |
| 3 | Documentation prepared by bunker tanker _____ | 23 |

### Figures

|     |  |    |
|-----|--|----|
| D.1 | Example of the MFM bunker computer connected to a data logger that is integrated with an edge device _____ | 38 |
| D.2 | Example of the MFM bunker computer directly connected to an edge device _____                              | 38 |
| E.1 | Sealable bolt and nut _____  | 39 |
| E.2 | Example of sealed pipe blank _____   | 39 |
| F.1 | Example of an instrument with a sealed pressure transmitter _____  | 40 |
| Q.1 | Example of a two MFMs installed in parallel (for same grade of bunker fuel) _____                          | 53 |
| Q.2 | Example of a two MFMs installed separately (for different grade of bunker fuel) _____                      | 54 |
| R.1 | Example of design of sample bottle neck and cap _____  | 59 |
| R.2 | Design of sampling equipment _____   | 60 |
| R.3 | Example of plastic tamper-proof seal _____   | 61 |
|     | Bibliography _____   | 68 |

## Foreword

This Singapore Standard was prepared by the Working Group on Bunker Mass Flow Metering set up by the Technical Committee on Bunkering (Ambient Liquids Fuels) under the purview of the Chemical Standards Committee.

This standard was first developed as TR 48:2015, "Technical Reference for bunker mass flow metering". TR 48 was reviewed to further its development into SS 648:2019.

In this revision, SS 648 was divided into two parts under the general title, "Code of practice for bunker mass flow metering" based on pre-approval and post approval processes:

- Part 1: Meter selection and acceptance tests
- Part 2: Technical requirements and procedures

In preparing this standard, reference was made to the following publications. Some of the definitions in Clause 3 were reproduced from the publications with permission from the respective organisations as indicated in parentheses after the definitions. All rights are reserved by the organisations.

### **American Petroleum Institute**

API MPMS 5.6:2002(2008)      Manual of Petroleum Measurement Standards - Measurement of liquid hydrocarbons by Coriolis meters

### **American Society of Mechanical Engineers**

ASME MFC-11:2006 (R2014)      Measurement of fluid flow by means of Coriolis mass flow meters

*Reprinted by permission of The American Society of Mechanical Engineers.*

### **International Organization for Standardization**

ISO/IEC Guide 99:2007      International vocabulary of metrology – Basics and general concepts and associated terms (VIM)

ISO 10790:2015      Measurement of fluid flow in closed conduits – Guidance to the selection, installation and use of Coriolis flowmeters (mass flow, density and volume flow measurements)

ISO/IEC 23264-1:2021      Information security - Redaction of authentic data – Part 1: General

*A copy of the complete standard may be obtained from <https://www.singaporestandardseshop.sg/>*

### **International Organization of Legal Metrology**

OIML D028:2004      Conventional value of the result of weighing in air

*Reproduction of content from OIML D028: 2004 complies with OIML B11, "Rules governing the translation, copyright and distribution of OIML Publications".*

Acknowledgement is made for the use of information from the above publications.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all such patent rights.

**NOTE**

1. *Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "mature standards". Mature standards will not be subject to further review unless there are requests to review such standards.*
2. *An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.*
3. *Compliance with a SS or TR does not exempt users from any legal obligations.*

## Code of practice for bunker mass flow metering – Part 2 : Technical requirements and procedures

### 1 Scope

This standard sets out the post-approval requirements and procedures for the transfer of bunkers to receiving vessels by bunker tankers using Coriolis mass flow metering (MFM) system. It covers the metrology and system integrity requirements, metering procedures during bunker delivery, and dispute handling. Bunker quality specifications including sampling process of bunkering are also covered in this document.

### 2 Normative references

The following referenced documents are indispensable for the application of this standard. For undated references, the latest edition of the referenced document (including any amendments) applies.

|  |   |
|--|---|
| International Recommendation OIML R117 | Dynamic measuring systems for liquids other than water  |
| ISO 8217                               | Products from petroleum, synthetic and renewable sources – Fuels (class F) – Specifications of marine fuels |
| ISO 8601-1                             | Date and time – Representations for information interchange – Part 1: Basic rules                           |
| ISO/IEC 17020                          | Conformity assessment – Requirements for the operation of various types of bodies performing inspection     |
| ISO/IEC 17025                          | General requirements for the competence of testing and calibration laboratories                             |
| ISO/IEC Guide 98-3                     | Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement                  |
| SS 600                                 | Code of practice for bunkering by bunker tankers using tank gauging   |
| SS 648-1                               | Code of practice for bunker mass flow metering – Part 1: Meter selection and acceptance tests               |
| SS 709                                 | Specification for digital bunkering supply chain documentation  |
| TR 80                                  | Code of practice for meter verification using master mass flow meter  |