SS 513-2:2024 ISO 20344:2021, IDT (ICS 13.340.50)

SINGAPORE STANDARD

Specification for personal protective equipment

- Footwear
- Part 2: Test methods for footwear

[ISO title: Personal protective equipment – Test methods for footwear]





SS 513-2:2024 ISO 20344:2021, IDT (ICS 13.340.50)

SINGAPORE STANDARD

Specification for personal protective equipment

- Footwear

- Part 2: Test methods for footwear

Published by Enterprise Singapore

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilming, without permission in writing from Enterprise Singapore. Request for permission can be sent to: standards@enterprisesg.gov.sg.

© ISO 2021

© Enterprise Singapore 2024

ISBN 978-981-5277-41-8

National Foreword

This Singapore Standard was prepared by the Working Group on Protective Footwear set up by the Technical Committee on Personal Safety and Health under the purview of the Safety and Quality Standards Committee.

This standard is a revision of SS 513-2:2013. It is an identical adoption of ISO 20344:2021, "Personal protective equipment – test methods for footwear", including the amendment to this edition, ISO 20344:2021/Amd 1:2024 (found immediately after the standard), published by the International Organization for Standardization.

The revised SS 513 consists of the following two parts, under the general title "Specification for personal protective equipment – Footwear":

- Part 1 : Safety footwear (identical adoption of ISO 20345:2021)
- Part 2: Test methods for footwear (identical adoption of ISO 20344:2021)

SS 513-1 is intended to be read in conjunction with SS 513-2.

Attention is drawn to the possibility that some of the elements of this Singapore Standard may be the subject of patent rights. Enterprise Singapore shall not be held responsible for identifying any or all of such patent rights.

NOTE

- 1. Singapore Standards (SSs) and Technical References (TRs) are reviewed periodically to keep abreast of technical changes, technological developments and industry practices. The changes are documented through the issue of either amendments or revisions. Where SSs are deemed to be stable, i.e. no foreseeable changes in them, they will be classified as "mature standards". Mature standards will not be subject to further review, unless there are requests to review such standards.
- 2. An SS or TR is voluntary in nature except when it is made mandatory by a regulatory authority. It can also be cited in contracts making its application a business necessity. Users are advised to assess and determine whether the SS or TR is suitable for their intended use or purpose. If required, they should refer to the relevant professionals or experts for advice on the use of the document. Enterprise Singapore and the Singapore Standards Council shall not be liable for any damages whether directly or indirectly suffered by anyone or any organisation as a result of the use of any SS or TR. Although care has been taken to draft this standard, users are also advised to ensure that they apply the information after due diligence.
- Compliance with a SS or TR does not exempt users from any legal obligations.

INTERNATIONAL STANDARD

ISO 20344

Third edition 2021-10

Personal protective equipment — Test methods for footwear

Équipement de protection individuelle — Méthodes d'essai pour les chaussures





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	ontents				
For	eword		viii		
1	Scop	e	1		
2	Norn	native references	1		
3	Terms and definitions				
4	Gene	eral testing parameters			
	4.1	Sampling			
	4.2	Conditioning before and during the test			
	4.3	Prerequisites on the testing procedure			
	4.4	Test report			
5		methods for whole footwear			
	5.1	Specific ergonomic features			
		5.1.1 Sampling and conditioning			
		5.1.2 Test method			
	5.2	Determination of upper/outsole and sole interlayer bond strength			
	5.2	5.2.1 Principle			
		5.2.2 Test equipment			
		5.2.3 Sampling and conditioning			
		5.2.4 Test method	8		
		5.2.5 Test report			
	5.3	Determination of dimensions of toecap			
		5.3.1 Sampling and conditioning			
		5.3.2 Test method			
	5.4	5.3.3 Test report			
	5.4	Determination of impact resistance			
		5.4.2 Sampling and conditioning			
		5.4.3 Test methods			
		5.4.4 Test report			
	5.5	Determination of compression resistance			
		5.5.1 Test equipment	18		
		5.5.2 Sampling and conditioning			
		5.5.3 Test method			
		5.5.4 Test report			
	5.6	Behaviour of toecaps (thermal and chemical)			
		5.6.1 Sampling and conditioning			
	5.7	5.6.2 Behaviour of toecaps (thermal and chemical) Determination of leak proofness			
	5.7	5.7.1 Test equipment			
		5.7.2 Sampling and conditioning			
		5.7.3 Test method			
		5.7.4 Test report	21		
	5.8	Dimensions of perforation resistant inserts			
		5.8.1 Sampling and conditioning			
		5.8.2 Test method			
	F 0	5.8.3 Test report	22		
	5.9	Determination of the perforation resistance of footwear with a metallic	วา		
		perforation resistant insert			
		5.9.2 Sampling and conditioning			
		5.9.3 Test method			
		5.9.4 Test report			

5.10	Determination of the perforation resistance of footwear with a non-metallic perforation resistant insert		
	5.10.1 General		
	5.10.2 Test equipment		
	5.10.3 Sampling and conditioning		
	5.10.4 Test method		
	5.10.5 Test report.		
5.11	Behaviour of perforation resistant inserts (thermal and chemical)		
J.11	5.11.1 Sampling and conditioning		
	5.11.2 Behaviour of perforation resistant inserts (thermal and chemical)		
	5.11.3 Test report		
5.12	Determination of the flex resistance of perforation-resistant inserts		
J.12	5.12.1 Sampling and conditioning		
	5.12.2 Test method	29	
	5.12.3 Test report		
5.13	Determination of electrical resistance		
5.15	5.13.1 Principle		
	5.13.2 Test equipment		
	5.13.3 Sampling and conditioning		
	5.13.4 Test method		
	5.13.5 Test report		
5.14	Determination of footwear slip resistance		
3.14	5.14.1 Sampling and conditioning		
	5.14.2 Test method		
	5.14.3 Test report		
5.15	Determination of insulation against heat		
3.13	5.15.1 Test equipment		
	5.15.2 Sampling and conditioning		
	5.15.3 Test method		
	5.15.4 Test report		
5.16	Determination of insulation against cold		
5.10	5.16.1 Test equipment		
	5.16.2 Sampling and conditioning		
	5.16.3 Test method		
	5.16.4 Test report		
5.17	Determination of energy absorption of the seat region		
3.17	5.17.1 Test equipment		
	5.17.2 Sampling and conditioning		
	5.17.2 Sampling and conditioning		
	5.17.4 Test report		
5.18	Determination of resistance to water for whole footwear: trough test		
5.10	5.18.1 Principle		
	5.18.2 Test equipment		
	5.18.3 Sampling and conditioning		
	5.18.4 Test method		
	5.18.5 Test report		
5.19	Determination of resistance to water for whole footwear: dynamic test		
3.13	5.19.1 Principle		
	5.19.2 Test equipment		
	5.19.3 Sampling and conditioning		
	5.19.4 Test method 5.19.5 Test report.		
5.20	Determination of impact resistance of a metatarsal protection		
J.4U	5.20.1 Test equipment		
	5.20.2 Sampling and conditioning		
	5.20.4 Test report		
5.21	Determination of the dimension of the ankle protection		
J.LI	Determination of the difficultion of the alikie protection		

		5.21.1 Sampling and conditioning	
		5.21.2 Test method	
		5.21.3 Test report	48
	5.22	Determination of the shock absorption capacity of ankle protection materials	
		incorporated into the upper	
		5.22.1 Principle	
		5.22.2 Test equipment	
		5.22.3 Sampling and conditioning	
		5.22.4 Test method	
	= 00	5.22.5 Test report	
	5.23	Determination of cutting resistance	
		5.23.1 Sampling and conditioning.	
		5.23.2 Dimension of the cut resistant protective area	
		5.23.4 Test report	
	5.24	Scuff caps	52 52
	J. 2 T	5.24.1 Sampling and conditioning	52 52
		5.24.2 Test method for the abrasion resistance of the scuff caps	52
		5.24.3 Test report	52
	5.25	Determination of seam strength	53
		5.25.1 Sampling and conditioning	53
		5.25.2 Test method	
		5.25.3 Test report	
6	Toct	methods for upper, lining and tongue	
U	6.1	Determination of thickness of upper	53
	0.1	6.1.1 Sampling and conditioning	
		6.1.2 Test method	
		6.1.3 Test report	
	6.2	Measurement of the height of the upper	53
		6.2.1 Sampling and conditioning	
		6.2.2 Test method for the complete upper	
		6.2.3 Test method for the determination of the area for non-water vapour	
		permeable materials	
	6.3	Determination of tear strength of the upper, lining and/or tongue	
		6.3.1 Sampling and conditioning	
		6.3.2 Test method	
		6.3.3 Test report	57
	6.4	Determination of the tensile properties of the upper material	
		6.4.1 Sampling and conditioning	
		6.4.2 Test method	
	<i>(</i>	6.4.3 Test report	
	6.5	Determination of upper flexing resistance	
		6.5.1 Sampling and conditioning	50
		6.5.3 Test report	
	6.6	Determination of water vapour permeability (WVP)	
	0.0	6.6.1 Principle	
		6.6.2 Sampling and conditioning	
		6.6.3 Pre-treatment test method	
		6.6.4 WVP measurement	
		6.6.5 Test report	
	6.7	Determination of water vapour absorption (WVA)	
		6.7.1 Principle	
		6.7.2 Test equipment	
		6.7.3 Sampling and conditioning	
		6.7.4 Test method	
		6.7.5 Test report	
	6.8	Determination of water vapour coefficient (WVC)	64

		6.8.1 Calculation of WVC 6.8.2 Test report	
	6.9	Determination of pH value	
	0.17	6.9.1 Sampling and conditioning	
		6.9.2 Test method	
		6.9.3 Test report	65
	6.10	Determination of resistance to hydrolysis of upper	65
		6.10.1 Sampling and conditioning	
		6.10.2 Test method	
		6.10.3 Test report	
	6.11	Determination of chromium VI content	
		6.11.1 Sampling and conditioning	
		6.11.2 Test method	
	(12	6.11.3 Test report	
	6.12	Determination of abrasion resistance of lining and insock	
		6.12.1 Principle	
		6.12.2 Test equipment 6.12.3 Sampling and conditioning	
		6.12.4 Test method	
		6.12.5 Test report	
	6.13	Determination of water penetration and water absorption for upper	
	0.15	6.13.1 Principle	
		6.13.2 Test equipment	
		6.13.3 Sampling and conditioning	
		6.13.4 Test method	
		6.13.5 Test report	70
7	Toct	methods for insole, insock and footbed	71
,	7.1	Determination of insole, insock and footbed thickness	
	7.1	7.1.1 Sampling and conditioning	
		7.1.2 Test method	
		7.1.3 Test report	
	7.2	Determination of water absorption and desorption of insole and/or insock	
		7.2.1 Principle	
		7.2.2 Test equipment	
		7.2.3 Sampling and conditioning	72
		7.2.4 Test method	
		7.2.5 Test report	
	7.3	Determination of abrasion resistance of insole	
		7.3.1 Principle	
		7.3.2 Test equipment	
		7.3.3 Sampling and conditioning	
		7.3.4 Test method	
		7.3.5 Test report	75
8	Test	methods for outsole	75
	8.1	General remarks	
	8.2	Determination of outsole dimensions	
		8.2.1 Sampling and conditioning	
		8.2.2 Determination of the cleated area	
		8.2.3 Outsole thickness and cleat height	
	0.0	8.2.4 Determination of cleat design in the waist area	
	8.3	Determination of tear strength of outsole	
		8.3.1 Sampling and conditioning.	
		8.3.2 Test method 8.3.3 Test report	
	8.4	8.3.3 Test report Determination of outsole abrasion resistance	
	0.4	8.4.1 Sampling and conditioning	
		8.4.2 Test method	

	8.4.3	Test report	79	
8.5		mination of footwear rigidity		
	8.5.1	Principle		
	8.5.2	Test equipment		
	8.5.3	Sampling and conditioning	80	
	8.5.4	Test method	80	
	8.5.5	Test report	82	
8.6	Deter	mination of flexing resistance of outsole	82	
	8.6.1	Principle	82	
	8.6.2	Test equipment	82	
	8.6.3	Sampling and conditioning	82	
	8.6.4	Test method	82	
	8.6.5	Test report		
8.7	Deter	mination of resistance to hydrolysis of outsole		
	8.7.1	Sampling and conditioning		
	8.7.2	Test method		
	8.7.3	Test report	84	
8.8	Deter	mination of resistance to fuel oil		
	8.8.1	Sampling and conditioning		
	8.8.2	Test methods		
	8.8.3	Test report		
8.9	Deter	mination of resistance to hot contact		
	8.9.1	Test equipment		
	8.9.2	Sampling and conditioning		
	8.9.3	Test methods		
	8.9.4	Test report	89	
Annex A (in	formativ	ve) Assessment of footwear by the laboratory during testing of thermal		
			90	
Annex B (in:	formativ	ve) Footwear sizes	93	
Ribliography				

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94 *Personal safety – Personal protective equipment*, Subcommittee SC 3, *Footwear*.

This second edition cancels and replaces the first edition (ISO 20344:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- for each test same organisation (1 principle 2 test equipment's 3 sampling and conditioning 4 test method 5 test report);
- systematic inclusion of a clause test report in all the test methods;
- changes in <u>Table 1</u>, minimum number of samples and test pieces;
- several tests are not described anymore in this standard but in the corresponding standard, reference is made to specific standards (ISO 22649, ISO 11640, ISO 17707, etc...);
- all reference standards are dated in <u>Clause 2</u>;
- new standards are taken into account (ISO 17075-1 and ISO 17075-2, ISO 22568-1 to ISO 22568-4);
- conditioning changed from 48 h to 24 h in 4.2;
- slip resistance. New test condition in 5.14:
- non-metallic perforation resistant insert, reference to the new ISO 22568-4 in 5.10;
- new drawing for impact test in 5.4;
- new detection of water resistance in <u>5.18.4</u>;
- new detection of water resistance in <u>5.19.4</u>;

- clarification in the position and the dimension of the ankle protection in <u>5.21.2</u>;
- new tests for scuff caps, in 5.24;
- new tests for seam strength in <u>5.25</u>;
- determination of the area for non-water vapour permeable material in <u>6.2.3</u>;
- new measurement of cleats height in the waist area in 8.2.4;
- new Annex A with new drawings of footwear degradations;
- new <u>Annex B</u> added with new system of sizing;

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Personal protective equipment — Test methods for footwear

1 Scope

This document specifies methods for testing footwear designed as personal protective equipment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies.

ISO 34-1:2015, Rubber, vulcanized or thermoplastic — Determination of tear strength — Part 1: Trouser, angle and crescent test pieces

ISO 1817:2015, Rubber, vulcanized or thermoplastic — Determination of the effect of liquids

ISO 3290-1:2014, Rolling bearings — Balls — Part 1: Steel balls

ISO 3376:2020, Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation

ISO 3377-2:2016, Leather — Physical and mechanical tests — Determination of tear load — Part 2: Double edge tear

ISO 4045:2018, Leather — Chemical tests — Determination of pH and difference figure

ISO 4643:1992, Moulded plastics footwear — Lined or unlined poly(vinyl chloride) boots for general industrial use — Specification

ISO 4649:2017, Rubber, vulcanized or thermoplastic — Determination of abrasion resistance using a rotating cylindrical drum device

ISO 4674-1:2016, Rubber- or plastics-coated fabrics — Determination of tear resistance — Part 1: Constant rate of tear methods

ISO 5403-1:2011, Leather — Determination of water resistance of flexible leather — Part 1: Repeated linear compression (penetrometer)

ISO 5423:1992, Moulded plastics footwear — Lined or unlined polyurethane boots for general industrial use — Specification

ISO 6487:2015, Road vehicles - Measurement techniques in impact tests - instrumentation

ISO 7500-1:2018, Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system

ISO 11640:2018, Leather — Tests for colour fastness — Colour fastness to cycles of to-and-fro rubbing

ISO 12947-1:1998 + Cor. 1:2002, Textiles – Determination of the abrasion resistance of fabrics by the Martindale method – Part 1 Martindale abrasion testing apparatus

ISO 13287:2019, Personal protective equipment — Footwear — Test method for slip resistance

ISO 14268:2012, Leather — Physical and mechanical tests — Determination of water vapour permeability

ISO 17697:2016, Footwear — Test methods for uppers, lining and insocks — Seam strength

ISO 17707:2005, Footwear — Test methods for outsoles — Flex resistance

ISO 17075-1:2017, Leather — Chemical determination of chromium(VI) content in leather — Part 1: Colorimetric method

ISO 17075-2:2017, Leather — Chemical determination of chromium(VI) content in leather — Part 2: Chromatographic method

ISO 20345:2021, Personal protective equipment — Safety footwear

ISO 20346:2021, Personal protective equipment —Protective footwear

ISO 20347:2021, Personal protective equipment — Occupational footwear

ISO 22568-1:2019, Foot and leg protectors — Requirements and test methods for footwear components — Part 1: Metallic toecaps

ISO 22568-2:2019, Foot and leg protectors — Requirements and test methods for footwear component — Part 2: Non-metallic toecaps

ISO 22568-3:2019, Foot and leg protectors — Requirements and test methods for footwear components — Part 3: Metallic perforation resistant inserts

ISO 22568-4:2021, Foot and leg protectors — Requirements and test methods for footwear components — Part 4: Non-metallic perforation resistant inserts

ISO 22649:2016, Footwear — Test methods for insoles and insocks — Water absorption and desorption

ISO 23529:2016, Rubber — General procedures for preparing and conditioning test pieces for physical test methods

ISO 23388:2018, Protective gloves against mechanical risks